RHODE ISLAND MEDICALJOURNAL



SPECIAL SECTION

MEDICAL EDUCATION

GUEST EDITOR: STACI A. FISCHER, MD

Medical practices are a top target for cyber criminals.

Are you prepared?

As more doctor-patient interactions become virtual, your cyber risk has increased exponentially. Cybercriminals understand the value of patient records and will continue to attack you and your practice. You need an experienced insurance broker who will help you protect your reputation and your livelihood.

HUB's cyber insurance and risk management consulting specialist will recommend solutions that are essential to protecting your practice — so you can continue to focus on patient care.

hubinternational.com/rimed

Put our resources to work for you. Patrick Marra • 978-661-6203 • patrick.marra@hubinternational.com



RHODE ISLAND MEDICAL JOURNAL



Staci A. Fischer, MD



Cover photo: Brown University, Mike Cohea

SPECIAL SECTION Medical Education STACI A. FISCHER, MD GUEST EDITOR

- 7 Introduction to the Medical Education Issue: Showcasing Innovations and Initiatives in Undergraduate, Graduate Medical Education STACLA. FISCHER, MD
- 8 A Challenging Future Ahead for Undergraduate Medical Education
 B. STAR HAMPTON, MD
- 9 The Office of Belonging, Equity, Diversity, and Inclusion in the Warren Alpert Medical School: Aligning Goals, Programming, and Outcomes for Health Equity ANNE VERA CRUZ, PhD; JOSEPH DIAZ, MD, MPH; TRACEY GUTHRIE, MD; DIOSCARIS GARCIA, PhD; PATRICIA POITEVIEN, MD, MSc
- 14 A Community-engaged Curriculum at Alpert Medical School: Centering Patient Communities in Medical Education JULIA NOGUCHI, DRPH, MPH; ANITA KNOPOV, MD; NICOLE BENCIE, BA; THAIS SALAZAR MATHER, PhD; DANA CHOFAY, MD; SARITA WARRIER, MD; STEVEN ROUGAS, MD, MS
- 20 An Integrative Approach to Addressing Medical Student Mistreatment and Promoting Student Well-Being RORY MERRITT, MD, MEHP; KELLY HOLDER, PhD; ROXANNE VREES, MD
- 23 Cross-cultural Comparison of an American and a Taiwanese Medical School with Longstanding Institutional Ties JOHN C. LIN, ScB; SOPHIA L. SONG, ScB, MD; SHYH-JOU SHIEH, MD, PhD; CHUN HEI ANTONIO CHEUNG, PhD; HSIANG-CHIN HSU, MD; C. JAMES SUNG, MD; PAUL B. GREENBERG, MD, MPH

OCTOBER 2023 Volume 106 • Number 9

PUBLISHER RHODE ISLAND MEDICAL SOCIETY

PRESIDENT HEATHER A. SMITH, MD, MPH

PRESIDENT-ELECT KARA A. STAVROS, MD

VICE PRESIDENT NADINE T. HIMELFARB, MD

SECRETARY MARIAH H. STUMP, MD, MPH

TREASURER MATTHEW J. SMITH, MD, MHL

CHIEF EXECUTIVE OFFICER STACY PATERNO

EDITOR-IN-CHIEF WILLIAM BINDER, MD

ASSOCIATE EDITORS KENNETH S. KORR, MD GEORGE BAYLISS, MD

EDITORS EMERITUS JOSEPH H. FRIEDMAN, MD EDWARD FELLER, MD

EDITORIAL ADVISORY BOARD CHARLES A. ADAMS, Jr., MD JASON M. ALIOTTA, MD PHILIP CHAN, MD STACI FISCHER, MD BRETT OWENS, MD ALESSANDRA J. SAX, MD

PUBLICATION STAFF

MANAGING EDITOR MARY KORR mkorr@rimed.org

GRAPHIC DESIGNER MARIANNE MIGLIORI

FOLLOW RIMJ



RHODE ISLAND MEDICAL JOURNAL (USPS 464-820), a monthly publication, is owned and published by the Rhode Island Medical Society, 405 Promenade Street, Suite A, Providence RI 02908, 401-331-3207. All rights reserved. ISSN 2327-2228. Published articles represent opinions of the authors and do not necessarily reflect the official policy of the Rhode Island Medical Society, unless clearly specified. Advertisements do not imply sponsorship or endorsement by the Rhode Island Medical Society.

© COPYRIGHT 2013–2023, RHODE ISLAND MEDICAL SOCIETY, ALL RIGHTS RESERVED.

RHODE ISLAND MEDICAL JOURNAL

SPECIAL SECTION Medical Education, continued

- 28 Specialties with Few Underrepresented Applicants Lack Diversity Information on Residency Websites MEGAN M. TRAN, BS; JESSICA HONG; LAWRENCE HUANG, BS; KENNY CHANG, BS; ADRIAN LEE, BS; SARA D. RAGI, MS; JOHN KAWAOKA, MD
- 31 Barriers to Buprenorphine Prescribing Among Attending Physicians in an Academic Residency Program – Implications for Increased Buprenorphine Usage ELLA VAN DEVENTER, BA; DANIEL ANTONSON, BS; JON SOSKE, PhD; MEGHAN GEARY, MD; RAHUL VANJANI, MD
- 36 Multiple Hospital In-Situ Mass Casualty Incident Training Simulation for Emergency Medicine Residents: A Sarin Bomb Scenario

NICHOLAS J. MUSISCA, MD, MA, FACEP; HEATHER RYBASACK-SMITH, MD, MPH; ANDREW MUSITS, MD, MS; GIANNA PETRONE, DO, MS; RACHEL S. WIGHTMAN, MD; JESSICA L. SMITH, MD; LINDA L. BROWN, MD, MSCE; JOHN L. FOGGLE, MD

- **41** Robotic Simulation in Urologic Surgery BRITTANY D. BERK, MD; VINCENT D. D'ANDREA, MD; JACOB M. MODEST, MD; DANIEL A. WOLLIN, MD, MS
- **46** Arthroscopic Simulation in Orthopaedic Surgery Training EDWARD J. TESTA, MD; JACOB M. MODEST, MD; RORY A. BYRNE, BA; BRETT D. OWENS, MD; RAYMOND HSU, MD

PUBLIC HEALTH

53 HEALTH BY NUMBERS

Evaluation of Racial and Ethnic Disparities of Naloxone Uptake among Harm Reduction Clients in Rhode Island ERIN BROWN, MPH; SARAH OGUNDARE, MPH; SARAH EDWARDS, CCHW, CPRS; NYA REICHLEY, MPA; STACY LEVIN, CCHW, CPRS; DENNIS BAILER, CCHW, QPTC; RAYNALD JOSEPH; KATHARINE HOWE, MPH

56 Vital Statistics

ROSEANN GIORGIANNI, DEPUTY STATE REGISTRAR

RHODE ISLAND MEDICAL JOURNAL

PERSPECTIVE

57 Early Cadaver Lab Exposure Increases Motivation to Pursue Medical Careers in High School Students DAVID F. PAINTER, BS KYLA DEWAR, MD

RIMJ AROUND THE WORLD

59 Keene, New Hampshire

RIMS NEWS

60 Working for You Advocacy Calendar

IN THE NEWS

- 62 Alpert Medical School to end participation in U.S. News ranking
- **63** RI delegation announces \$500,000 to prevent youth substance use

Governor McKee, EOHHS, partners announce wound care pilot program

- 64 Deadline nears for RI Foundation medical research grants Grant deadline: October 20, 2023
- 65 Rhode Island remains a vaccination leader nationwide for adolescents

Lifespan hosts its 30th Annual Research Day Oct. 5th

66 RI suicide and crisis line calls increase by more than 50 percent since 988 launch





R. Palmer, PhD

B. Choi, PhD





G. Karniadakis, PhD



P. Zhang, MD, MS



- 66 CardioPulmonary Vascular **Biology COBRE administrative** supplement funded \$1M
- **67** Construction begins on Butler Hospital's renovated Short Stay Unit

Rhode Island joins national **PSYPACT** program

PEOPLE/PLACES

68 Mouhanad M. El Othmani, MD, joins Joint Replacement Center at University Orthopedics

> BCBSRI earns 4.5 out of 5 rating from National Committee for Quality Assurance

- 69 RIMS Honorees recognized at 2023 member Convivium AMA Immediate Past President Dr. Jack Resneck, Jr., featured speaker
- **70** South County Hospital receives 5-Star rating from CMS

Blue Cross & Blue Shield of Rhode Island certifies 37 new LGBTQ Safe Zones

71 VNA of Care New England–Hospice earns superior performer award

> Brown Surgical, Miriam gain national accreditation from American College of Surgeons for rectal cancer care

Northeast Orthotics & Prosthetics **Donates Prosthetics to TSA Cares** Training Program at TF Green Appliances will be used to train TSA agents to better support amputees during screening

72 Meals on Wheels of RI teams with Point32Health to provide no cost, healthy meals for expectant mothers at W&I

The Substance Use and Mental Health Leadership Council of RI host ribbon-cutting ceremony to celebrate new office location

OBITUARIES

73 Richard F. Judkins, MD Albert F. Marz, Jr., DO











Rhode Island's Medical Staffing Experts

Favorite Healthcare Staffing provides a comprehensive range of staffing services at preferred pricing to RIMS members. Call today to see why we are the favorite choice of healthcare professionals and physician practices across the US!



401.354.7115



MedicalStaffing@FavoriteStaffing.com



Favorite Healthcare Staffing is a Valued Sponsor of the Rhode Island Medical Society

AA / EOE / M / F / V / D



Introduction to the Medical Education Issue: Showcasing Innovations and Initiatives in Undergraduate, Graduate Medical Education

STACI A. FISCHER, MD GUEST EDITOR

We are excited to bring you a special issue of the *Rhode Island Medical Journal* (RIMJ) this month, dedicated to innovations in medical education. In this issue you will find articles from medical students, residents, fellows and attending physicians here in Rhode Island and elsewhere on innovative approaches to undergraduate and graduate medical education, encompassing topics such as the role of simulation in residency training in surgical specialties and in mass casualty preparedness; data, initiatives and program website promotion of diversity and inclusion in residency training across the United States in several specialties; and the status of international medical graduates in orthopedic training programs in the country.

Under the direction of **B. STAR HAMPTON, MD**, Senior Associate Dean for Medical Education at The Warren Alpert Medical School of Brown University (AMS), we have a number of updates on initiatives at the medical school, highlighting efforts in belonging, equity, diversity and inclusion; improving well-being and addressing medical student mistreatment; and ensuring community engagement in the curriculum. These manuscripts demonstrate that despite the disruption in usual undergraduate and graduate medical education practices during the height of the COVID-19 pandemic, innovations continued to be developed. We hope that this issue provides new insights into medical education in Rhode Island and beyond.

Author

Staci A. Fischer, MD, Medical Director and Chief Administrative Officer, Division of Healthcare Quality and Safety, Rhode Island Department of Health, Providence, RI.

Correspondence

Staci A. Fischer, MD Rhode Island Department of Health 3 Capitol Hill Providence, RI 02908 staci.fischer@health.ri.gov





A Challenging Future Ahead for Undergraduate Medical Education

B. STAR HAMPTON, MD

Educating and training physician providers, leaders, scientists, advocates, and educators of tomorrow is a daunting task amidst an ever-changing healthcare landscape, political climate in America, and a realization that our healthcare systems of the past may not be best in serving the patients and workers within them, especially as we undertake the critical mission to diversify our physician workforce. This is with the backdrop of – to name a few things – what has been declared a moral crisis for physicians today, the rising costs of education in America, and the emergence from a pandemic that depleted our healthcare systems.

Brown University launched its medical school in 1972. Serving the state for the past 50 years, today The Warren Alpert Medical School of Brown University (AMS) is Rhode Island's only medical school, placing it in a unique position to lead these educational efforts both locally and nationally. AMS undergraduate medical education (UME) leaders are considering many factors as we navigate this treacherous landscape and think about how to best serve our students, faculty, and diverse communities. Our efforts all focus on the goal of taking the best care of patients in the future.

Curriculum review & The Office of Belonging, Equity, Diversity and Inclusion (OBEDI)

The medical school will begin to undertake a curriculum review over the next 12 to 18 months. In doing so, we will think about who we are educating and what we are placing in the curriculum. Our student body today is different from the student body 50 years ago, and our appreciation of the diverse backgrounds and life experiences students bring to AMS that shape how they learn continues to grow. The Office of Belonging, Equity, Diversity and Inclusion (OBEDI), led by inaugural Senior Associate Dean for Diversity, Equity and Inclusion, Dr. Patricia Poitevien, is a national leader and critical for these efforts. The comprehensive goals, programming, and outcomes, all focused on sustainable health equity for individuals and community, are outlined in the article in this edition authored by members of that office.

Community engagement and service learning in AMS curriculum

Our understanding of knowledge areas that are essential to the health of our populations and communities continues to expand and evolve. We know medical school must be more than pathology and organ systems for physicians of tomorrow to be successful. At AMS we continue to integrate essential topics such as population and planetary health, artificial intelligence, professional identity formation, lifestyle medicine and service learning, to name a few, into our curriculum. Within this special edition, our leaders in the Office of Medical Education describe how we have incorporated community engagement and service learning into the AMS curriculum. These efforts can impact professional development and build sustainable, mutually beneficial relationships with our communities, ultimately improving the health of those within the communities.

Student wellness efforts

Along with the who and what, medical education leaders need to think critically and creatively about how we are delivering material, assessing student learning and skills, and handing students off to our graduate medical education colleagues. The article from OBEDI outlines how we are working to achieve inclusive learning and teaching practices, with faculty coaching and mentorship for inclusive teaching and review of student-submitted curricular opportunity forms. Supporting student and faculty well-being is essential throughout. This includes intentional wellness programming alongside safe and positive working and learning environments free of mistreatment. At the forefront of this work at AMS and nationally, leaders from the Office of Student Affairs have outlined their efforts in this space in the article "An Integrative Approach to Addressing Medical Student Mistreatment and Promoting Student Well-Being." A healthy, resilient student body leads to a physician workforce that is well positioned for a challenging future, and better outcomes for patients and communities served.

Yes, the task set in front of us is daunting, and with that comes anticipation and excitement. As you will read, AMS faculty and staff have already made incredible strides in many areas. We are at an inflection point of change. We are positioned to make continued positive impacts in the state and beyond. And we will do so by continuing our legacy of listening to our students, thinking creatively, and embracing innovation.

Author

B. Star Hampton, MD, Senior Associate Dean for Medical Education, Professor of Obstetrics and Gynecology, Division of Urogynecology and Reconstructive Pelvic Surgery, Professor of Medical Sciences, Section of Medical Education, The Warren Alpert Medical School of Brown University, Providence, RI.

Correspondence

B. Star Hampton, MD The Warren Alpert Medical School of Brown University 222 Richmond Street, Providence, RI 02903 Brittany_Star_Hampton@brown.edu



The Office of Belonging, Equity, Diversity, and Inclusion in The Warren Alpert Medical School: Aligning Goals, Programming, and Outcomes for Health Equity

ANNE VERA CRUZ, PhD; JOSEPH DIAZ, MD, MPH; TRACEY GUTHRIE, MD; DIOSCARIS GARCIA, PhD; PATRICIA POITEVIEN, MD, MSc

ABSTRACT

Although United States (US) medical institutions discuss the importance of diversity, equity, and inclusion, there is little guidance about the process by which these concepts can be attained programmatically within institutions. The Office of Belonging, Equity, Diversity, and Inclusion (OBEDI) at The Warren Alpert Medical School of Brown University intends to rise to the challenge and share knowledge and experience with other institutions. Program design models, and the alignment of inputs, outputs, and outcomes for the short-term and long-term are illustrated. OBEDI's unique model of how each of these concepts contribute towards health equity, from the individual to the community, is also explained. Finally, OBEDI shares promising practices and future directions.

KEYWORDS: health equity, diversity, inclusion, belonging

INTRODUCTION

In recent years, national institutions such as the Association of American Medical Colleges (AAMC),¹ the American Medical Association (AMA),² and the Centers for Disease Control and Prevention (CDC)³ have highlighted the importance of advancing diversity, equity, and inclusion (DEI) in relation to achieving health equity. While these terms are defined differently by each of the aforementioned institutions, all three have unequivocally argued that programming for DEI is necessary at every level of the medical profession in order to administer patient care with a health equity lens. After all, healthcare professionals are routinely confronted with the effects of health inequities, from differences in maternal health outcomes,⁴ life expectancy,⁵ and access to healthcare.⁶

While much professional guidance has been provided for both defining DEI terms and suggesting health equity outcomes, little guidance has been provided on what we call "process alignment", namely, connecting DEI goals with programs and resources (inputs), and ultimately with health equity outcomes. For example, in medical schools, DEI professionals are categorically tasked with programming for a wide range of audiences including Undergraduate Medical Education (UME), Graduate Medical Education (GME), and Continuing Medical Education (CME). This task is not as straightforward as it seems. For example, DEI professionals must often support and retain learners who are underrepresented in medicine (UIM) from an institutional perspective while simultaneously engaging K–12 and undergraduate students through "pathway" programs, all towards a goal of diversifying the workforce.⁷ In addition, more critical scholar-activists in medicine have rightly called for DEI professionals to think about and plan for what DEI knowledge, skills, and experiences all individual learners, underrepresented or not, must obtain across the professional spectrum, in support of health equity.⁸ This requires that the "teachers be taught" and special attention paid to providing supplemental education to those faculty members and supervisors who themselves do not have a strong understanding of DEI.

These diverse audiences create the need for heterogeneous programming at different levels within the institution. Furthermore, there is the wide-ranging challenge of advancing health equity more generally, in our local hospitals, professional organizations, and broader healthcare ecosystem. As such, an institution's process alignment is indispensable to thinking through how our internal outcomes can advance broader changes in the healthcare community – from increased diversification of the healthcare workforce to improvements in real-world health equity outcomes. The Office of Belonging, Equity, Diversity, and Inclusion (OBEDI) at The Warren Alpert Medical School of Brown University intends to rise to this challenge and share our knowledge and experience with other institutions. Collectively, this paper aims to:

1. Share how our definition of diversity, equity, inclusion, and belonging shapes program design and illustrate how this aligns with OBEDI programs (inputs) and its desired outcomes.

2. Discuss promising practices for other institutions working on DEI process alignment and the OBEDI's future directions.

THE VALUES THAT FRAME OBEDI WORK

OBEDI has four main centers that implement various aspects of programming. The Center for Community Engagement and Pathway Programming (CCEPP) focuses on local and



regional outreach, often engaging with health centers, learners, and families in order to promote a diverse workforce and support successful community partners in the pursuit of health equity. The Center for Belonging (CB) works with student affinity groups and UME leaders to create community and foster a culture of belonging within the medical school. The Center for Workforce Recruitment and Retention (WRR) works with GME, faculty and clinical departments to attract and retain physicians who are historically marginalized and minoritized. Finally, the Center for Curricular Innovation and Student Achievement supports senior administration and faculty in the design and implementation of programs and curricula that promote social justice and equitable instruction for all learners. The Senior Associate Dean for DEI and the Directors of OBEDI centers often collaborate with external partners at the University, in the Medical School, across the clinical enterprise and within the Rhode Island community to achieve these goals.

The OBEDI fills in gaps of support for historically marginalized and minoritized learners, faculty, and staff, while also providing resources for all members of the commu-

nity, no matter where they are on their journey towards DEI and health equity. OBEDI believes that programming for all members, regardless of positionality, is important to attain its goals of fostering diversity, equity, inclusion, and belonging within and beyond the institution.

Diversity

The AMA and AAMC⁹ define valuing diversity as "recognizing differences between people, acknowledging that these differences are a valued asset, and striving for diverse representation as a critical step towards equity." Though diversity in academic medicine can be narrowly defined as the mere presence of people from underrepresented populations, we expand this definition to include the acceptance of the knowledge and perspectives that come with representation. Practically, this means that we aim to recognize that each student has a unique perspective that could contribute towards a better understanding to the complex problems within healthcare.


Key initiatives supporting workforce diversity are Month of Medicine, The Brown Minority Housestaff Association (BMHA), the Brown Diversity Visiting Scholarship, Black Men in White Coats, and the Tougaloo Early Identification Program. Additionally, the Diversity in Curriculum program focuses on incorporating distinct perspectives throughout the curriculum, for all learners. We use faculty coaching and professional development to deliver education meant to prepare students to care for increasingly diverse patients. The program model for diversity is illustrated in **Figure 1**.

Inclusion

We define inclusion as the policies and structures that shape the culture and behaviors within a space or institution. The AMA and AAMC⁹ similarly define inclusion as

"How our defining identities are accepted in the circles that we navigate. [It] is the process of creating a working culture and environment that recognizes, appreciates, and effectively utilizes the talents, skills, and perspectives of every employee; uses employee skills to achieve the agency's objectives and mission; connects each employee to the organization; and encourages collaboration, flexibility, and fairness. In total, inclusion is a set of behaviors (culture) that encourages employees to feel valued for their unique qualities."

Because different stakeholders, such as learners, faculty, and administrators have different perspectives, OBEDI



assumes that everyone has agency in creating inclusive spaces. However, in recognizing that stakeholders in positions of power have more influence in shaping these spaces, programming intentionally includes the highest-ranking members of the medical school - the Dean's Leadership Council - in anti-racism training in order to promote inclusive decision-making, especially for policy design that leads to better learning outcomes.10 Interested faculty, another stakeholder in a position of power, are also coached in developing inclusive learning spaces through curricular services and faculty development. Finally, in celebration of learner identities, OBEDI guides and advocates for student affinity groups and also supports a yearlong fellowship for students interested in becoming leaders in DEI, in order to center and amplify student voices and perspectives. OBEDI also provides faculty coaching for inclusive teaching and mentorship. The programmatic model for inclusion is illustrated in Figure 2.

Successful diversity and inclusion programming relies on a strong understanding of equity - or the recognition that those who are historically minoritized in medicine have

had more barriers to the profession. As such, OBEDI aims to ensure that these differentially positioned populations have equitable access to opportunities. The AMA and AAMC⁹ make an important distinction between equality and equity:


"Equality as a process means providing the same amounts and types of resources across populations. Seeking to treat everyone the "same", this ignores the historical legacy of disinvestment and deprivation through policy of historically marginalized and minoritized communities as well as contemporary forms of discrimination that limit opportunities."

Practically, this means that support is provided to those who are historically minoritized in medicine to redress barriers to opportunities. Key programmatic examples for equity include medical school membership in the Leadership Alliance, Mentoring and Educating Diverse Students and Trainees to Excel as Physicians (MEDSTEP), Together Everyone Achieves More (TEAM), and the Let's Get Out Series, all of which contribute towards social and navigational capital.¹¹ The programmatic model for equity is illustrated in Figure 3.


Belonging is a sense of connectedness to a group or a community that an individual experiences when they view themselves as a respected member of the group and they know their contributions are valued. Sense of belonging impacts academic achievement, choice of profession, self-efficacy, workforce retention, and productivity.12,13 Individuals who are historically UIM are at a disadvantage when it comes to developing a sense of belonging. Practically speaking this means the OBEDI actively seeks out opportunities to reinforce belonging for learners and faculty with programs like Brother-2-Brother and The Justice, Equity, Diversity, and Inclusion Faculty Association. The OBEDI also collaborates with our clinical partners to quantify and eliminate barriers to belonging such as microaggressions and discrimination, through reporting systems, education, and policy recommendations. The programmatic model for belonging is illustrated in Figure 4.

Though OBEDI is conscious and intentional about programming, we recognize that the potential and lived impacts of the work are not easily categorized within the individual, the institution, and/or the community. Instead, we believe that if the "work" is done correctly, in its full complexity, the impacts would span across all three major stakeholders, in multiple directions. In OBEDI's Frame of Work (Figure 5), an investment in the "individual", would then have significant impacts on the institution and the community. For

Figure 3. Program Design for Equity Figure 4. Program Design for Belonging







example, OBEDI programming anticipates that fostering true "belonging" for an underrepresented medical student would contribute towards a more welcoming environment institutionally, which would both increase retention for staying within the profession and supporting the community and create an environment that is more welcoming to patients and staff from minoritized backgrounds.

This model can also be applied from the community perspective towards the individual. A good understanding of the population that makes up a community (and the unique experiences within), is essential in shaping institutional decision-making for programming. For example, frequent engagement with local schools and community health centers informs OBEDI about necessary partnerships in pursuit of health equity. This not only shapes what learners are taught and how they practice care to influence health outcomes at the population level, but it also fosters care and belonging for each member of the Rhode Island community. Additionally, it facilitates belonging for minoritized students and faculty by connecting their work and education to positive outcomes for community members who come from similarly minoritized backgrounds.

The investment of institutions in this model is essential as it often provides the capital and resources to be able to reach both internal and external stakeholders and communities. For example, The Warren Alpert Medical School, through OBEDI, is able to connect with and provide information about healthcare professions education to youth and parents.¹⁴ This is significant because the self-efficacy and empowerment in pursuit of a health degree increases when young learners meet successful healthcare professionals who have similar, intersectional positionalities.¹⁵

As the pursuit of health equity is complex and involves societal solutions beyond the field of medicine,¹⁶ institutions play an extensive role in not only creating a vision internally, but consistently seek opportunities to serve its stakeholders through various programming efforts. By leading and being "led", the impact of the institution is bidirectional, bridging both the individual within the medical profession and the community it serves.

FUTURE DIRECTIONS

OBEDI recommends that institutions committed to diversity, equity, inclusion, and belonging carry out a similar design-process-outcome alignment in order to have a clearer sense of desired outcomes and needed infrastructure for successful programming. This leads to a better sense of desired short-term and long-term measures, which are often elusive in health equity work and also allows the team to reflect upon the process by which these measures are achieved. The goal of DEI work should be cultural transformation and must be viewed as mission critical and foundational to the strategic vision of any academic medical center. DEI should be infused in research, clinical care, and education if goals of belonging (individual) and health equity (population) are ever to be reached. As programming is developed and executed, its impact on the tripartite mission and its ability to advance belonging and health equity should be continually evaluated. Finally, this alignment also provides an opportunity for the institution to reflect upon what programming might be needed for the future, for new and ever-evolving audiences.

References

- 1. Skorton, DJ, Acosta, DA. DEI: A Strategic Priority for the AAMC and Academic Medicine. AAMC. Available from: https://www.aamc.org/news/press-releases/dei-strategic-priority-aamc-and-academic-medicine
- 2. The AMA's Strategic Plan to Embed Racial Justice and Advance Health Equity [Internet]. AMA [cited 2023 May 20]. Available from: https://www.ama-assn.org/about/leadership/ama-s-strategic-plan-embed-racial-justice-and-advance-health-equity
- 3. Racism and Health [Internet]. Centers for Disease Control and Prevention [cited 2023 May 1]. Available from" https://www. cdc.gov/minorityhealth/racism-disparities/index.html
- Howell EA. Reducing Disparities in Severe Maternal Morbidity and Mortality. Clin Obstet Gynecol. 2018 Jun;61(2):387-399. doi: 10.1097/GRF.00000000000349. PMID: 29346121; PM-CID: PMC5915910.
- National Center for Health Statistics (US). Health, United States, 2015: With Special Feature on Racial and Ethnic Health Disparities. Hyattsville (MD): National Center for Health Statistics (US); 2016 May. Report No.: 2016-1232. PMID: 27308685.
- Molina N. Borders, laborers, and racialized medicalization Mexican immigration and US public health practices in the 20th century. Am J Public Health. 2011 Jun;101(6):1024-31. doi: 10.2105/ AJPH.2010.300056. Epub 2011 Apr 14. PMID: 21493932; PM-CID: PMC3093266.



- Nelson B, Kaminsky DB. Diversity, equity, and inclusion in pathology: Some progress, but room for improvement: Amid a troubling backslide in diversifying medicine, pathologists point to recent successes and remaining challenges in promoting diversity, equity, and inclusion (DEI). In part 1 of a 2-part series, we investigate what has and has not worked in efforts to diversify workforces. Cancer Cytopathol. 2021 Nov;129(11):837-838. doi: 10.1002/cncy.22521. PMID: 34724362.
- Sotto-Santiago S, Poll-Hunter N, Trice T, Buenconsejo-Lum L, Golden S, Howell J, Jacobs N, Lee W, Mason H, Ogunyemi D, Crespo W, Lamba S. A Framework for Developing Antiracist Medical Educators and Practitioner-Scholars. Acad Med. 2022 Jan 1;97(1):41-47. doi: 10.1097/ACM.000000000004385. PMID: 34469355.
- American Medical Association and Association of Medical Colleges [Internet]. Advancing health equity: guide on language, narrative and concepts. [cited 2023, May 1]. Available from: https:// www.ama-assn.org/system/files/ama-aamc-equity-guide.pdf
- Diaz T, Navarro JR, Chen EH. An Institutional Approach to Fostering Inclusion and Addressing Racial Bias: Implications for Diversity in Academic Medicine. Teach Learn Med. 2020 Jan-Mar;32(1):110-116. doi: 10.1080/10401334.2019.1670665. Epub 2019 Sep 28. PMID: 31566010.
- Yosso, TJ. Whose culture has capital? A critical race theory discussion of community cultural wealth. Race ethnicity and education. 2005 Mar 1;8(1):69-91.
- Rattan A, Savani K, Chugh D, Dweck CS. Leveraging Mindsets to Promote Academic Achievement: Policy Recommendations. Perspect Psychol Sci. 2015 Nov;10(6):721-6. doi: 10.1177/1745691615599383. PMID: 26581725.
- Carr EW, Reece A, Kellerman GR, Robichaux A. The Value of Belonging at Work [Internet]. Harvard Business Review. [cited 2019 Dec 16]. Available from: https://hbr.org/2019/12/the-value-of-belonging-at-work
- Holsti M, Hawkins S, Bloom K, White R, Clark EB, Byington CL. Increasing diversity of the biomedical workforce through community engagement: The University of Utah Native American Summer Research Internship. Clin Transl Sci. 2015 Apr;8(2):87-90. doi: 10.1111/cts.12258. Epub 2015 Jan 15. PMID: 25588950; PMCID: PMC4405437.
- Fite BZ, Hinostroza V, States L, Hicks-Nelson A, Baratto L, Kallianos K, Codari M, Yu B, Jha P, Shams M, Stoyanova T, Chapelin FF, Liu A, Rashidi A, Soto F, Quintana Y, Davidzon GA, Marycz K, Gibbs IC, Chonde DB, Patel CB, Daldrup-Link HE. Increasing Diversity in Radiology and Molecular Imaging: Current Challenges. Mol Imaging Biol. 2021 Oct;23(5):625-638. doi: 10.1007/ s11307-021-01610-3. Epub 2021 Apr 26. PMID: 33903986; PM-CID: PMC8074707.
- 16. Goldberg DS. Public health ethics and the social determinants of health. Springer; 2017.

Authors

- Anne Vera Cruz, PhD, is the Assistant Dean for Curriculum in Diversity, Inclusive Teaching, and Learning at The Warren Alpert Medical School of Brown University, Providence, RI.
- Joseph Diaz, MD, MPH, is the Associate Dean for Diversity and Multicultural Affairs at The Warren Alpert Medical School of Brown University, Providence, RI.
- Tracey Guthrie, MD, is the Assistant Dean for Diversity at The Warren Alpert Medical School of Brown University, Providence, RI.
- Dioscaris Garcia, PhD, is the Assistant Dean of Diversity, Equity, and Inclusion at The Warren Alpert Medical School of Brown University, Providence, RI.
- Patricia Poitevien, MD, MSc, FAAP, is an Associate Professor of Pediatrics in the Division of Pediatric Hospital Medicine and Senior Associate Dean for Diversity, Equity, and Inclusion at The Warren Alpert Medical School of Brown University, Providence, RI.

Correspondence

Anne Vera Cruz, PhD Assistant Dean for Curriculum in Diversity, Inclusive Teaching & Learning Warren Alpert Medical School of Brown University 222 Richmond Street, Providence RI 02912 Box G-M veracruz@brown.edu



A Community-engaged Curriculum at Alpert Medical School: Centering Patient Communities in Medical Education

JULIA NOGUCHI, DrPH, MPH; ANITA KNOPOV, MD; NICOLE BENCIE, BA; THAIS SALAZAR MATHER, PhD; DANA CHOFAY, MD; SARITA WARRIER, MD; STEVEN ROUGAS, MD, MS

ABSTRACT ⁻

BACKGROUND: Incorporating opportunities for community engagement into undergraduate medical education (UME) can help learners to identify and address social determinants of health (SDoH). Multiple challenges exist in operationalizing these experiences.

METHODS: Using the Assessing Community Engagement (ACE) model, course directors at the Warren Alpert Medical School of Brown University (AMS) mapped community engagement initiatives to the four-year curriculum.

FINDINGS: Service-learning, community engagement projects, and clinical rotations at health centers and free clinics aim to equip learners at AMS with the necessary skills to address SDoH. Careful consideration should be given to the time and resources required to facilitate relationships with community-based agencies, learner reflection, program evaluation, and community-level outcomes.

CONCLUSIONS: Community engagement activities should be aligned with learning objectives during the pre-clerkship and clerkship stages of the existing UME curricula. Embarking on a curriculum redesign can create opportunities to expand partnerships with local agencies and deepen student engagement.

KEYWORDS: curriculum development, community engagement, service learning, health professions education

INTRODUCTION

It is widely accepted that medical educators share a social responsibility to teach medical students how to care for underserved and marginalized communities.¹ Increasingly, United States medical schools are incorporating social determinants of health (SDoH) and resultant health disparities into undergraduate medical education (UME) curricula. However, more may be needed to move learners beyond a baseline level of awareness.² By equipping medical students with the ability to apply knowledge of the SDoH to patient care, future providers may be better prepared to develop more effective treatment plans, ultimately addressing the underlying causes of illness and improve overall population health.³

Meaningful community engagement experiences can impact students' professional development, help develop cultural humility, and promote social responsibility, while also having the potential to improve patient outcomes. The National Academy of Medicine's Assessing Community Engagement (ACE) conceptual model proposes that systems change cannot occur without the engagement of those closest to the challenges and solutions-communities themselves.⁴ Core principles of this model include ensuring that community engagement activities are grounded in trust, are designed to be bidirectional, are equitably financed, and are characterized by shared governance and endure beyond the project time frame. Operationalizing meaningful community engagement experiences for students, however, is not simple. Identifying local agencies with the capacity to host learners, incorporating these activities into an already packed curriculum, assessing learners on knowledge and skills acquired, and evaluating the impact of community engagement programs are formidable challenges. Using the ACE model as a guiding framework, this article summarizes the integration of community-engaged experiences into the UME curriculum at the Warren Alpert Medical School of Brown University (AMS) and discusses lessons learned in light of the aforementioned challenges, with a focus on potential future directions.

PRE-CLERKSHIP CURRICULUM

Student participation in community engagement at AMS occurs throughout the 4-year curriculum. Opportunities take place in both the classroom and community-based settings. Classroom-based work in the Health Systems Science course during the first semester provides students with a theoretical foundation on the SDoH and how the health-care system can intervene in the SDoH mechanisms to alleviate differential consequences of ill health. The course also teaches students basic principles in biostatistics and epidemiology.

Parallel to basic sciences courses during the first two years, students participate in clinical skills training courses known as *Doctoring*. A four-semester curriculum, *Doctoring* teaches students foundational and advanced communication skills, physical exam skills, and clinical reasoning. Hands-on practice with standardized patients in a simulation



lab and experience working alongside a community-based physician once per week helps reinforce these skills. Weekly didactics focus on increasing awareness of health inequities, barriers to care, and the SDoH, with the goal of providing patient-centered, inclusive care (see **Table 1**). These goals are most effectively obtained in the curriculum when students see and hear the lived experiences of patients and experts.⁵ Several times throughout the academic year, guests are invited to AMS to share their insights, experiences, and expertise as either providers or consumers of care. For example, agencies that serve members of LGBTQ+ community, people living with disabilities, people who use drugs, refugees, and people with a history of interpersonal violence reinforce a patient-centered, inclusive approach to care. By participating in either a panel or small group discussion, guests discuss intersectionality, bias, stigma, barriers to care and services, and the role of physician advocacy. Patients affected by health care disparities often share their strengths; how they have learned to navigate the healthcare system; and what they value most in the doctor-patient relationship. Students have shared that hearing real-life scenarios of exceptional and below standard clinical encounters and clinical pearls from providers who care for certain patient populations provide valuable perspective and appreciation for inclusive language and practices that are not found in textbooks or lectures.

Beyond the classroom setting, students are actively engaged in the community through the service-learning curriculum (see **Table 2**). Service-learning is a structured learning experience that responds to a community-identified need. It aims to develop students' professional identities by increasing awareness of cultural differences, instilling humility, and exposing the learner to a team-based approach to patient care. First-year students participate in *My Life*, *My Story*, an activity which pairs students virtually with older adults in the community with the goal of listening to and documenting the volunteer's life story, in conjunction with the volunteer's feedback. The activity emphasizes active listening, empathy and collaboration as essential clinical skills for patient care, while imparting the importance of the patient's whole life story on their medical care.

In the second semester of *Doctoring*, students chose a service-learning project from a pre-selected list of local nonprofits, schools or pre-clerkship electives with a service component (see Table 2) or identify an opportunity on their own. These experiences aim to identify and address community strengths and needs related to economic stability, health care access and quality, education access and quality, neighborhood and built environment, and social and community context while providing a deeper connection to class content by encouraging students to apply their knowledge to a real-world setting. There are similar requirements in the first semester of their second year which offer the potential for longitudinal engagement. Each semester's service-learning project culminates with a reflective writing assignment and small group discussions furthering students' professional identity formation and development.

CLERKSHIP AND POST-CLERKSHIP CURRICULUM

As students enter the clinical environments more regularly in the clerkship and post-clerkship phases of the curriculum,

Table 1. Classroom-Based Community Engagement Opportunities in Years 1-2 at Alpert Medical School

Session (total hours)	Session Objectives	Skill Development	Community Partners
LGBTQ+ Patient Care Didactic Session (4 hrs.)	Review skills and resources for providing inclusive care Recognize appropriate and inclusive terminology Recognize barriers to care	Clinical case discussion	Lotus Noire Health Open Door Health Rhode Island Hospital (Lifespan) Thundermist Health Centers
Disabilities in Medicine Didactic Session and Workshop (4 hrs.)	Compare and contrast medical and social models of disability Recognize appropriate and inclusive terminology Recognize barriers to care Discuss effective communication skills	Clinical case discussion	Gnome Surf Project Let's Erase the Stigma (LETS) RI School for the Deaf RI Special Olympics
Harm Reduction Didactic Session (4 hrs.)	Understand and practice the 5 A's (Ask, Assess, Advise, Assist, Arrange) of motivational interviewing Understand the principles of harm reduction Apply a harm reduction lens to all forms of behavior change counseling	Reflective discussion Practice substance use counseling Pre- and post-test on harm reduction knowledge and skills	Addiction Medicine Consult Service at Rhode Island Hospital (Lifespan) Project Weber-Renew
Transgender Patient Care Didactic Session (4 hrs.)	Define terminology to provide inclusive care and recognize health issues relevant to transgender patient care Recognize barriers to care	Reflective discussion Clinical case discussion	Thundermist Health Centers



Activity	Objectives	Skill Development	Community Partners
My Life My Story Project	Develop communication skills	Reflective field note	Hope Health
(Year 1, first semester; 4-8	Develop active listening skills and	Reflective discussion	Lifelong Learning Collaborative
hrs.)	empathy		National Association of Social Workers (NASW)
	Identify patient strengths		RI Chapter
	Increase familiarity with geriatric patient		PACE Organization of RI
	populations		Pride in Aging RI
			Saint Elizabeth
			Village Common of RI
			Village at Waterman Lake
			We Can Help You
			Winslow Gardens
Service-Learning Activity	Health behavior education	Reflective field note	Be Kind RI
(Year 1, second semester	Develop social justice orientation	Reflective discussion	Clínica Esperanza
and Year 2, first semester; 8 hrs.)	Identify and address community needs		Dance for Parkinson's
8 fils.)	Develop leadership skills		Lotus Noire Health
	Community development and advocacy		Higher Ground International
			Hope's Harvest RI
			House of Hope Community Development Corporation
			Progreso Latino
			Providence Neighborhood Planting Program (PNPP)
			RI Free Clinic
			RI Medical Society/American Medical Association (AMA) Chapter
			RI Special Olympics
			Trinity Rep Active Imagination Network (TRAIN)
RI Medical Navigation	Work in interprofessional teams to assist	Practical healthcare	House of Hope Community Development
Partnership (Year 1, both	people experiencing homelessness with	navigation with	Corporation
semesters; 20 hrs.)	navigating the healthcare system	patients	RI Medical Navigator Partnership

Table 2. Site-Based Community Engagement Opportunities in Years 1-2 at Alpert Medical School

the opportunities to offer additional community-based activities are balanced with the need for robust clinical training (see **Table 3**). A subset of students in the Primary-Care Population Medicine program at AMS participate in a Longitudinal Integrated Clerkship. This allows students to engage in a longitudinal partnership with community-based organizations as part of their Master's level course, *Population and Clinical Medicine*. Students receive instruction and training in community-based engagement, quality improvement, and are assisted with finding partner organizations. Students engage in a year-long project with local agencies to develop an intervention to address a community-identified need.

All other clerkship students who complete the six-week Family Medicine rotation participate in a Social and Community Context (SACC) project. This project allows students to focus on the community at their local Family Medicine clinic site, and identify a relevant healthcare need through conversations with local community members, patients, and their clinic site partners. The project encourages students to propose a potential intervention that could be implemented at their Family Medicine clinic site, though there currently is not capacity for students to lead the implementation of each proposed intervention. All third-year students also participate in a *My Life, My Story* project during the Internal Medicine clerkship, which allows patients to have their life story incorporated into the electronic health record (EHR). Two longitudinal clinical electives in the fourth year of medical school allow students to work at student-run free clinics or provide care coordination for patients with housing insecurity. These long-established partnerships provide exposure to hands-on care for students with a foundation of clinical training, under the supervision of experienced physicians and allied health professionals.

LESSONS LEARNED

Traditional medical education curricula were not designed to include community-engaged and service-learning activities.



Activity	Objectives	Skill Development	Community Partners		
Clinical (Year 3)					
Longitudinal Partnership (Year-long; 22-30 hrs.)	Select a community-based site Complete a needs assessment Work with site to complete a project	Needs assessment Community mentor evaluation Presentation of completed/in progress project	Clinica Esperanza/Hope Clinic Dorcas International Hasbro Primary Care (Lifespan) Memorial Hospital Family Care Center (FCC) Gender Clinic RI Department of Health Roger Williams Middle School		
Social and Community Context (SACC) Project (6-week Clerkship; 4-8 hrs.)	Identify a specific need/intervention at practice site that could improve the health of the local community	Submission of completed project detailing a proposed intervention	Local Family Medicine primary care offices across RI, MA, CT		
My Life, My Story Project (12-week Clerkship; 4-8 hrs.)	Identify and Interview a patient who would like to include their 500-word life story in the EHR	Develop communication skills Develop active listening skills and empathy Identify patient strengths	Internal Medicine Clerkship sites		
Clinical (Year 4)					
Clínica Esperanza Clinical Elective (Year-long; 40 hrs)	Students see patients at a student-run clinic	Student performance evaluation	Clínica Esperanza/Hope Clinic		
Healthcare for the Homeless Clinical Elective (Year-long; 40 hrs.)	Students provide care coordination for patients with housing insecurity	Student performance evaluation	House of Hope Community Development Corporation RI Medical Navigator Partnership		

Table 3. Site-Based Community Engagement Opportunities in Clinical Years 3 & 4 at Alpert Medical School

Educators often retrofit these activities into a UME curriculum that does not account for the time and resources required to facilitate true community engagement, learner reflection, program evaluation, and community-level impact. The Association of American Medical Colleges (AAMC) Center for Health Justice provides a helpful set of resources to engage with the community and build trustworthiness.⁶ These principles highlight the most common lessons learned in our experience building such curriculum over the last several years.

Community-engaged education and health initiatives likely already exist within neighboring communities. We identified key experts who are already engaged in this work, rather than trying to reinvent the wheel. These experts are often a good place to start for identifying common barriers to care for marginalized groups, while being mindful of peoples' intersectional identities and the dynamic nature of patient populations. One way to leverage the wisdom of community experts is through focus groups or by creating partnerships with non-medical providers to highlight important topics to include in the curriculum.

Once key topics are established, developing specific learning objectives equip students with concrete strategies to address the modifiable issues that patients face in their interactions with providers or in navigating the health system. Throughout this process, it is important to recognize one's positionality and biases; drawing on the expertise of multiple individuals with lived experience can shed light on perspectives that challenge the preconceived notions of both learners and educators.

Developing a community engaged curriculum is not a one-time effort, but an ongoing, dynamic process. It is important to engage regularly with leadership and liaisons at partner organizations to strengthen relationships beyond a single session or initiative. How can the partnership be strengthened? What human or financial resources will be needed to do so? Set clear expectations for what resources each entity will bring to the partnership, as well as the anticipated level and duration of the commitment. Recognizing that there is often limited curricular space for new initiatives, it is important to be strategic and realistic about what can be accomplished in the time allotted (whether for a didactic session or a longitudinal project) by making connections to the existing material in the curriculum. If entering into a partnership that involves a longitudinal experience for learners, ensure that desired outcomes, including any deliverables, are clearly and mutually beneficial. Examples of outcomes to consider are shown in Table 4. Experts who contributed to curriculum development may benefit from relevant summaries of any workshops, course evaluations, or other outcome measures.



Table 4. Example Outcomes for Community Engagement in Undergraduate Medical Education

Learners	Community Organizations
KNOWLEDGE	Decrease feelings of burnout
Increase understanding of the SDoH	Improve confidence/trust in learners
Develop multicultural understanding of community Identify needs/challenges facing community agencies	Improve perception of educational institution's role in improving community health Improve retention rate in Service-Learning Programs
Develop an understanding of health disparities that could be addressed by health education interventions, community partnerships, and changes to policy/legislative mandates	Decrease workload/strain on agency staff due to learner presence Improve teaching skills
Develop an understanding of the legal issues and bureaucratic barriers facing healthcare Increase understanding of limitations that affect rural community health	Serve as role model for learners Improve interprofessional teamwork
or Indigenous populations	Improve patient/client satisfaction Utilize student-led health behavior interventions
ATTITUDES	Improve patient/client health outcomes
Decrease feelings of burnout	
Develop compassion, respect, and comfort working with underserved populations	
Develop an increased understanding of social justice and advocacy	
Increase appreciation of patient-physician relationships	
BEHAVIOR CHANGE	
Develop teaching, presentation, leadership, collaboration, and communication skills	
Serve as role models for youth	
Increase future likelihood of providing geriatric or primary care	
Improve teamwork/interprofessional skills	
Increase use of health-related technology	

CONCLUSION

AMS has recently reaffirmed its commitment to meaningful community engagement in its pursuit of clinical excellence, delivering innovative medical education programs, and producing evidence-based research to promote the health and wellbeing of individuals and societies. With a planned curriculum redesign over the next several years, AMS aims to expand the depth and breadth of a meaningful community-engaged curriculum that integrates longitudinal experiences for learners that help to address the SDoH in concrete, measurable ways. Building sustainable, mutually beneficial relationships with the local community will require a firm commitment, reflection, and undoubtedly, course correction when needed. While not a small task, AMS's longstanding partnerships with community experts and local organizations have laid a solid foundation for the exciting work ahead.

References

- 1. Centers for Disease Control and Prevention. Principles of community engagement (2nd ed.). Atlanta (GA): CDC/ATSDR Committee on Community Engagement; 1997.
- Ventres W, Dharamsi S. Socially Accountable Medical Education

 The Revolutions Framework. Acad Med. 2015 Dec;90(12):1728.
 PMID: 26308125.
- Fair M, Arceneaux Mallery T. AM Last Page. How Can Academic Medical Centers and Teaching Hospitals Address the Social Determinants of Health? Acad Med. 2016 Mar;91(3):443. PMID: 26735521.
- Aguilar-Gaxiola S, Ahmed SM, Anise A, Azzahir A, Baker KE, Cupito A, Eder M, Everette TD, Erwin K, Felzien M, et al. Assessing Meaningful Community Engagement: A Conceptual Model to Advance Health Equity through Transformed Systems for Health: Organizing Committee for Assessing Meaningful Community Engagement in Health & Health Care Programs & Policies. NAM Perspect. 2022 Feb 14;2022:10.31478/202202c. PMID: 35891775.
- Adams A, Williamson A, Sorkness C, Hatfield P, Eggen A, Esmond S. The Steps Model: A Practical Tool for Engaging Communities to Improve Health Outcomes. Acad Med. 2017 Jun;92(6):890. PMID: 28379936.
- 6. AAMC Center For Health Justice. "The Principles of Trustworthiness,", accessed June 13, 2023, AAMC. (2023). *The principles of trustworthiness*. AAMC Center For Health Justice. https:// www.aamchealthjustice.org/our-work/trustworthiness/trustworthiness-toolkit



Authors

- Julia Noguchi, DrPH, MPH, Director of Community Engagement & Scholarship, Assistant Professor of Medical Science, The Warren Alpert Medical School of Brown University, Providence, Rhode Island.
- Anita Knopov, MD, Medical Education Research Fellow, Brown Emergency Medicine, The Warren Alpert Medical School of Brown University, Providence, Rhode Island.
- Nicole Bencie, BA, Fourth-year Medical Student, The Warren Alpert Medical School of Brown University, Providence, Rhode Island.
- Thais Salazar Mather, PhD, Assistant Dean for Medical Education, Assistant Professor of Medical Science & Assistant Professor of Molecular Microbiology and Immunology, The Warren Alpert Medical School of Brown University, Providence, Rhode Island.
- Dana Ricci Chofay, MD, Course Leader, Doctoring I and II, Assistant Professor of Medicine and Medical Science, The Warren Alpert Medical School of Brown University, Providence, Rhode Island.
- Sarita Warrier, MD, Associate Dean for Medical Education, Associate Professor of Medicine and Medical Science, The Warren Alpert Medical School of Brown University, Providence, Rhode Island.
- Steven Rougas, MD, MS, Director, Doctoring Program, Associate Professor of Emergency Medicine and Medical Science, The Warren Alpert Medical School of Brown University, Providence, Rhode Island.

Acknowledgments

We would like to extend our deepest gratitude to AMS's community partners for offering their time, space, expertise, and access to the populations they serve to help make AMS students better future physicians.

Disclosures

None

Correspondence

Julia Noguchi, DrPH, MPH The Warren Alpert Medical School of Brown University Box G-M304 222 Richmond St, Providence, Rhode Island, 02903 401-863-9717 Fax 401-863-7574 Julia_Noguchi@Brown.edu



An Integrative Approach to Addressing Medical Student Mistreatment and Promoting Student Well-Being

RORY MERRITT, MD, MEHP; KELLY HOLDER, PhD; ROXANNE VREES, MD

ABSTRACT ⁻

This article reviews the overlapping issues of medical student mistreatment and associated student mental health issues. The Warren Alpert Medical School of Brown University (AMS) has taken proactive steps to mitigate these challenges, focusing on improving the learning environment through mistreatment prevention and response along with efforts to reduce threats to student wellness. By engaging clinical departments and key stakeholders, AMS has launched an integrative approach designed to promote student success.

KEYWORDS: UME, mistreatment, wellness

INTRODUCTION

Amidst the escalating complexity of challenges to wellness in the healthcare landscape, medical students have emerged as a particularly vulnerable population, highlighting the need for proactive and sustainable measures to support their well-being. Investigating the myriad reasons behind the heightened susceptibility of medical students to adverse health outcomes, such as depression, anxiety, imposter syndrome, and suicidality, is a critical and necessary priority area.1 Mistreatment, defined as unprofessional behavior that negatively impacts a student's ability to learn, is a significant risk factor for adverse mental health.^{2,3} Addressing mistreatment is not only a moral-ethical imperative but also a matter of equity,² patient safety,^{4,5} accreditation, and wellness.^{6,7} The prevalence of mistreatment is particularly alarming, as at least 35% of medical students across the country report experiencing this behavior during their undergraduate medical education.^{2,8} With national and local initiatives focusing on student wellness and mistreatment, The Warren Alpert Medical School of Brown University (AMS) has adopted an integrative approach, inclusive of mistreatment occurring in the learning environment, to enhance student well-being throughout their journey to becoming physicians. In this article, we assess current strategies at the national level alongside outlining our comprehensive approach at AMS to tackle these dual, interconnected challenges.

KEY STRESSORS, CONSEQUENCES

Medical students experience numerous threats to their well-being during medical school. Literature suggests that the consequences of these threats have been a higher prevalence of depression and anxiety, with levels of psychological distress consistently higher than the general population and age-matched peers by the later years of training.⁹ What creates these threats? Key stressors for medical students include national board examinations, performance evaluations and potential biases within them, uncertainty about the future, isolation from loved ones, lack of control over personal schedules, and concerns about workload in residency.⁹ Other variables identified as risk factors include disability status, non-male gender, debt, and the clinical phase of school.^{10,11}

These barriers are paralleled by experiences that medical students should never encounter, such as mistreatment, which includes microaggressions, public humiliation, and inappropriate identity-based comments. Microaggressions are associated with medical student burnout and positive depression screening.^{12,13} Additionally, it has been shown that ethnic minority and/or underrepresented medical students have a lower sense of personal accomplishment and quality of life than nonminority students within the medical school environment, highlighting the differential impact stressors have on minoritized and/or underrepresented individuals.¹⁴ These factors are further exacerbated by the stigma of mental illness within medicine.

STRATEGIES FOR WELLNESS PROMOTION

Depression, anxiety, burnout, and suicide in medical students are known threats to medical student well-being, and accordingly, medical schools have increased access to mental health services and well-being programs. Existing strategies for wellness promotion and suicide prevention have focused on increasing access to mental health providers, creating peer-support programs, training mentor faculty, and embedding wellness programs into the curriculum. While these efforts are to be applauded, our experience suggests that providing resources for students, such as a dedicated mental health counselor, a robust longitudinal advising system, and policies designed to create time for students to address their basic needs (i.e., a personal day during clinical



rotations) are insufficient to prevent egregious outcomes, including student suicide. Medical students tend to avoid or postpone asking for help, especially when the University is involved, due to concerns around confidentiality and a perceived risk to their future careers.¹⁵ Protecting student wellness, including suicide prevention, by reducing the aforementioned threats, is among the most important challenges for medical educators today.

To support wellness at AMS, we have launched innovative programming, such as opt-out wellness checks at the start of medical school, mental health and wellness assessments, and student peer counseling. Integral to the wellness of students is the concept of collective care, rather than solely focusing on self-care. Specifically, the wellness of the community of resident learners, faculty, and staff predicts the wellness of each of our students. We have begun to address and prioritize collective care by establishing two key inaugural roles at the medical school - Chief Wellness Officer (CWO) and Assistant Dean for Student Affairs, Learning Environment (ADSA-LE), providing suicide awareness training to faculty mentors and administrators, offering wellness-focused courses through the Office of Biomedical Faculty Affairs, supporting the building of wellness programming within graduate medical education and clinical departments, as well as supporting a medical school staff Wellness Committee.

These initiatives often do not consider student mistreatment as a modifiable risk factor. We believe the learning environment, work environment, and patient environment are interconnected. By enhancing the learning environment through prevention strategies and timely response to mistreatment, we can improve healthcare delivery for all stakeholders involved, including physicians, other healthcare professionals, and our patients. To create and sustain change across institutions, robust engagement of key stakeholders is needed to understand the scope of the problem, propose solutions, and implement them. Clinical departments, in particular, are critical partners in this process, given their significant impact on student learning and disproportionate influence on student mistreatment. In 2021, The Office of Medical Student Affairs at AMS launched the Program for a Healthy Learning Environment (PHLE) to address medical student mistreatment within the learning environment and our clinical departments.

At AMS, the PHLE recently asked leaders from all clinical departments to complete self-studies about their policies, procedures, and practices for creating a healthy learning environment. The self-study tool was designed by a committee of stakeholders, including AMS administrators, students, faculty, and departmental and health-system leaders. In addition to departmental self-studies, we simultaneously engaged stakeholders in a model of change, Learning Environment Action Plans (LEAPs), characterized by goal setting, data collection, sense-making, and action.¹⁶

Through a systematic analysis of available internal data related to mistreatment in the learning environment (i.e., sense-making) and the departmental self-study process, we can more fully understand opportunities to mitigate mistreatment. Through this process, we have gained a comprehensive, multi-dimensional understanding of mistreatment in the learning environment, including its most common perpetrators, types, and locations.

By identifying the who, what, where, and when of mistreatment, we can create targeted interventions. to prevent mistreatment from occurring. As part of this effort, the AMS CWO and ADSA-LE have collaboratively launched Wellness and Learning Environment Rounds for third-year students. Wellness and Learning Environment Rounds are designed to: 1) understand current student concerns and experiences, 2) provide immediate student support and connection to resources, and 3) collect data related to wellness and the learning environment for ongoing program development, evaluation, and targeted intervention. While mistreatment is an important issue to tackle across all four years of medical school, the clinical years are a particularly vulnerable time, with the majority of mistreatment reports taking place in the clinical setting. During these Rounds, either the CWO or ADSA-LE meets third-year students at their clinical sites once per Clerkship to facilitate reflection on wellness, discuss any mistreatment concerns, and highlight outstanding educators who excel in fostering a positive and inclusive learning environment. Wellness and Learning Environment Rounds are an important component of broader institutional efforts to improve the learning environment and reduce mistreatment. Additional interventions include educator development on policies related to student mistreatment, information on best teaching practices, 1:1 non-judgmental feedback sessions when mistreatment is reported, and a Learning Environment Liaison pilot program to facilitate communication and collaboration between students, faculty, and administration.

Through these focused and targeted efforts, we aim to foster a supportive, respectful, and inclusive learning environment that promotes the collective well-being and success of all students We anticipate our integrative approach towards wellness, inclusive of the learning environment, will foster resilience without compromising self-care, and promote graduates who are healthy and well-positioned for their future careers.

CONCLUSION

In conclusion, addressing medical student mistreatment and promoting wellness is essential to ensuring a healthy learning environment, effective teaching, and positive patient outcomes. By adopting an integrative approach that involves key stakeholders, targeted interventions, ongoing evaluation, and accountability, AMS aims to be at the forefront



of these critical efforts. The next steps include continued program implementation and planning for evaluation. We believe that our comprehensive approach will contribute to a culture of support and respect, better preparing our graduates for successful, healthy medical careers.

References

- Rotenstein LS, Ramos MA, Torre M, Segal JB, Peluso MJ, Guille C, Sen S, Mata DA. Prevalence of Depression, Depressive Symptoms, and Suicidal Ideation Among Medical Students: A Systematic Review and Meta-Analysis. JAMA. 2016;316(21):2214-2236. doi:10.1001/jama.2016.17324
- Hill KA, Samuels EA, Gross CP, et al. Assessment of the Prevalence of Medical Student Mistreatment by Sex, Race/Ethnicity, and Sexual Orientation. JAMA Intern Med. 2020;180(5):653-665. doi:10.1001/jamainternmed.2020.0030.
- Bursch B, Fried JM, Wimmers PF, et al. Relationship Between Medical Student Perceptions of Mistreatment and Mistreatment Sensitivity. Med Teach. 2013;35(3):e998-e1002. doi:10.31 09/0142159X.2012.733455.
- Khanh-Van Le-Bucklin J, Youm J, Wiechmann W, McRae D, Boysen-Osborn M, Vega, C, Park S. #MDsToo: A Student Mistreatment Prevention Curriculum For Faculty Members And Residents. Teaching and Learning in Medicine. 2020;32(4): 432-437. https://doi.org/10.1111/tct.13211
- Barzallo Salazar MJ, Minkoff H, Bayya J, et al. Influence of Surgeon Behavior On Trainee Willingness To Speak Up: A Randomized Controlled Trial. J Am Coll Surg. 2014;219(5):1001-1007.
- LCME. Functions and Structure of a Medical School: Standards for Accreditation of Medical Education Programs Leading to the MD Degree. Accessed June 5, 2023. Available at: https://view. officeapps.live.com/op/view.aspx?src=https%3A%2F%2Flcme. org%2Fwp-content%2Fuploads%2F2022%2F07%2F2023-24_ Functions-and-Structure_2022-03-31.docx&wdOrigin=BROWSELINK.
- Bursch B, Fried JM, Wimmers PF, et al. Relationship Between Medical Student Perceptions Of Mistreatment And Mistreatment Sensitivity. Med Teach. 2013;35(3):e998-e1002. doi:10.31 09/0142159X.2012.733455. PMID
- Markman JD, Soeprono TM, Combs HL, Cosgrove EM. Medical Student Mistreatment: Understanding 'Public Humiliation'. Med Educ Online. 2019;24(1):1615367. doi:10.1080/10872981.2 019.1615367.
- Dyrbye L, Shanafelt T. A Narrative Review on Burnout Experienced by Medical Students and Residents. Med Educ. 2016;50(1):132-149.
- Rajapuram N, Langness S, Marshall MR, Sammann A. Medical Students In Distress: The Impact of Gender, Race, Debt, And Disability. PLoS One. 2020 Dec 3;15(12):e0243250. doi: 10.1371/ journal.pone.0243250.
- Rohlfing J, Navarro R, Maniya OZ, Hughes BD, Rogalsky DK. Medical Student Debt And Major Life Choices Other Than Specialty. Med Educ Online. 2014 Nov 11;19:25603. doi: 10.3402/ meo.v19.25603.
- Cook AF, Arora VM, Rasinski KA, Curlin FA, Yoon JD. The Prevalence of Medical Student Mistreatment And Its Association With Burnout. Acad Med. 2014 May;89(5):749-54. doi: 10.1097/ACM.000000000000204. PMID: 24667503; PMCID: PMC4401419.
- Anderson N, Lett E, Asabor EN, Hernandez AL, Nguemeni Tiako MJ, Johnson C, Montenegro RE, Rizzo TM, Latimore D, Nunez-Smith M, Boatright D. The Association of Microaggressions with Depressive Symptoms and Institutional Satisfaction Among a National Cohort of Medical Students. J Gen Intern Med. 2022 Feb;37(2):298-307. doi: 10.1007/s11606-021-06786-6. Epub 2021 Apr 30. PMID: 33939079; PMCID: PMC8811096.

- Dyrbye LN, Thomas MR, Huschka MM, et al. A Multicenter Study of Burnout, Depression, And Quality Of Life In Minority And Nonminority U.S. Medical Students. Mayo Clin Proc. 2006;81:1435–1442.
- 15. Shahaf-Oren B, Madan, Henderson C. "A Lot Of Medical Students, Their Biggest Fear Is Failing At Being Seen To Be A Functional Human": Disclosure And Help-Seeking Decisions By Medical Students With Health Problems. BMC Med Educ. 2021;21:599. https://doi.org/10.1186/s12909-021-03032-9.
- Schildkamp K. Data-Based Decision-Making For School Improvement: Research Insights And Gaps. Educ Assess Eval Acc. 2019;31(3):257-273. Published online 2019 Jun 12. doi:10.1080/0 0131881.2019.1625716.

Authors

- Rory Merritt, MD, MEHP, Assistant Professor of Medical Sciences and Emergency Medicine, Assistant Dean for Student Affairs, Learning Environment at The Warren Alpert Medical School of Brown University, Providence, RI.
- Kelly Holder, PhD, is the Chief Wellness Officer at The Warren Alpert Medical School of Brown University, Providence, RI.
- Roxanne Vrees, MD, Associate Professor of Medical Sciences and Obstetrics and Gynecology, Associate Dean for Student Affairs, at The Warren Alpert Medical School of Brown University, Providence, RI.

Disclaimer

The views expressed herein are those of the authors and do not necessarily reflect the views of The Warren Alpert Medical School of Brown University or Brown University.

Disclosures

The authors report nothing to disclose.

Correspondence

Rory Merritt, MD, MEHP The Warren Alpert Medical School of Brown University 222 Richmond Street Providence, RI 02906 401-863-3953 Rory_Merritt@Brown.edu



Cross-cultural Comparison of an American and a Taiwanese Medical School with Longstanding Institutional Ties

JOHN C. LIN, ScB; SOPHIA L. SONG, ScB, MD; SHYH-JOU SHIEH, MD, PhD; CHUN HEI ANTONIO CHEUNG, PhD; HSIANG-CHIN HSU, MD; C. JAMES SUNG, MD; PAUL B. GREENBERG, MD, MPH

ABSTRACT

Cross-cultural medical education has been suggested to train students to care for diverse patient populations and reform medical education systems. In this article, the authors conduct a cross-cultural comparison between two medical schools with a long-standing relationship – the Warren Alpert Medical School of Brown University in the United States and the School of Medicine of National Cheng Kung University in Taiwan – focusing on history, admissions, and curriculum.

KEYWORDS: Cross-cultural medical education, medical schools, Taiwan, United States

INTRODUCTION

Cross-cultural medical education has been proposed as a means of training students to care for diverse patient populations and recognizing and addressing cultural biases in healthcare.^{1,2} Understanding the process of adapting medical education across cultures can also help physicians and medical educators by promoting research collaborations and welcoming exchange students.

The Warren Alpert Medical School (AMS) of Brown University was selected by the College of Medicine of National Cheng Kung University (NCKU) in Taiwan as one of their models.³ This article provides a cross-cultural comparison between the two medical schools, focusing on history, admissions, and curriculum.

FOUNDATIONS OF RELATIONSHIP

Both universities have long histories, although their medical schools were more recently established. Brown University was founded in 1764 as the seventh college in Colonial America.⁴ Brown became the third university in the United States (US) to create a medical school in 1811, although the school was closed 16 years later.⁵ In 1972, Brown's medical school was relaunched with new specialists, laboratories, and clinical services.⁵ NCKU was created in 1931 as "Tainan District School for Higher Education" and given its current name in 1971.⁶ In 1981, the governmental executive branch approved the creation of the NCKU College of Medicine, which formally began admitting students in 1983.6

Brown and NCKU have shared several exchange programs at the undergraduate and graduate level since 2008.^{3,7} AMS students may take a clinical elective at NCKU for 1-2 months, and AMS students and college students in Brown's combined baccalaureate-MD Program in Liberal Medical Education (PLME) may also take a two-week summer course on Chinese Medicine and cross-cultural biomedical ethics at NCKU.⁸ All tuition, room, and board costs for clinical electives and summer courses are covered by NCKU. Likewise, NCKU students are allowed to complete clinical rotations at Brown free of charge. The Luke Charitable Foundation (US) and Ministry of Education (Taiwan) both provide a stipend/scholarship to the participants of this exchange program. In the past decade, 84 Brown and 56 NCKU students have participated in these cross-cultural linkages.

SIMILARITIES AND DIFFERENCES

Table 1 shows a comparison of admissions policies at Brown University and NCKU. Both schools have admission pathways for high school students. For NCKU, this is standard practice; all Taiwanese medical schools primarily admit high school students.⁹ However, most American medical schools primarily admit students who will soon or have already completed an undergraduate education.¹⁰ Fifty-eight percent of Brown medical students were admitted through the traditional route as college students and graduates, 37% were admitted through the PLME during high school, and 5% were admitted through the Early Identification Program (EIP) or Postbaccalaureate Linkage Program.¹¹

Interviewing has traditionally been a very common admissions tool for medical schools in the US, including Brown.¹² Historically, Taiwanese medical students were only recruited through the national college admissions exam – a process shared with other East Asian countries and derived from a long history of exam-based meritocracy.^{13,14} To this day, the Examination Yuan that conducts civil service exams is one of Taiwan's five branches of government. However, criticism by the US National Committee on Foreign Medical Education and Accreditation (NCFMEA) has pushed Taiwanese medical schools like NCKU to integrate personal applications and interviews into their admissions process, following Brown's model.¹³



Table 1. Comparison of Admissions Policies at Brown University and NCKU

	Brown University	ИСКИ
Admissions: Categories of Students	 Fourth-year high school students applying for the PLME Third-year undergraduate students at University of Rhode Island, Providence College, Rhode Island College, and Tougaloo College applying for the EIP Traditional applicants who have completed or will complete college before matriculating to medical school College graduates who enroll in selected post-baccalaureate programs 	 (1) Third-year high school students in the top 1% of their high school with qualified national GSAT applying for the Stars Program (2) Third-year high school students and university- degree holders who have taken the GSAT personally applying for NCKU (3) High school students who have completed their third year and taken the Advanced Subjects Test
Application Process	 PLME applicants submit their ACT or SAT scores and application essays to Brown University and the PLME; interviews changed to a video portfolio due to the COVID-19 pandemic. EIP applicants apply and are nominated by their institutions after a review process and may be selected for a virtual interview by Brown; no standardized exam scores are necessary. Traditional applicants submit their MCAT score, grades, and application essays to AMS and may be selected for a virtual interview by Brown. Postbaccalaureate applicants are nominated by their institutions and may be selected for a virtual interview by Brown, no standardized exam scores are necessary. 	 (1) Applicants who scored in the top 1% on the GSAT and are recommended by their high schools can apply through the Stars program; they will attend an MMI- formatted interview. (2) Applicants can submit their GSAT score and portfolio to NCKU and will attend an MMI-formatted interview. (3) Applicants submit a 'University and Department preference list' and are matched to an institution, including NCKU, based on their AST score.
Diversity	Brown EIP's mission is to recruit students from groups historically UiM, first-generation college students, and low-income backgrounds. Brown has created an Office of Diversity and Multicultural Affairs and organized a Task Force on UiM Admissions to attract and retain more UiM students.	A major goal of the Stars Program is to encourage rural students to enroll in Taiwanese colleges and medical schools.
International Students	No limit; international medical students must complete one year of education in the US or Canada	Maximum of 7 non-Taiwanese students; quota is determined by Ministry of Education

Abbreviations: AMS, Warren Alpert Medical School of Brown University; AST, Advanced Subjects Test; EIP, Early Identification Program; GSAT, General Scholastic Ability Test; MCAT, Medical College Admission Test; MMI, multiple mini-interview; NCKU, National Cheng Kung University; PLME, Program in Liberal Medical Education; UiM, underrepresented in medicine.

Medical school curricula at Brown and NCKU also show major similarities (**Table 2**). Required and recommended premedical coursework overlap at both institutions, including biology, chemistry, physics, writing, and social sciences. Likewise, the medical science curriculum is notably similar at Brown and NCKU, with detailed instruction in pathology, histology, pharmacology, and health systems. In addition, medical licensing exams in the US and Taiwan both cover basic science, clinical knowledge, and skills.

A major reason AMS was selected as a model for NCKU was because of its curricular focus on liberal arts and medical humanities - primary areas of interest for Taiwanese medical educators since the reforms in the early 2000s.¹³ The aim of the Brown PLME is to promote student exploration in the liberal arts and sciences,15 and Brown's 'Open Curriculum' gives PLME students academic flexibility by prohibiting institutional course requirements. AMS offers scholarly concentrations in 'Caring for Underserved Communities', 'Medical Education Medical Humanities and Ethics', and 'Physician as Communicator', among others.¹⁶ The Clinical Arts and Humanities Program at Brown also hosts the Bray Fellowship in Medical Humanities and the Bray Visiting Scholar/Creative Artists Fellowship to integrate the humanities into medicine. NCKU integrated this academic flexibility into its curriculum by providing six elective weeks where medical students may choose to spend their time on any approved task (e.g., conferences, research, workshops).

The Brown-NCKU exchange has impacted medical education at Brown as well. Two years before the Brown-NCKU exchange agreement was signed, Brown established an elective course in Medical Chinese to educate preclinical medical students on communicating with Mandarin-speaking patients. This course has provided an important pipeline for AMS students in the Brown-NCKU exchange. Developing an international exchange program with NCKU reinforced Brown's curricular reforms to teach medical students to care for patients from diverse cultures and backgrounds.

The US and Taiwan both require that physicians pass medical licensing exams, although both countries have been moving away from exam-based curricula. The US Medical Licensing Examination (USMLE) Step 1 transitioned to a pass/fail grading system as of January 26, 2022.¹⁷ Taiwan changed their medical licensing Stage 2 exam to incorporate Objective Structured Clinical Examinations (OSCEs) and improve patient care.¹⁸ Notably, OSCEs were used in both countries, despite low reliability.^{19,20}

Brown has more flexible grading policies than NCKU, reflecting cultural attitudes towards exams. For example, the USMLE has higher pass rates for first-time takers (92–96%) than Taiwanese national licensing exams (61–91%).²¹



	Brown University	NCKU
Duration	8 years	6 years
Annual Cost of Attendance ^a (Tuition + others)	Undergraduate: USD \$82670 / NTD 2314760 Medical: USD \$93970 / NTD 2631160	Locals: USD \$2825 / NTD 79100 International students: USD \$5135.07 / NTD 143782
Premedical Curriculum	<i>Required:</i> 4 chemistry/ biochemistry courses; 2 biology and physics courses; 1 math course <i>Recommended:</i> Writing and social science coursework	3 general education courses; 2 physical education, service learning, sociology, and biology courses; 1 Chinese, English, organic chemistry, and medical physics course
Preclinical/ Translational Curriculum	Pathology, Histology, Pharmacology, Health Systems, Anatomy, Physiology	Anatomy, Histology, Physiology, Pathology, Pharmacology, Global Health System, Block Curriculum (11 sub-blocks) including at least 8 credits of medical humanities electives
Clinical Curriculum	2-week clinical skills clerkship, doctoring program	2–week 'clinical skills for clerkship' workshop, 'On Doctoring' program
Grading	Premedical students can choose to be graded on the A(90+)/B(80– 89)/C(70–79)/NC(<70) or S(70+)/NC scales. Preclinical years are graded on the S/NC scale. Clinical years are graded on the Honors (top 30% of class)/S/NC scale. The minimum passing grade is a 70.	All students are graded on the following scale: A+ (90–100), A (85–89), A- (80–84), B+ (77–79), B (73– 76), B- (70–72), C+ (67–69), C (63–66), C- (60–62), F (<59), and X (0). The minimum passing grade is a 70.
Clinical Evaluation	Student evaluations by preceptors across nine competencies, OSCEs, national standardized subject-based exams, assignments, and presentations	Written exams, PBL and small–group assessments, OSCEs, national standardized subject–based exams, and research performance evaluations by preceptors
Class Rank	No class rank; undergraduate students in the top 20% are designated as "Magna Cum Laude"	Students were numerically ranked prior to 2016; now, transcripts display rank percentiles for top 5%, 10%, 20%, 30%, 50%, and 75% instead of numerical-order class ranking indicators.
Licensing Exams in Medical School	United States Medical Licensing Examinations (Steps 1 and 2)	Medical Licensing Examinations (Stages 1 and 2)
Licensing Authority	Federation of State Medical Boards and National Board of Medical Examiners	Ministry of Examination (governed by Examination Yuan)

Table 2. Comparison of Curriculum Policies at Brown University and NCKU

Abbreviations: NC, no credit; NCKU, National Cheng Kung University; OSCE, Objective Structured Clinical Examination; PBL, problem-based learning; S, satisfactory. ^a An exchange rate of 1 USD:28 NTD was used for currency calculations.

Unlike NCKU, AMS does not rank students and implements exclusive pass/fail grading in the preclinical years, de-emphasizing grades and competition. However, during the clinical years at AMS, at least the top 30% of students in clerkships are awarded Honors grades; students in electives have no limits on Honors grades.

Both universities provide ample opportunities for students to engage in research, especially during the pre-clinical years. AMS provides PLME and medical students with summer research funding, programs to match students with faculty mentors, and course credit for research; AMS also offers a Scholarly Concentration for medical students interested in basic and translational research. NCKU provides summer and year-long research funding, offers a research elective, and helps match medical students with international research projects. Of note, NCKU encourages medical students to conduct research in the summer during their preclinical years.

LESSONS LEARNED

Medical education is remarkably similar at NCKU in Taiwan and AMS in the US, partly due to recent Taiwanese and NCKU curricular reforms. Culture and history influenced different approaches to medical education at both institutions, demonstrating several important lessons for cross-cultural medical education.

First, education reforms led by the Taiwanese government successfully led to the cross-cultural adoption of the US model with a distinct Taiwanese flavor. Cultural understanding is essential when adapting medical education models across cultures. The US also has much to learn from Taiwan; healthcare services are considerably more expensive in the US despite similar medical education systems and wider accessibility in Taiwan.²²

Second, medical schools in different cultures with similar curricula are well-suited for international exchange programs that can last over a decade and introduce medical students to patient care in another healthcare system.



American medical students who rotate internationally may improve their care for patients of different cultures.^{1,2}

Third, exposure to different systems can inspire reform at partner institutions. NCKU changed its admissions and curricular policies using AMS as a model; AMS and NCKU have taken steps to de-emphasize exams for accreditation and admissions, and both have focused on supporting humanistic-oriented medical education. Areas of curricular change pioneered at NCKU include course requirements in physical education, public service, and environmental medicine courses.

LOOKING AHEAD

The partnership between Brown and NCKU has been fruitful for students and educators. Looking forward, more can be done to strengthen existing ties and promote the exchange of knowledge. Expanding visiting faculty and student exchange programs can help Brown and NCKU share institutional knowledge and experience. Brown currently has a faculty exchange program with Tougaloo College in Mississippi and a visiting research fellowship program for international graduate students. Visiting professorships23 are a low-cost mechanism for improving collaboration,24 mentorship, and professional development for physicians and researchers. Through the Brown-NCKU exchange program, 4 Brown and 3 NCKU faculty members have visited NCKU and Brown, respectively. Given the COVID-19 pandemic, a broader faculty exchange program could be developed and implemented more easily through virtual learning.

Additionally, Brown and NCKU can host joint international conferences on scientific research or medical education. Clinical departments at both institutions frequently hold grand rounds that can be coordinated together, and Brown organizes annual student research conferences. Virtual conference software can be utilized to share novel research findings while eliminating conference travel expenses,²⁵ reducing logistical costs, and lowering carbon emissions.

Notably, COVID-19 has had a larger impact in the US than Taiwan. Admissions and curricular policies at NCKU have therefore been mostly unaffected by the pandemic. By contrast, Brown has shifted many courses online at the undergraduate and medical school levels and adopted virtual interviewing.²⁶ As variants of COVID-19 continue to emerge, longstanding institutional linkages can help NCKU remain aware of viral threats and adapt to pandemic changes with the advice and support of its partner, Brown.

CONCLUSIONS

Curricular reform at NCKU modeled upon that at AMS serves as a prominent example of cross-cultural adaptation of medical education systems. Furthermore, international linkages between Brown and NCKU medical schools promote cross-cultural understanding of medicine for American and Taiwanese medical students. There are opportunities to further nurture this dynamic partnership by building faculty exchange programs, hosting joint conferences, and conducting collaborative research.

References

- 1. Mutchnick IS, Moyer CA, Stern DT. Expanding the Boundaries of Medical Education: Evidence for Cross-Cultural Exchanges. *Academic Medicine*. 2003;78(10):S1-S5.
- Betancourt JR. Cross-cultural Medical Education: Conceptual Approaches and Frameworks for Evaluation. Academic Medicine. 2003;78(6).
- Brown University. Brown and National Cheng Kung University College of Medicine. Brown University. Year of China Web site. Published 2011. Accessed Jan 31, 2022.
- 4. Brown University. An Overview of Brown History. Brown University. Brown's History website. Accessed Jan 31, 2022.
- Brown Alpert Medical School. The Making of a Medical School. Brown Alpert Medical School. Accessed Jan 31, 2022.
- 6. National Cheng Kung University College of Medicine. History. Accessed Jan 31, 2022.
- Ip JY. Brown University's Program in Liberal Medical Education (PLME): Medical Exchange Programs; Student Research. *Rhode Island Medical Journal*. 2015:14-15.
- Brown Alpert Medical School. National Cheng Kung University School of Medicine (NCKU), Tainan. Brown Alpert Medical School. International Exchange Programs website. Accessed Jan 31, 2022.
- Soemantri D, Karunathilake I, Yang J-H, et al. Admission policies and methods at crossroads: a review of medical school admission policies and methods in seven Asian countries. *Korean J Med Educ.* 2020;32(3):243-256.
- Merritt R, Baird J, Clyne B. Demographics and Career Intentions of Graduates of Combined Baccalaureate-MD Programs, 2010-2017: An Analysis of AAMC Graduation Questionnaire Data. *Academic Medicine*. 2021;96(1):108-112.
- 11. Brown Alpert Medical School. Class Profile. Brown Alpert Medical School website. Published 2021. Accessed Jan 31, 2022.
- Albanese MA, Snow MH, Skochelak SE, Huggett KN, Farrell PM. Assessing Personal Qualities in Medical School Admissions. *Academic Medicine*. 2003;78(3):313-321.
- Chou J-Y, Chiu C-H, Lai E, Tsai D, Tzeng C-R. Medical education in Taiwan. *Medical Teacher*. 2012;34(3):187-191.
- Marginson S. Higher education in East Asia and Singapore: Rise of the Confucian Model. *Higher Education*. 2011;61(5):587-611.
- Ip JY. Overview of Brown's Unique 8-year Program in Liberal Medical Education (PLME). *Rhode Island Medical Journal*. 2015;14-15.
- Brown Alpert Medical School. Scholarly Concentratons Program. Brown Alpert Medical School, Medical Education website. Accessed Jan 31, 2022.
- 17. United States Medical Licensing Examination. USMLE Step 1 Transition to Pass/Fail Only Score Reporting. 2021.
- Chu TS, Weed HG, Yang PC. Recommendations for medical education in Taiwan. J Formos Med Assoc. 2009 Nov;108(11):830-3. doi: 10.1016/S0929-6646(09)60413-7.
- Brannick MT, Erol-Korkmaz HT, Prewett M. A systematic review of the reliability of objective structured clinical examination scores. *Medical Education*. 2011;45(12):1181-1189.



- 20. Setyonugroho W, Kennedy KM, Kropmans TJB. Reliability and validity of OSCE checklists used to assess the communication skills of undergraduate medical students: A systematic review. *Patient Education and Counseling*. 2015;98(12):1482-1491.
- 21. Ministry of Examination. Various exam statistics. Published 2018. Accessed Jan 31, 2022.
- 22. Reinhardt UE. Humbled in Taiwan. BMJ. 2008;336(7635):72-72.
- Cumbler E, Herzke C, Smalligan R, Glasheen JJ, O'Malley C, Pierce Jr. JR. Visiting professorship in hospital medicine: An innovative twist for a growing specialty. *Journal of Hospital Medicine*. 2016;11(10):714-718.
- 24. Ferschl MB, Lee JK, Lockman JL, et al. East/West Visiting Scholars in Pediatric Anesthesia Program (ViSiPAP): Developing tomorrow's pediatric anesthesia leaders. *Pediatric Anesthesia*. 2020;30(7):743-748.
- 25. Falk MT, Hagsten E. When international academic conferences go virtual. *Scientometrics*. 2021;126(1):707-724.
- 26. Brown Alpert Medical School. Interview. Brown Alpert Medical School Admissions web site. Accessed Jan 31, 2022.

Authors

- John C. Lin, ScB, Watson Institute of International and Public Affairs and Division of Biology and Medicine, Brown University, Providence, RI.
- Sophia L. Song, ScB, MD, Warren Alpert Medical School, Brown University, Providence, RI.
- Shyh-Jou Shieh, MD, PhD, Chairman and Professor, School of Medicine, National Cheng Kung University, Tainan, Taiwan; Professor and Attending Plastic Surgeon, Division of Plastic Surgery, Department of Surgery, National Cheng Kung University Hospital, School of Medicine, National Cheng Kung University, Tainan, Taiwan.
- Chun Hei Antonio Cheung, PhD, Professor, Department of Pharmacology, School of Medicine and Director, Division of Overseas Students and Scholars Services, Office of International Affairs, National Cheng Kung University, Tainan, Taiwan.
- Hsiang-Chin Hsu, MD, Assistant Professor, Department of Emergency Medicine, National Cheng Kung University Hospital, School of Medicine, National Cheng Kung University, Tainan, Taiwan.
- C. James Sung, MD, Professor and Vice Chair of Pathology and Laboratory Medicine, Warren Alpert Medical School, Brown University; Chief of Pathology and Laboratory Medicine, Women & Infants Hospital, Providence, RI.
- Paul B. Greenberg, MD, MPH, Professor of Surgery (Ophthalmology), Warren Alpert Medical School, Brown University, Providence, RI; Associate Chief of Staff-Surgery, Providence VA Healthcare System, Providence, RI.

Disclaimer

The views expressed here are those of the authors and do not necessarily reflect the position or policy of the US Department of Veterans Affairs or the US government.

Disclosures

No conflicting relationship exists for any author.

Correspondence

Paul B. Greenberg, MD, MPH Division of Ophthalmology, Brown University Coro Center West 1 Hoppin St, Suite 200 Providence, Rhode Island 02903 401-444-4669 paul_greenberg@brown.edu



Specialties with Few Underrepresented Applicants Lack Diversity Information on Residency Websites

MEGAN M. TRAN, BS; JESSICA HONG; LAWRENCE HUANG, BS; KENNY CHANG, BS; ADRIAN LEE, BS; SARA D. RAGI, MS; JOHN KAWAOKA, MD

ABSTRACT ⁻

INTRODUCTION: With the advent of virtual interviews and the increasing accessibility of internet resources, students increasingly rely on program websites for residency application decisions. In this cross-sectional study, we evaluated the presence of diversity or inclusion information in the least diverse US specialties' residency program websites, including dermatology, orthopedic surgery, otolaryngology, plastic surgery, and urology residency programs.

METHODS: Two authors independently reviewed each Accreditation Council for Graduate Medical Education-accredited non-military US residency program website and ranked the websites' diversity and inclusion information using six pre-determined criteria based on previous studies in the literature.

RESULTS: This study reveals that more than half of residency programs of each specialty met zero of the diversity and inclusion information criteria.

CONCLUSIONS: Residency program websites in the least diverse specialties are lacking important information for prospective applicants that may help signal programs' commitment to inclusivity and attract a diverse candidate pool.

KEYWORDS: diversity, inclusion, residency, medical education, online, virtual resources, websites

INTRODUCTION

Expanding the diversity of the health care workforce is crucial for the delivery of culturally competent care.¹ In light of the recent Supreme Court's ruling on affirmative action, it is crucial to understand contributing factors of a culture of diversity and inclusion in medical training. Studies have found that plastic surgery, otolaryngology, orthopedic surgery, dermatology, and urology specialties have some of the lowest underrepresented in medicine (URM) representation among applicants.^{2,3} With the advent of virtual interviews and the increasing accessibility of internet resources, students increasingly rely on program websites for residency application decisions.⁴ Prior studies have found that URM students weigh residency program factors related to inclusion, diversity, and culture more than others.^{5,6} A program website can open a window into these factors and influence applicants' decisions to apply.⁷ In this study, we evaluated the presence of diversity or inclusion information in US plastic surgery, otolaryngology, orthopedic surgery, dermatology, and urology residency program websites.

METHODS

The Fellowship and Residency Electronic Interactive Database (FREIDATM, American Medical Association, Chicago, Illinois, accessed via FREIDATM AMA Residency & Fellowship Programs Database (ama-assn.org) was searched for a complete list of 143 dermatology, 209 orthopedic surgery, 131 otolaryngology, 139 plastic surgery or integrated plastic surgery, and 150 urology Accreditation Council for Graduate Medical Education (ACGME)-accredited US residency programs in September 2022. Residency programs that did not have a website, overlapped with another program (i.e., institutions with both plastic surgery and integrated plastic surgery programs), or were a military program were excluded. Two authors independently reviewed each website and ranked the websites' diversity and inclusion information using six pre-determined criteria defined by previous studies in the literature.8-10 Linked websites and information that was not readily available were not included. Data was obtained between September 2022 and December 2022.

The criteria included the presence of (1) a commitment to, or value toward, diversity in the residency program mission statement, program director's message, or department chair's message, (2) a separate diversity mission statement (stand-alone statement of the same commitment elsewhere on the site), (3) rotations or fellowship opportunities for underrepresented minority medical students, (4) diversity initiatives (any resource dedicated to promoting diversity or inclusion within a program, e.g., mentorship programs, newsletter, certificate program), (5) a diversity page or section, and (6) appointed diversity leadership position(s) or committee(s).



RESULTS

Table 1 displays the number of programs and percentage of programs that meet each criterion by specialty. Urology residency program websites had the highest percentage of programs that met at least one diversity or inclusion criteria (63/139; 45%), and plastic surgery had the lowest percentage (26/85; 31%). Dermatology residency programs had the highest percentages across all specialties in all but one criterion.

Table 2 shows the proportion of programs by the total number of criteria met. The majority of program websites in all five specialties did not meet any diversity or inclusion criteria. Nine (7%) programs in dermatology met all six criteria, while orthopedic surgery, otolaryngology, plastic surgery, and urology did not have any programs that met all six. Only one plastic surgery program and one urology program met more than two criteria.

DISCUSSION

Our study demonstrates that the majority of US residency program websites among US specialties with the least URM representation, including dermatology, orthopedic surgery, otolaryngology, plastic surgery, and urology, do not include any form of inclusive messaging or information on program diversity and inclusion opportunities and initiatives.

Program websites are one of the most accessible ways to obtain reliable information on residency programs. Students depend on them when deciding which programs to apply to, where to interview, and how to rank programs.⁷ Residency programs can encourage and recruit URM applicants by providing more complete information on diversity efforts and demonstrating their commitment to inclusivity on websites.

There are several limitations of our study. It should be noted that program website diversity and inclusion information is not limited to the criteria used in this study.

Diversity or Inclusion Criteria	Dermatology No. (%)	Orthopedic Surgery No. (%)	Otolaryngology No. (%)	Plastic Surgery No. (%)	Urology No. (%)
Total No. of Programs	136	201	121	85	139
Any of the criteria:	57 (42)	64 (32)	49 (40)	26 (31)	63 (45)
Stand-alone equal opportunity or nondiscrimination statement	40 (29)	14 (7)	13 (11)	6 (7)	21 (15)
Mention of diversity in mission statement, program director's statement, or department chair's message	40 (29)	40 (20)	30 (25)	10 (12)	20 (14)
Separate diversity section/page	31 (23)	30 (15)	28 (23)	6 (7)	7 (5)
Appointed diversity-related leadership positions	26 (19)	7 (4)	5 (4)	2 (2)	3 (2)
Rotations/ Fellowships for underrepresented in medicine (URM) students	20 (15)	11 (5)	13 (11)	5 (6)	9 (6)
Diversity initiatives	24 (18)	22 (11)	12 (10)	3 (4)	14 (10)

Table 1. Diversity or Inclusion Criteria Met on US Residency Program Websites by Specialty

Table 2. Number of Criteria Met by Residency Program Websites

No. of Criteria Met	Dermatology (n=136) No. (%)	Orthopedic Surgery (n=201) No. (%)	Otolaryngology (n=121) No. (%)	Plastic Surgery (n=85) No. (%)	Urology (n=139) No. (%)
0	79 (58)	137 (68)	72 (60)	59 (69)	76 (55)
1	16 (12)	29 (14)	23 (19)	18 (21)	54 (39)
2	8 (6)	8 (4)	12 (10)	7 (8)	8 (6)
3	7 (5)	6 (3)	5 (4)	1 (1)	0 (0)
4	11 (8)	16 (8)	6 (5)	0 (0)	1 (1)
5	6 (4)	5 (2)	3 (2)	0 (0)	0 (0)
6	9 (7)	0 (0)	0 (0)	0 (0)	0 (0)

Furthermore, programs with a culture of inclusion may not represent it on their website. For example, programs with fewer resources may not have the funds or time for more complete website development; as a result, their websites may not be as representative of their mission and inclusivity. While residency websites can help with URM applicant recruitment, factors, such as strong mentorship and an inclusive curriculum, are important for fostering diversity and equity within programs.

CONCLUSION

This study reveals that US residency programs with the least URM representation in the applicant pool lack information on diversity and inclusion on their websites. Many programs have room to highlight their commitment to inclusivity on their websites for prospective applicants. This is one method that can be implemented in a multifactorial approach to attract and support candidates from diverse backgrounds.

References

- 1. Cohen JJ, Gabriel BA, Terrell C. The case for diversity in the health care workforce. Health Aff (Millwood) 2002;21:90-102.
- Nguemeni Tiako MJ, Johnson S, Muhammad M, Osman NY, Solomon SR. Association Between Racial and Ethnic Diversity in Medical Specialties and Residency Application Rates. JAMA Network Open 2022;5:e2240817-e.
- Nieblas-Bedolla E, Williams JR, Christophers B, Kweon CY, Williams EJ, Jimenez N. Trends in Race/Ethnicity Among Applicants and Matriculants to US Surgical Specialties, 2010-2018. JAMA Network Open 2020;3:e2023509-e.
- Ashrafzadeh S, Nambudiri VE. Fostering Certainty in an Uncertain Era of Virtual Residency Interviews. J Grad Med Educ 2020;12:561-5.
- Ku MC, Li YE, Prober C, Valantine H, Girod SC. Decisions, decisions: how program diversity influences residency program choice. J Am Coll Surg 2011;213:294-305.
- 6. Agawu A, Fahl C, Alexis D, Diaz T, Harris D, Harris MC, Aysola J, Cronholm PF, Higginbotham EJ. The Influence of Gender and Underrepresented Minority Status on Medical Student Ranking of Residency Programs. J Natl Med Assoc 2019;111:665-73.
- Embi PJ, Desai S, Cooney TG. Use and utility of Web-based residency program information: a survey of residency applicants. J Med Internet Res 2003;5:e22.
- Ledesma Vicioso N, Woreta F, Sun G. Presence of Diversity or Inclusion Information on US Ophthalmology Residency Program Websites. JAMA Ophthalmology 2022;140:606-9.
- Driesen AMDS, Romero Arenas MA, Arora TK, Tang A, Nfonsam VN, O'Grady CL, Riall TS, Morris-Wiseman LF. Do General Surgery Residency Program Websites Feature Diversity? J Surg Educ 2020;77:e110-e5.
- Sanchez AN, Martinez CI, Lara AM, Washington M, Escalon MX, Verduzco-Gutierrez M. Evaluation of Diversity and Inclusion Presence Among US Physical Medicine and Rehabilitation Residency Program Websites. Am J Phys Med Rehabil 2021;100:1196-201.

Authors

- Megan M. Tran, BS, Warren Alpert Medical School, Brown University, Providence, RI.
- Jessica Hong, Brown University, Providence, RI.
- Lawrence Huang, BS, Warren Alpert Medical School, Brown University, Providence, RI.
- Kenny Chang, BS, Warren Alpert Medical School, Brown University, Providence, RI.
- Adrian Lee, BS, Brown University, Providence, RI.
- Sara D. Ragi, MS, Warren Alpert Medical School, Brown University, Providence, RI.
- John Kawaoka, MD, Department of Dermatology, Warren Alpert Medical School, Brown University, Providence, RI.

Disclosures

Conflicts of Interest: The authors have no conflict of interest to declare.

IRB approval status: The Brown University institutional review board deemed this study to be exempt from review as it does not include human subjects.

Correspondence

Megan M. Tran Medical Student Research Fellow 593 Eddy St, APC 10, Providence, Rhode Island 02903 megan_tran1@brown.edu



Barriers to Buprenorphine Prescribing Among Attending Physicians in an Academic Residency Program – Implications for Increased Buprenorphine Usage

ELLA VAN DEVENTER, BA; DANIEL ANTONSON, BS; JON SOSKE, PhD; MEGHAN GEARY, MD; RAHUL VANJANI, MD

ABSTRACT ⁻

The need for outpatient management of opioid use disorder with medication-assisted treatment has continued to rise yet physician comfort with prescribing buprenorphine remains low. A survey assessing comfort prescribing was disseminated to attending physicians in the Division of General Internal Medicine at an academic medical center followed by semi-structured qualitative interviews. The majority of respondents (71%) reported that they had not prescribed buprenorphine in an outpatient setting despite being trained and 67% stated that they felt "uncomfortable" or "very uncomfortable" doing so. However, almost all survey respondents (89%) reported comfort precepting residents prescribing buprenorphine. Attending physicians attribute this differential comfort to structural forces including a lack of team-based care, time, and psychosocial support services in their own practice as compared to the academic residency clinic. These findings highlight the barriers to prescribing buprenorphine and challenge the existing notion that academic centers are not suitable places for substance use treatment.

KEYWORDS: buprenorphine, substance use disorder, prescribing, academic medical center, academic residency clinic

INTRODUCTION

Demand for treatment of opioid use disorder (OUD) far surpasses the current maximum potential treatment capacity in the United States. Expanding access to buprenorphine, a life-saving medication that can be prescribed in the outpatient setting, is an essential component of the comprehensive response to the opioid overdose crisis, which saw a total number of at least 105,452 deaths in 2022.^{1,2,3} However, despite the high demand, prescribing rates have remained relatively low.^{4,5} The perceived barriers that physicians face in providing medication-assisted treatment (MAT) for OUD include lack of clinical experience, lack of access to substance use disorder experts, concerns about difficulty of induction, and other logistics.^{6,7}

The Drug Administration and Treatment Act (DATA) of 2000 enabled the use of buprenorphine for treatment of

OUD in the outpatient setting.8 This required providers who intended to treat patients with buprenorphine to submit a Notice of Intent (NOI) to the Substance Abuse and Mental Health Services Association's (SAMHSA) Center for Substance Abuse Treatment. This was in addition to their DEA registration, which allows providers to prescribe controlled substances, and included a mandatory 8-hour training. Upon completion, a DATA waiver was awarded, enabling physicians to begin prescribing buprenorphine to patients with OUD. Legislative changes in 2021 generated an alternative type of NOI that could be submitted without undergoing the 8-hour training if a provider wished to be eligible to treat only up to 30 patients.9 In 2023, federal legislation was further modified via Section 1262 of the Consolidated Appropriations Act to remove the requirement for practitioners to submit any NOI at all in order to prescribe buprenorphine.¹⁰ Instead new or renewing DEA registrants as of June 27, 2023 are required to reach one of the following educational requirements: total of eight hours of training from certain organizations on opioid or other substance use disorders, board certification in Addiction Medicine or Addiction Psychiatry, or graduation from a medical, nursing or physician assistant school in the U.S. that includes at least eight hours of substance use disorder curriculum.¹⁰ Any practitioner that is a DEA registrant, meaning authorized to prescribe controlled substances, can now immediately prescribe buprenorphine.

In spite of the prior mandated 8-hour DATA waiver training, which provided practical teaching on various aspects of OUD ranging from diagnosis to buprenorphine pharmacology to treatment, rates of buprenorphine prescription remain disproportionately low. Physicians have reported numerous barriers to prescribing buprenorphine for OUD, including lack of clinical experience, lack of access to substance use disorder experts, and concerns about difficulty of induction, among other factors.^{6,7} With the 8-hour DATA waiver training now obsolete, the question of how to improve physician comfort with buprenorphine holds immense relevance in the new clinical landscape.^{7,11}

To our knowledge, there has not been an assessment of the facilitators and barriers to prescribing buprenorphine among physicians working with trainees in academic medical settings. Yet, academic medical centers take care of a sizable portion of the population. Moreover, with removal of



the DATA waiver requirement, buprenorphine prescribing is now accessible to all resident physicians. In this study, we seek to understand the barriers and facilitators to subsequent buprenorphine usage through a quality improvement survey of attending physicians followed by a targeted semi-structured interview.

METHODS

A survey was created using Qualtrics XM survey software and disseminated to attending physicians in the Division of General Internal Medicine at an academic medical center. This data was collected prior to the new legislation in 2023 removing DATA wavier requirements for buprenorphine prescribing. All attending physicians precept Internal Medicine residents at the outpatient academic residency clinic. Additional clinical responsibilities include practicing direct primary care at the private faculty practice, precepting residents on the inpatient medical service, or both. The academic residency clinic is located in Providence, Rhode Island, and serves approximately 9,000 patients. Residents are not currently allowed to prescribe buprenorphine to patients with OUD. Rather, these patients are referred to a confined program in the academic residency clinic that takes place one half day a week and includes a collaborative team composed of an attending physician, pharmacist, peer recovery specialist, and addiction medicine fellow.

This study was determined to be non-research in nature and classified as quality improvement based on a comprehensive assessment of the project's goals, methodology, and intended outcomes. SQUIRE guidelines were used to inform the presentation of data as a tool for quality improvement efforts to increase buprenorphine usage by both attending and resident physicians. The survey was anonymous and confidential; it consisted of 25 questions that collected characteristics of the respondents and their familiarity with and perceived barriers to prescribing buprenorphine. The questions were majority "yes/no" or multiple choice in format with three "check all that apply" questions and one free response.

After the survey data were analyzed, the authors determined that follow-up was needed to clarify why attending physicians felt comfortable precepting residents but were not comfortable prescribing buprenorphine themselves. Semi-structured interview questions were administered to 10 attending physicians. The interview questions asked participants to clarify the reasons behind their responses, reflect on why other physicians might have responded in this fashion, and expound upon the general significance of the results. The responses were independently coded by three researchers (JS, RV, MG) to achieve saturation and reconciled through an iterative process. Themes were extracted utilizing reflexive thematic analysis and were reviewed using member checking with DGIM faculty members and triangulation between coders in order to maximize qualitative validity.^{12,13}

As these data were collected for quality improvement as a mixed methods paper with a central qualitative element, their utility is to provide nuanced and in-depth insight regarding the issues around buprenorphine prescribing in a particular setting, not to make transportable claims across settings. Such context-specific and nuanced findings, although not generalizable, can provide insights into phenomena not visible in larger, representative samples.^{14,15}

RESULTS

Thirty-two (32) respondents completed the survey while 10 participated in semi-structured qualitative interviews. The characteristics of the respondents are shown in **Table 1**. The respondents predominantly self-identified as female (69%) and between the ages of 35–54 (51%). Themes from the qualitative interviews are highlighted in **Table 2** along with corresponding quotes and the number of interviews these themes were mentioned in.

Eighty-two (82%) percent of the respondents had completed the DATA waiver training course. Of those who completed the training, 46% had their DEA waiver number accessible, 35% did not have it, and 19% were unsure if they had been issued a DEA waiver number. None of the waivered providers had listed their names on the Rhode Island Department of Health's website as a prescribing provider accepting new patients for buprenorphine treatment

Table 1. Survey	Respondent	Characteristics
-----------------	------------	-----------------

Characteristic	Response (N=32 attending physicians)			
Age				
<35уо	13 (41.94%)			
35–54yo	16 (51.61%)			
>54yo	2 (6.45%)			
Self-Identified Gender				
Male (including transgender male)	10 (31.25%)			
Female (including transgender female)	22 (68.75%)			
Primary Practice Location				
Academic Residency Clinic	3 (10.00%)			
Private Faculty Practice	18 (60.00%)			
Hospitalist (inpatient only)	6 (20.00%)			
Other	3 (10.00%)			
Interviewed	10 (31%)			
Private practice physician and precept at the Academic Residency Clinic	7 (70.00%)			
Hospitalists and precept at the Academic Residency Clinic with no private practice	3 (30.00%)			



Table 2. Themes and quotes from qualitative interviews (N=10)

Theme Subthemes	Number of Interviews mentioned in	Quotes
Desire for real-time, in-person prescribing expertise		"I don't feel as alone at the [academic residency clinic as compared to
Troubleshooting difficulties	0	the private practice clinic]. If there are questions I can't answer, there
Preference for in-person consultation on prescribing	5	are always other preceptors who can help."
Coverage (vacation & after hours)	4	
Relying on resident's knowledge	3	
Relying on residents for continuity, flexibility, and time	1	
Feeling Isolated in private practice	3	
Overwhelmed/Lack of Bandwidth/Exhausted No bandwidth for anything new	4	"I also think the cognitive load of learning something new – or becoming certified in something new – feels like a Herculean task – just because it's one of many things to do."
Particular Hurdles Related to Prescribing Buprenorphine		"Demoralized at jumping through hoops"
Induction	2	
Waiver*	2	
Titration	1	
Urinalysis	1	
Specialization		"While I do think it would be great to have more buprenorphine
Patients have easy access through another provider	2	prescribers/opportunities for patients to get treatment for OUD, I do
Loss of skills through infrequency of prescribing	3	think there is something valuable to having "specialization" in this."
Constrictions through Primary Care Schedule		"When we see anywhere from 12 to 16 patients in a session,
Anything outside comfort zone takes more time	1	how does one find the time?"
Fitting counseling in	1	"Residents have so much more time with patients than I do.
Induction perceived as requiring more time than a routine 15-minute visit	2	It can be hard to envision how I would fit all that counseling into a 15-minute visit."
Lack of Nursing or Case Manager Support	2	
Lack of Mental Health or Social Work Services	4	
Ensuring Quality, Avoiding Complications	1	"And I also want it to go perfectly"

*No longer necessary as of June 2023

at the time of survey completion. However, upon learning about this patient-facing resource, half of waivered providers were willing to have their name listed. The majority of providers (71%) reported that since undergoing the DATA waiver training, they had not prescribed buprenorphine in an outpatient setting. Fourteen percent (14%) of respondents had prescribed to 1-3 patients, 3% to 4-10 patients and 11% had prescribed to 10+ patients in an outpatient setting. More prescribers reported ordering buprenorphine in the inpatient setting with 36% reporting ordering for 1-3 patients, 7% for 4-10 patients and 14% for 10+ patients. Forty-six percent (46%) of respondents reported they had not ordered buprenorphine in the inpatient setting. Regardless of whether or not the respondents had, in fact, prescribed or ordered buprenorphine, the majority endorsed buprenorphine as an effective treatment for OUD, with 67% reporting "strongly agree" followed by 21% reporting "agree" as the next most common answer. Two individuals (7%) selected "strongly disagree." Despite the majority of respondents having completed the DATA waiver training, when asked if they were comfortable starting a patient on buprenorphine, the largest percentage of respondents reported that they were "uncomfortable" (50%), with the next most common response being "very uncomfortable" (17%). In contrast, more providers were "neutral" (35%), "comfortable" (29%), or "very comfortable" (25%) maintaining a patient on buprenorphine. Screening for OUD as well as comfort interpreting urine toxicology reports were both high among the respondents. The patients that the respondents were most comfortable prescribing to were "patients already on my personal panel" (26%) and "patients of other physicians in my clinic" (23%). The most commonly cited barrier to prescribing buprenorphine was "lack of confidence/experience" (33%). The next most agreed upon responses were "lack of psychosocial support" (21%), followed by "time constraints" (17%).

Almost all survey respondents (89%) reported being comfortable precepting residents who see patients with



OUD on buprenorphine. When asked about perceived barriers to precepting residents who see patients with OUD on buprenorphine, the most common response remained "lack of confidence/experience" (36%), with the next most common response being "lack of consistent follow-up" (21%). The respondents then rated a selection of four potential interventions to support providers in prescribing buprenorphine, including a Whatsapp group text message with fellow buprenorphine prescribers in the Division of General Internal Medicine, brief instructional videos, a telephone-based warmline similar to the National Clinician Consultation Center at the University of California San Francisco, where providers can speak to a live addiction specialist, or a local warmline with fellow buprenorphine prescribers in the Division of General Internal Medicine. The option rated as most helpful was to have a Whatsapp group text with colleagues, with the second being a local warmline with the same colleagues. Instructional videos were rated as the least helpful.

In the semi-structured qualitative responses, all 10 respondents identified lack of support from other providers as a reason for not prescribing buprenorphine in their direct primary care practice setting – a private faculty practice. The main areas where respondents wanted greater support included: troubleshooting issues that come up in induction or titration (50%); advice from providers with greater experience prescribing (40%); and coverage after hours or during vacation (30%). In contrast, precepting in the teaching setting of the academic residency clinic was identified as ensuring the presence of more knowledgeable providers as well as residents. Notably, the buprenorphine program that takes place one-half day a week at the academic residency clinic was not explicitly mentioned in survey responses. Three respondents pointed to the difficulty of managing induction, given constraints of primary care schedules (with back-to-back 15-minute slots) and discussed the greater flexibility of residents' schedules and their ability to spend more time with patients. Three respondents pointed to the lack of mental health or social work supports in their primary practice site and two respondents pointed to the lack of nursing support. Four providers described feeling too overwhelmed by their existing work responsibilities to incorporate anything new into their practice. Only three providers pointed to regulatory requirements specific to buprenorphine as reasons for not prescribing, and these were presented in the larger context of the general lack of support or existing workload.

DISCUSSION

Attending physicians who have undergone DATA waiver training are known to go on to prescribe buprenorphine at low rates.^{4,5} In our study of faculty in a Division of General Internal Medicine, this held true, with the reasons being similar to that found in the existing literature: lack of confidence, time constraints, and inadequate psychosocial support. However, the marked increase in comfort prescribing buprenorphine among attending physicians in the context of precepting residents at the academic residency clinic as compared to their own primary care practice is a new and important addition to the literature. This is especially true in light of recent legislative changes that make direct prescription of buprenorphine substantially more accessible to resident physicians and challenges the prevailing narrative that the DATA waiver was the primary barrier to prescribing.

A concern among residency programs has been that residents have limited clinic availability for primary care patients in general and that patients receiving buprenorphine must be seen frequently. Another concern is that residents' schedules will result in poor continuity of care for patients who might see several different residents. However, our qualitative data highlight a strong contrast between attending physicians' lack of support at their site of primary care, where they are sometimes the only provider utilizing buprenorphine, work within a constricted schedule, and feel pushed to the maximum of their abilities, and the academic residency clinic, where there is a strong perceived sense of team-based care and more time to spend with patients. This challenges the existing notion that academic centers, and residents, are not suitable for substance use treatment as they may in fact increase buprenorphine prescribing. A study of BupEd, a buprenorphine training curriculum for primary care internal medicine residents in Bronx, NY, also showed that providing residents with supervised clinical experience in treating opioid dependent patients is feasible without compromising patient outcomes.⁶ Importantly, retention in buprenorphine treatment was similar between patients of residents and attending physicians. Additionally, the vast majority of inductions now occur outside a healthcare setting, in places such as their home or where those who are street homeless are spending the most time, and thus buprenorphine prescribing mainly focuses on maintenance doses, a less complex or time intensive process than induction. This is because nearly all patients have taken buprenorphine before and understand how to start taking a very small dose of this medication when they start to experience withdrawal.

There has been increasing pressure over the past two decades to make primary care more collaborative, both in terms of the creation of interdisciplinary care teams and the value of non-physician counterparts. For instance, the presence of collaborative practice agreements (CPA) allowing pharmacists and other disciplines to assist with co-management of chronic conditions such as diabetes and hypertension has become commonplace. Thus, it is not surprising that, in considering integrating MAT into their day-to-day practice, attending physicians prefer a team-based approach over one that solely relies on their own expertise and capacity.

Our results suggest that an alternative, and potentially



more successful approach to increasing buprenorphine prescribing, is by focusing on the creation of team-based units dedicated to the care of patients with OUD, similar to what has been done with regard to diabetes, hypertension, obesity, and other chronic diseases and what is seen in academic residency clinics. To increase the capacity of primary care clinics to integrate team-based programs to care for their patients with OUD, leadership could consider well-established processes to improve prescribing of targeted drugs such as academic detailing and collaborative practice agreements.¹⁶

Next steps include gathering further data and exploring the facilitators and barriers to creating team-based approaches to OUD management in primary care settings, ranging from academic residency clinics to private faculty practices to federally qualified health centers. Residency programs considering integrating buprenorphine prescribing into academic residency clinics should be confident that assembling a group of providers across disciplines to provide this service is one route to increasing buprenorphine prescribing among providers who otherwise may not have independently prescribed.⁶ These data shine light on a unique way forward for integration and increase of buprenorphine prescribing following removal of the DATA waiver without significantly overtaxing an already overwhelmed primary care workforce.

References

- Jones C, Campopiano M, Baldwin G, McCance-Katz E. National and State Treatment Need and Capacity for Opioid Agonist Medication-Assisted Treatment. Am J Public Health. 2015 Aug;105(8):e55-63. doi: 10.2105/AJPH.2015.302664. Epub 2015 Jun 11. PMID: 26066931; PMCID: PMC4504312.
- HHS Press Office. HHS Releases New Buprenorphine Practice Guidelines, Expanding Access to Treatment for Opioid Use Disorder. April 27, 2021. Available at:_https://www.hhs.gov/ about/news/2021/04/27/hhs-releases-new-buprenorphine-practice-guidelines-expanding-access-to-treatment-for-opioid-use-disorder.html Accessed January 9, 2022.
- 3. Centers for Disease Control and Prevention. *Products vital statistics rapid release provisional drug overdose data*. Centers for Disease Control and Prevention. Available at: https://www.cdc.gov/nchs/nvss/vsrr/drug-overdose-data.htm Accessed June 7, 2023
- Clark S, Goedel W, Krieger M, Rich J, Marshall B. "Relationship between Buprenorphine Prescribing Capacity and Patient Access, Rhode Island, 2014-2017." Poster presented at Association for Medical Education and Research in Substance Abuse conference; 2018 November 8-10; San Francisco CA.
- 5. Leshner A, Dzau V. Medication-based treatment to address opioid use disorder. JAMA. 2019: doi: 10.1001/jama.2019.5523.
- Kunins H, Sohler N, Giovanniello A, Thompson D, Cunningham C. A Buprenorphine Education and Training Program for Primary Care Residents: Implementation and Evaluation, Substance Abuse, 34:3, 242-247, DOI: 10.1080/08897077.2012.752777
- Hutchinson E, Catlin M, Andrilla C, Baldwin L, Rosenblatt R. Barriers to primary care physicians prescribing buprenorphine. Ann Fam Med. 2014 Mar-Apr;12(2):128-33. doi: 10.1370/ afm.1595. PMID: 24615308; PMCID: PMC3948759.
- Substance Abuse and Mental Health Services Administration, "Becomea Buprenorphine Waivered Practitioner." Available at: https:// www.samhsa.gov/medication-assisted-treatment/becomebuprenorphine-waivered-practitioner. Accessed January 9, 2022.

- Federal Register, Health and Human Services Department, 28 Apr. 2021, "Practice Guidelines for the Administration of the Administration of Buprenorphine for Treating Opioid Use Disorder." Available at: https://www.federalregister.gov/documents/2021/04/28/2021-08961/practice-guidelines-for-the-administration-of-buprenorphine-for-treating-opioid-use-disorder. Accessed January 9, 2022.
- 10. "Removal of Data Waiver (X-Waiver) Requirement." Substance Abuse and Mental Health Services Administration, U.S. Department of Health & Human Services, https://www.samhsa. gov/medications-substance-use-disorders/removal-data-waiver-requirement.
- 11. DeFlavio J, Rolin S, Nordstrom B, Kazal L. Analysis of barriers to adoption of buprenorphine maintenance therapy by family physicians. Rural Remote Health. 2015;15:3019. Epub 2015 Feb 4. PMID: 25651434.
- Braun V, Clarke V. Using thematic analysis in psychology, Qualitative Research in Psychology, 2006;3:2:77-101, DOI: 10.1191/1478088706qp063oa
- Creswell JW, Creswell JD. Research Design: Qualitative, Quantitative, and Mixed Methods Approaches. SAGE Publications, Inc, 2018.
- 14. Tavory I, Timmermans S. *Abductive Analysis: Theorizing Qualitative Research*. The University of Chicago Press, 2014.
- Seawright J. 2016 Multi-Method Social Science: Combining Qualitative and Quantitative Tools (Strategies for Social Inquiry). Cambridge: Cambridge University Press. Doi: 10.1017/ CBO9781316160831
- Soumerai S. "Principles of Educational Outreach ('Academic Detailing') to Improve Clinical Decision Making." JAMA: The Journal of the American Medical Association. 1990;263 (4) (January 26): 549. doi:10.1001/jama.1990.03440040088034.

Authors

- Ella van Deventer, BA, Warren Alpert Medical School of Brown University, Providence RI.
- Daniel Antonson, BS, Warren Alpert Medical School of Brown University, Providence RI.
- Jon Soske, PhD, Associate Researcher, Lifespan Health Systems, Providence, RI.
- Meghan Geary, MD, Warren Alpert Medical School of Brown University, Division of General Internal Medicine, Providence, RI.
- Rahul Vanjani, MD, Warren Alpert Medical School of Brown University, Division of General Internal Medicine, Providence, RI.

Acknowledgments

A special thank you to Emma Creegan and the Division of General Internal Medicine at Brown University. This project is supported by grant H79TI082570 from the Department of Health and Human Services/Substance Abuse and Mental Health Services Administration (SAMSHA).

Disclosure

Jon Soske is partially supported by the National Institute of General Medical Sciences of the NIH under grant number P20GM125507.

Disclaimer

The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

Correspondence

Daniel Antonson, BS 95 Cranston St. #306, Providence, RI 02907 daniel_antonson@brown.edu



Multiple Hospital In-Situ Mass Casualty Incident Training Simulation for Emergency Medicine Residents: A Sarin Bomb Scenario

NICHOLAS J. MUSISCA, MD, MA, FACEP; HEATHER RYBASACK-SMITH, MD, MPH; ANDREW MUSITS, MD, MS; GIANNA PETRONE, DO, MS; RACHEL S. WIGHTMAN, MD; JESSICA L. SMITH, MD; LINDA L. BROWN, MD, MSCE; JOHN L. FOGGLE, MD

ABSTRACT ⁻

INTRODUCTION: We simulated an on-site, multi-hospital mass casualty incident (MCI) to educate emergency medicine providers in the principles of trauma resuscitation and collaboration with administration and staff during an MCI.

METHODS: We implemented high-fidelity manikins, inflatable manikins, and actors to simulate a sarin gas bombing. Learners triaged patients at a decontamination tent using the simple triage and rapid treatment (START) tool, or they participated in a simulation in a resuscitation bay.

RESULTS: Forty participants anonymously rated the learning impact of the exercise, the clinical relevance to emergency medicine, and the effectiveness of the faculty facilitation and debriefing on a 1–5 Likert scale. The average responses to all questions were 4.45 or greater, and 98% of respondents recommended adding the scenario to the standard curriculum.

DISCUSSION: We successfully executed a novel, multihospital, MCI drill that was rated to be a better alternative to sequential simulation in a simulation center.

KEYWORDS: simulation, mass casualty incident, sarin, emergency medicine, toxicology

INTRODUCTION

Disasters are defined as events which exceed the capacity of the local community to mount an adequate response.¹ Disaster preparedness, specifically regarding mass casualty incidents (MCIs), has been a topic of much discussion over the past 20 years, especially in the light of the COVID-19 pandemic. Chemical, biological, radiological, nuclear, and explosive (CBRNE) modalities are all scenarios for which healthcare providers must be prepared. Potential sources for civilian exposure include terrorist attacks, military attacks, inadvertent discharge from domestic stockpiles, and industrial events. Terror incidents have increased dramatically over the last decade (Global Terror Database) with increasing numbers of mass shootings, recent emergence of targeted automobile ramming mass casualty (TARMAC) attacks, and with infamous events such as the Oklahoma City bombing and 9/11 attacks still so recent in history.

Historically, hospitals have been poorly equipped to deal with massive influxes of patients, particularly with regard to weapons of mass destruction (WMDs).^{2,3} Adequate response to an MCI involves every aspect of hospital operations, from providers in the Emergency Department (ED) to house-keeping staff, security, and supply chains. Since these are high-acuity, low-frequency events, there are few opportunities for providers to practice. Simulation drills are thought to provide a way for providers to practice MCI response and increase competency in this skill set, though formal evaluation of its effectiveness should be explored futher.^{4,5,6}

This exercise focused on the presentation and management of trauma patients exposed to sarin gas in a terrorist bombing. This scenario was chosen due to real, large scale, and tactical attacks using nerve agents such as the Aum Shinrikyo release of sarin in the Tokyo subway system, nerve agent attacks against the Kurds in Iraq and most recently with the sarin attacks of civilians by the Syrian government.^{7,8} This unique, in-situ MCI simulation was simultaneously conducted at two academic hospitals during the normal hours of resident didactic conference. Goals of the exercise were to provide Emergency Medicine (EM) residents and other healthcare workers in the department the familiarity and hands-on exposure to the decontamination equipment and methods, to increase confidence and ability using an all-hazards approach to identify and treat victims exposed to a CBRNE incident, and to foster communication and teamwork among various healthcare workers when available resources are overwhelmed. The authors believe this mass casualty scenario could similarly be implemented both at similar institutions on site as well as within a simulation center to prepare healthcare workers for a mass casualty event.

METHODS

Development

We created this 2-hour session to be part of the EM Resident Simulation Curriculum. The MCI simulation was created, in part, to fulfill the ACGME requirement for EM residents to participate in such training for graduation. The simulation scenario consisted of 6 separate individual patient



simulation scenarios as well as a mass casualty triage intake simulation. EM faculty, including expert simulation faculty, created these scenarios through an iterative collaborative process. They were reviewed by the simulation staff for revisions as well.

Equipment/Environment

We conducted the simulation training exercise at two urban EDs during resident simulation conference day. The format of the scenario was virtually identical at each site. Three simulated patients presented into a trauma bay normally designed to care for two critically ill patients with a unique trauma and symptoms consistent with organophosphate poisoning from a sarin gas exposure (Table 1). Each hospital site had one high-fidelity Laerdal Sim Man 3G simulator and two standardized patients. All standard equipment in the resuscitation bays was available to include simulator telemetry output on a connected laptop screen, the installed resuscitation bay telemetry monitors, crash carts, bag valve masks, ECG machine, intubation equipment, thoracostomy kits, and all other commonly used medical equipment stocked in the resuscitation bay. Participants were limited in their ability to order labs and diagnostic imaging to simulate the reality of a hospital whose resources were overwhelmed due to a mass casualty incident. Eventually a "Chem Pack" containing mock vials of 2-Pam and additional atropine was made available to use. A laptop computer was positioned within the resuscitation bays to provide updates about the mass casualty incident. We also erected a decontamination tent at the entrance of the ambulance bay at each hospital for the triage simulation scenario. Inflatable, low-fidelity manikens were used for triage and decontamination at this site.

Personnel

Two simulation technicians were on site to operate the high-fidelity simulators. An EM faculty member was present for each simulation in the resuscitation bays, as well as one at the triage tents to conduct the scenarios and document when critical actions were met by the residents. Supporting nursing staff and ED techs also participated in patient care during the simulation. Nursing placed IVs, administered fluids, and verbalized administration of medications and blood when requested by the team. A supervising EM faculty member and hospital environmental safety officer was present at each site to orchestrate the overarching movement of trainees, personnel, and equipment. The standardized patients consisted of simulation staff for the individual scenarios. Volunteer scribes and medical students were integrated with the inflatable manikins at the triage site.

Implementation

We assigned EM residents of all training levels (years 1–4) to either a triage team or one of three treatment teams that would be caring for a single patient encounter. We briefed them to the goals of the simulation day in a conference room prior to moving to the ED for the exercise. A pre-recorded dramatization of a news report was then played, outlining that an explosion had occurred in the downtown train depot, and residents were brought to the treatment areas to begin the simulation.

We escorted the residents assigned to the triage team to the decontamination tents to receive patients. A faculty moderator and hospital environmental safety officer instructed them as to how to don personal protection equipment (PPE) prior to beginning the scenario, in order to realistically

Table 1. Simulation Cases

	Presentation*	Diagnosis^	Critical Actions+
AEC Patient 1	33yo unresponsive patient with shortness of breath, nausea, vomiting and diarrhea	Hypoxic respiratory failure with tension pneumothorax	Recognize unprotected airway and intubate Needle decompress the chest followed by placing chest tube
AEC Patient 2	24yo pregnant patient with abdominal pain, vaginal bleeding, cough and shortness of breath	Hemorrhagic shock due to placental abruption	Recognize shock, transfuse patient Assess fetal heart tones and emergently consult OB/ GYN
AEC Patient 3	55yo heart failure patient with shortness of breath, cough and penetrating trauma to the lower extremity	Hemorrhagic shock and pulseless limb	Recognize shock, apply tourniquet and transfuse patient
TMH Patient 1	8yo patient with decreased mental status, dyspnea, vomiting, diarrhea and has significant abdominal bruising	Hypoxic respiratory failure and possible intra-abdominal injury	Recognize unprotected airway and intubate Recognize and test for possible intra-abdominal injury
TMH Patient 2	24yo asthmatic presents after being knocked down by blast complaining of head pain and shortness of breath	Blast injury with ruptured tympanic membranes and possible intracranial injury	Recognize TM rupture Evaluate and test for brain injury Treat dyspnea with bronchodilators
TMH Patient 3	ED nurse caring for patient develops shortness of breath	Secondary exposure to sarin resulting in healthcare worker	Recognize secondary exposure Decontaminate patient before treatment

* Contact corresponding author for detailed simulation script.

^ All patients will have a diagnosis of organophosphate toxicity with varying degrees of severity.

+ All patients require administration of atropine and 2-PAM in treatment of organophosphate toxicity.

create a treatment scenario in which PPE of this nature is required. The standardized patients and inflatable manikens presented to the triage team with a brief script of their symptoms. Based on the presentation, the team applied SMART-TAG[®] TSG Associates LTD per triage guidelines to prioritize patient care. Twelve simulated patients comprised an equal number of green, yellow, red, and black tag designations were to be appropriately treated and those requiring further management were then sent through the decontamination process in the tent where ED nurses and techs were stationed to assist. EMS participated in the drill by bringing two patients by ambulance to the ambulance bay decontamination station.

We escorted each treatment team in rapid sequence as their assigned simulated patient arrived in the resuscitation bay. All three patients were treated simultaneously to augment the chaos of an overcrowded MCI. A pre-recorded dramatized newscast was played mid-scenario which revealed that the train bombing released sarin. We displayed this mid-scenario video directly to the residents if they had not yet identified the presenting toxidrome in their patient in a timely fashion.

Assessment

The reported results focus on the overall evaluation of the simulation program itself, rather than the individual participant. Evaluative data was gathered from all willing participants, regardless of their role in the simulation. The standard feedback form used by our department for all resident simulations was administered in a mobile phone compatible format using Qualtrics This feedback form has been used with over 800 learner encounters prior to this simulation.

Debriefing

At the end of the exercise, residents walked through the resuscitation bay as well as the disaster tent to view portions of the scenario that they did not experience. Each EM faculty preceptor spent about 15 minutes individually reviewing the critical actions with their assigned team. The participants at each hospital site gathered to debrief for 20 minutes on each scenario, specifically summarizing their scenario, the critical actions required, and any changes in how they would have managed the scenario to optimize care. We then gathered all participants from each hospital for a general event debriefing, during which the residents summarized their scenario to describe the injuries and critical actions they employed during the simulation.

RESULTS

A total of 40 participants completed the voluntary feedback form. Participants included EM residents, EM faculty, advanced practice providers, medical students, nursing staff, facilities management personnel, and prehospital providers (**Table 2**).

Role % Count **Emergency Medicine PGY 1** 17.50% 7 Emergency Medicine PGY 2 10.00% 4 17.50% Emergency Medicine PGY 3 7 **Emergency Medicine PGY 4** 10.00% 4 Advanced Practice Provider 2.50% 1 Medical Student 2.50% 1 **Emergency Medicine Faculty** 27.50% 11 Other (3 RNs, 2 prehospital providers) 12.50% 5 Total 100% 40

Table 2. Participant Responders to the Simulation Evaluation Tool

Table 3. Participant Ratings of Simulation Exercise on a 1-5 scale

Please Rate:	Minimum	Maximum	Mean	Std Deviation	Variance	Count
Scenario Overall	3.00	5.00	4.45	0.67	0.45	40
Relevance to training/ duties	3.00	5.00	4.63	0.58	0.33	40
Faculty effectiveness at facilitation/ debriefing	2.00	5.00	4.45	0.74	0.55	40

The mean rating for the scenario overall, relevance to training/duties, and faculty effectiveness at facilitation and debriefing were all rated highly on a 1–5 scale (**Table 3**). Ninety percent of respondents felt the learning objectives were clearly defined. Representing the perceived value of this training, 98% of respondents recommended this simulation should become part of the standard EM residency curriculum.

The most valuable feedback came from the free text responses to the questions, "Please give AT LEAST ONE suggestion to improve this simulation" and "Other comments or suggestions?" (Box 1.) While a formal thematic analysis is beyond the scope of this project, the authors noted the following feedback to consider in future events: respondents note a lack of clarity in participant role in the triage and decontamination assignments, and some reported confusion about "deconned" patients who remained fully clothed during the simulation. Unlike a typical ED patient encounter, during the simulation scenario the standardized patients and student volunteers were not undressed by the residents providing the simulated patient care. These issues could be remedied in the future by specifically addressing them in the pre-brief or by the standardized patients wearing a nude-colored bodysuit under their clothing. As for "other comments or suggestions," many residents specifically noted the high value of the debriefing exercises.



Box 1. Simulation Survey

Q1. What best describes you?
PGY 1
PGY 2
PGY 3
PGY 4
Advanced Practice Provider
Medical Student
Emergency Medicine Faculty
Other
Q2. On a scale of 1 to 5, please rate the scenario overall.
Q3. On a scale of 1 to 5, please rate the scenario's relevance to your training/duties.
Q4. On a scale of 1 to 5, please rate the faculty effectiveness at facilitation and debriefing.
Q5. Please give AT LEAST ONE suggestion to improve this simulation.
Q6. Would you recommend this simulation become part of the standard curriculum?
Yes
No
Q7. Other comments or suggestions?

DISCUSSION

Most of the disaster preparedness education that EM residents receive is in the form of lectures and classroom didactics.^{9,10} Programs have sought to implement disaster experiences into residency curriculum in other ways, including tabletop exercises, computer-based simulations, high-fidelity simulation sessions, and virtual reality,^{11,12,13} with mixed success. Simulation-based disaster exercises have been shown to be useful and to increase resident confidence in managing disaster events.¹¹

Other than tabletop exercises, a review of the literature is bereft of in-situ, hospital-based MCI simulations, especially with more than one hospital involved. This is likely because of the challenging logistics and time commitment to run such an event. This simulation exercise would not have been possible without many months of preparation. Most important was advance collaboration with key stakeholders at both hospitals, including administration, EMS leadership, environmental safety, senior nursing, and ancillary staff. All told, more than 10 stakeholders and committed faculty participated in the disaster simulation at each site.

We were fortunate that on the actual date of the exercise, the weather was favorable, and the actual ED visits that morning – both hospitals combine for approximately 175,000 ED visits per year – were low enough to prevent the simulated disaster from interfering with normal ED function.

The rationale behind the in-situ design of this scenario was enhanced realism, as it was conducted in the actual workplace of the EM residents and ancillary staff. Utilizing standardized patients with injuries, along with hi-fidelity manikins that had received toxic doses of sarin gas, further served to make the entire scenario more realistic. The fact that 98% of respondents recommended this simulation become part of the standard curriculum strongly suggests that this is a preferred disaster education modality compared to classroom didactics and other methods. This response is presumed likely because of active learning and the realism of the scenario.

The secondary goal of this in-situ simulation was to stress the need for the residents to protect themselves from inadvertent exposures in an MCI, which could occur in a real biological or chemical disaster. The use of a nerve agent allowed the inclusion of worried, well-standardized patients, further simulating what would happen in an actual disaster.

Limitations

Although all participants were invited to provide feedback, most respondents who completed the evaluation form were EM residents and faculty. We suspect that this is due to their familiarity with this tool and its expectation to be completed after didactic sessions. We recognize the need to encourage all groups of participants to provide feedback at future simulated MCIs.

The risk of performing an in-situ simulation is that it can be derailed by the demand for real patient care, jeopardizing the execution of the entire scenario. We had limited time to perform the scenario for this reason. This limitation also prevents each learner from experiencing each patient scenario, which is particularly relevant when comparing the triage and simulation teams' experiences. This is partially offset by the shared experience with the group debriefing at the end of the exercise. The goal of enacting the realism of a true MCI merits the loss of specific scenario exposure. We also did not measure retention of medical knowledge learned during this exercise, so efficacy of this training program cannot be critiqued.

The larger goal is to provide trainees with a different scenario in subsequent years. We plan to include a post-simulation test to assess medical knowledge and have an objective measure of the value of in-situ, disaster-based education, rather than only a subjective one. Specifically, we could include knowledge-based, multiple-choice questions for the simulation teams on evaluation for, and treatment of, blast injuries and organophosphate poisoning, as well as proper decontamination practices. We could also include multiple-choice or free-text response questions as to what each level in the START tool represents. We do not plan to administer a pretest to gauge prior knowledge because it could potentially affect performance during the scenario.

It was acknowledged in the preparation of this drill that including additional ancillary staff (e.g., blood bank, radiology technicians, security) would provide further benefit in training for a mass casualty incident to test our facility's



preparedness, but due to the complexities already required to orchestrate nursing, EMS, and residents for training, as well as to minimize further disruption of true patient care ongoing in the Emergency Department, we did not include these components in the simulation.

Although it is conceivable to compare medical knowledge across learners with a post-test, it would be difficult to power this analysis at a single institution. A post-test given 6 to 9 months after may alternatively have value in assessing the decay of knowledge.

In conclusion, this in-situ MCI simulation was perceived as such a success by faculty, administrators, and our EM residents that a different in-situ MCI was designed and scheduled for the next academic year. It is our belief that annual in-situ disaster simulations with rigorous, post-test analysis will foster teamwork, understanding of existing disaster protocols, increase knowledge retention, improve healthcare worker safety, and enable EDs and hospital systems to be better prepared for such a high-acuity and low-frequency event. This exercise demonstrated that we could successfully run scenarios with high-fidelity simulators, low-fidelity simulators, and standardized patients, just as we would in our simulation center, with significant preceptor oversight within the environment that trainees would encounter a real disaster scenario.

References

- Hendrickson RG, Horowitz BZ. Disaster Preparedness. In: Tintinalli JE eds. *Tintinalli's Emergency Medicine: A Comprehen*sive Study Guide, 9th edition. New York, NY: McGraw-Hill; 2020.
- Treat KN, Williams JM, Furbee PM, Manley WG, Russell FK, Stamper CD. Hospital preparedness for weapons of mass destruction incidents: an initial assessment. *Ann Emerg Med.* 2001;38: 562-565.
- Milsten A. Hospital responses to acute-onset disasters: a review. Prehosp Disast Med. 2000;15: 32-45.
- Hsu EB, Jenckes MW, Catlett CL, et al. Effectiveness of hospital staff mass-casualty incident training methods: a systematic literature review. *Prehosp Disast Med* 2004; 19: 191–199.
- Kobayashi L, Shapiro MJ, Suner S, Williams KA. Disaster medicine: the potential role of high fidelity medical simulation for mass casualty incident training. *Med Health R I.* 2003;86(7): 196-200.
- 6. Kobayashi L, Suner S, Shapiro MJ, et al. Multipatient disaster scenario design using mixed modality medical simulation for the evaluation of civilian prehospital medical response: a "dirty bomb" case study. *Simul Healthc.* 2006; 1(2):72-78.
- Sidell FR. Chemical agent terrorism. Ann Emerg Med. 1996; 28:223-4.
- 8. Hurst G. U.S. Army Medical Research Institute of Chemical Defense. Chemical Casualty Care Division: Chemical Casualty Care Division's Field Management of Chemical Casualties Handbook. 3rd ed. Aberdeen Proving Ground, MD: Chemical Casualty Care Division, U.S. Army Medical Research Institute of Chemical Defense; 2007.
- Ciraulo DL, Frykberg ER, Feliciano DV, et al. A survey assessment of the level of preparedness for domestic terrorism and mass casualty incidents among eastern association for the surgery of trauma members. *J Trauma*. 2004; 56:1033-9.

- Galante JM, Jacoby RC, Anderson JT. Are surgical residents prepared for mass casualty incidents? J Surg Res. 2006; 132:85–91.
- 11. Franc JM, Nichols D, Dong SL. Increasing emergency medicine residents' confidence in disaster management: use of an emergency department simulator and an expedited curriculum. *Prehosp Disaster Med.* 2012; 27:31-5.
- Summerhill EM, Mathew MC, Stipho S, et al. A simulation-based biodefense and disaster preparedness curriculum for internal medicine residents. *Med Teach*. 2008; 30:e145-51.
- Andreatta PB, Maslowski E, Petty S, et al. Virtual reality triage training provides a viable solution for disaster-preparedness. *Acad Emerg Med.* 2010; 17:870-6.

Authors

- Nicholas J. Musisca, MD, MA, FACEP, Assistant Professor, Department of Emergency Medicine, Alpert Medical School of Brown University, Providence, RI.
- Heather Rybasack-Smith, MD, MPH, Assistant Professor, Department of Emergency Medicine, Alpert Medical School of Brown University, Providence, RI.
- Andrew Musits, MD, MS, Assistant Professor, Department of Emergency Medicine, Alpert Medical School of Brown University, Providence, RI.
- Gianna Petrone, DO, MS, Assistant Professor, Department of Emergency Medicine, Alpert Medical School of Brown University, Providence, RI.
- Rachel S. Wightman, MD, Assistant Professor, Department of Emergency Medicine, and Assistant Professor, Department of Epidemiology, Alpert Medical School of Brown University, Providence, RI.
- Jessica L. Smith, MD, Professor, Department of Emergency Medicine, Alpert Medical School of Brown University, Providence, RI.
- Linda L. Brown, MD, MSCE, Professor, Department of Emergency Medicine, Alpert Medical School of Brown University, Providence, RI.
- John L. Foggle, MD, Associate Professor, Department of Emergency Medicine, Alpert Medical School of Brown University, Providence, RI.

Acknowledgment

The authors would like to thank Whitney C. Fisher, MD, Assistant Professor, Department of Emergency Medicine, Alpert Medical School of Brown University, for his efforts in preparing the video production component of the simulation.

Disclosures

The authors report no disclosures of potential conflicts of interest.

Correspondence

Nicholas J. Musisca, MD, MA musinj6@gmail.com



Robotic Simulation in Urologic Surgery

BRITTANY D. BERK, MD; VINCENT D. D'ANDREA, MD; JACOB M. MODEST, MD; DANIEL A. WOLLIN, MD, MS

ABSTRACT

Robotic surgery continues to revolutionize the field of urologic surgery, and thus it is crucial that graduating urologic surgery residents demonstrate proficiency with this technology. The large learning curve of utilizing robotic technology limits resident immediate participation in real-life robotic surgery, and skill acquisition is further challenged by variable case volume. Robotic simulation offers an invaluable opportunity for urologic trainees to cultivate strong foundational skills in a non-clinical setting, ultimately leading to both competence and operative confidence. Several different simulation technologies and robotic assessment protocols have been developed and demonstrate validity in several domains. However, despite their demonstrable utility, there is no formal robotic curricula within US urologic surgery residencies. In this article, we will review the current state of robotic simulation training in urologic surgery and highlight the importance of its widespread utilization in urologic surgery residency training programs.

KEYWORDS: simulation, robotics, urologic surgery, education

INTRODUCTION

While many surgical specialties are only now adopting the use of the da Vinci robot, urologic surgeons have become increasingly facile with this system for complex pelvic surgeries since its introduction in 2000. Today, its use continues to expand across the various urologic subspecialties. Robotic surgery has paved the way for many great advances in patient care and outcomes, especially with regards to reduced morbidity and shortened hospital stays.1 With this widespread transition to minimally invasive technique, the importance of graduating urology residents with robotic proficiency has only become more critical. Robotic simulation is of significant interest to surgical educators for preparing urologic surgery residents for their future careers, regardless of subspecialization. However, to date there is a lack of standardized robotics training curricula within United States (US) urology residency programs. Herein, we highlight the importance of robotic urological surgery simulation, describe the basics of simulation training, and review current available simulation assessments and technologies.

BENEFITS OF SURGICAL SIMULATION

There are many essential benefits robotic simulation offers to surgical trainees. However, of utmost importance is its impact on patient safety. It is well understood that the risk of adverse events is inversely related to years of robotic experience.² In 2015, the Emergency Care Research Institute (ECRI) cited insufficient training in robotic surgery as one of the top ten health hazards of the year.³ To address this risk, the authors proposed a comprehensive program, which includes initial observership, bedside assistant experience, and simulation training prior to real-life robotic surgery under the supervision of a proctor. Prior studies have demonstrated significant improvements in technical performance after training with virtual reality simulators, highlighting the vital role simulation can play in improving patient outcomes and reducing overall morbidity.^{4,5,6}

The importance of robotic simulation is further underscored by the impact of the COVID-19 pandemic. Reduced case load during COVID-19 caused a significant reduction in operative case numbers for residents, leading to increased anxiety about performance.7 One study demonstrated a reduction in perceived robotic skills amongst trainees with an associated increase in time to completion of suturing techniques.8 Formal simulation programs have been proposed as a solution to addressing this lack of surgical exposure.9 An obvious barrier to such a program, however, is trainee engagement, which is challenged by long work hours and varying call schedules that limit free time. One proposed solution is gamification of simulation technology, which has been shown to encourage resident participation while also providing a means for practicing and learning. Unfortunately, confidence in skills was not greatly impacted, suggesting a need for additional engagement strategies.¹⁰

VALIDITY

The utility of any robotic simulator relies on external validation of the system. In robotic surgical simulation, validity is defined by several different parameters. **Table 1** summarizes some of the important validity tests for robotic simulation.



Table 1. Definitions of validity terms related to virtual reality in robotic simulation

Validation Domain	Description
Face	Defines how well a simulator physically mimics real life
Content	Measures whether specific modules on a simulator represents the skills it intends to test
Construct	Measures if and how well a simulator can differentiate between an expert and novice performance
Predictive	Defines the simulator's ability to predict an individual's future performance

The first is construct validity, which assesses how well a particular task within a simulator actually represents an operative setting to the point that it can distinguish a novice from an expert surgeon. In other words, construct validity defines a system's ability to gauge competency. Similarly, content validity assesses whether a simulated task is actually representative of the skills it intends to test. Face validity is another measurement which defines how well the simulator technology physically mimics real-life surgery. Lastly, the predictive validity of the simulator defines the technology's ability to predict future performance. This domain of validity is of particular interest in simulated technology for surgical training as it may help identify a trainee's readiness to progress to higher levels of training. High-quality simulators should have demonstrable validity within several of these areas.

CURRENT SIMULATOR TECHNOLOGY

The use of simulators and virtual reality (VR) has increasingly been used in the acquisition of urologic robotic surgical skills on the da Vinci surgical system. VR training for robotic skills – rather than using the robotic system itself – may decrease cost, allow for more clinical utilization of the robotic system, and help promote validated curricula with objective performance metrics.¹¹ The most common VR simulators currently available on the market, including cost, developer, and release year, are summarized in **Table 2**. Other platforms include the Surgical Education Platform

Table 2. VR robotic surgical simulators currently available on the market

<u> </u>							
VR Simulator	Cost	Developer	Release Year				
dV-Trainer (dVT)	\$110,000	Mimic Technologies, Inc.	2007				
Robotic surgical simulator (RoSS)	\$125,000	Simulated Surgical Systems LLC	2010				
da Vinci Skills Simulator (dVSS)	\$80,000	Intuitive Surgical Inc.	2011				
RobotiX Mentor (RM)	\$137,000	3D Systems	2014				

Table 3. Validity attributes for VR simulators used in urologic surgery

VR Simulator	Validity
dVT	Face, construct, content
RoSS	Face, content
dVSS	Face, construct, content
RM	Face, construct, content

(SEP) and ProMIS Simulator; however, these are less frequently utilized in the US and are thus omitted from the discussion.

While the widespread adoption of VR simulation has been limited by the high cost of these machines, significant effort has been undertaken to evaluate and compare the efficacy of the various simulators available on the market.¹² The performance of each system is measured by its validity in various categories, which were previously described. The validity attributes of each technology are summarized in Table 3. The dVT simulator is a stand-alone trainer, which offers the trainee the opportunity to utilize the technology without requiring access to the da Vinci system. This technology has been shown to have face, content, and construct validity.¹³ The RoSS simulator, another standalone system, was shown to predict intraoperative ability and to have face and content validity.^{14,15} The dVSS simulator functions as a "backpack" to the da Vinci surgical system and cannot be used without access to the console system. However, it has been shown to result in improved surgical skills amongst novices and also to have face, content, and construct validity.^{16,17} Finally, the RM simulator functions as a standalone system and also demonstrates face, construct, and content validity.¹⁸

Several comparative studies have been conducted for these systems. Hertz et al compared the content validity and cost-effectiveness of the dVT, dVSS, and RoSS systems.19 Using a standardized questionnaire administered to surgical trainees, all simulators demonstrated evidence of face and content validity, with significantly higher scores for the dVSS (which is the least costly, but also frequently unavailable as it comes as an attachment to the operative robotic platform). Similarly, a meta-analysis by Schmidt et al demonstrated skill transfer and predictive validity of the dvSS and Mimic dvTrainer from three pooled studies with a total of 59 participants.²⁰ MacCraith et al also published a comprehensive review on robotic simulation training with a special focus on urologic surgery.²¹ In their review, they determine that the simulators with the broadest range of exercises are the dvSS, RoSS and RM, which include exercises for needle handling, object manipulation, tissue handling/clipping, suturing and full surgical procedures. They also highlight the challenges of global application of this technology in training, including a current lack of standardization in delivery and implementation, and prohibitively high costs.



ROBOTIC SIMULATION IN SURGICAL ASSESSMENT

Robotic simulation provides an invaluable opportunity for objective assessment and tracking of trainee progress. To date, several different evaluation scales have been developed that can be utilized for objective review of resident and fellow robotics skills. In 2012, Global Evaluative Assessment of Robotic Skills (GEARS) was the first proposed global standardized assessment tool for robotic surgical skills.²² Using a 5-point Likert scale to quantify performance, GEARS assesses surgeon skills in a task-independent manner pertaining to depth perception, bimanual dexterity, autonomy, efficiency, and force sensitivity, and has been demonstrated to be able to differentiate individuals across a spectrum of surgical expertise.²³ Liu et al further expanded on this with the development of the Assessment of Robotic Console Skills (ARCS) tool, which incorporates assessment in efficiency in utilization of multi-wristed instruments, energy sources, and a third arm.²⁴ In the initial study of ARCS, all domains except energy source usage demonstrated construct

Table 4. Summary of common robotic skills assessment tools

Assessment Tool	Author	Summary
Global Evaluative Assessment of Robotic Skills (GEARS)	Sanchez et al (2016)	Global rating scale of surgeon robotic skills in depth perception, bimanual dexterity, autonomy, efficiency, and force sensitivity on 5-point Likert scale
Assessment of Robotic Console Skills (ARCS)	Liu et al (2018)	Global rating scale of surgeon skills in use of multi-wristed instruments, field of view optimization, instrument visualization, workspace efficiency, force sensitivity, and basic energy source utilization on 5-point Likert scale
Robotic Objective Structured Assessment of Technical Skills (R-OSATS)	Siddiqui et al (2014)	Assessment of robotic skills in terms of depth perception, accuracy, force and tissue handling, dexterity, and efficiency on inanimate objects in dry-lab setting.
Crowd-Sourced Assessment of Technical Skills (C-SATS)	Chen et al (2013)	Adapted from GEARS; utilizes crowd-sourcing of surgery performance ratings
Technical checklist for suturing in robotic surgery	Guni et al (2018)	Detailed checklist assessing suturing skills in terms of needle driving, knot tying, and general principles of suturing
Dissection Assessment for Robotic Technique (DART)	Vanstrum et al (2021)	Assessment of 6 domains of dissection including gesture selection and efficacy, instrument visualization and awareness, respect of tissue planes, tissue handling, tissue retraction, and efficiency on a 3-point rating scale

validity. Similar assessment tools include the Robotic Objective Structured Assessment of Technical Skills (R-OSATS) and the Crowd-Sourced Assessment of Technical Skills (C-SATS), and formal checklists with specific focus on suturing skills and robotic dissection techniques.^{25–28} These specialized assessments are summarized in **Table 4**.

While these tools exist and are used to a varying degree nationally, none have been formally incorporated into the American Urological Association (AUA) urological surgery training curricula. The most widely implemented training protocol is the Morristown Protocol, which requires trainees to complete 10 different skills on the dVSS platform at specific benchmarks. The protocol demonstrates predictive validity, and thus, is an appealing tool for both resident assessment prior to live robotic surgery, and institutional robotic credentialing.²⁹ The current training pathway recommended by Intuitive for the da Vinci system includes a three-hour online course, a dry laboratory session, VR simulation (if available), and then two pig procedures followed by two proctored live surgeries.³⁰ In 2014 the EAU Robotic Curriculum was introduced as a 12-week program, including eLearning, procedure observation, didactic teaching, dry lab/VR simulation, nontechnical skills training, wet lab simulation, and modular operative training to train for robot-assisted laparoscopic prostatectomy (RALP). This was shown to be a valid and effective method to train for RALP.³¹

ROBOTIC SURGICAL GESTURES

Recently, there has been a growing interest in identifying correlations between specific surgeon psychomotor skills and patient clinical outcomes. Deconstruction of the surgical procedure into the smallest meaningful interactions between surgical instrument and tissue, or gestures, may further quantify surgeon skills and identify optimal procedural protocols. Dr. Andrew J. Hung and his colleagues have pioneered this work in robotic surgery. Initially, they identified 9 dissection and 4 supporting gestures as the fundamental instrument movements necessary for robotic surgery. They validated their findings through cross-referencing 40 videos of robotic hilar dissections during robotic-assisted partial nephrectomy.³² More recently, these gestures have been utilized to predict patient-related outcomes and to classify specific movements based on quality and efficacy. This exciting work provides a novel perspective on surgical assessment and may pave the way for identifying best surgical practices to help guide future surgical robotic training.^{33,34}

SYNTHETIC SURGICAL MODELS

Finally, other emerging technologies, including synthetic organs and models, are increasingly being utilized for robotic surgical training. As the technology of these synthetic models increases, they are slowly replacing the typical animal



and cadaveric models that have been used for advanced robotic surgical simulation since its inception. These synthetic models present not only a more reliable, cost-effective option compared to cadavers, they also negate ethical concerns related to use of animals in surgery. The clinical applications of 3D-printed models for robotic simulation in urology have been previously reviewed and their development continues to expand.35,36 Most notably, the Simulation Innovation Laboratory at the University of Rochester led by Dr. Ahmed Ghazi has developed and validated realistic simulation models for robot-assisted kidney transplant, robot-assisted partial nephrectomy, and RALP.37-39 Other models have been developed for percutaneous nephrolithotomy (PCNL), partial nephrectomy, transurethral prostate resection (TURP), RALP, pyeloplasty, and kidney transplant. An attractive aspect of these models is their consistency and reliability in the educational setting. Thus, as the technology continues to become more sophisticated, increased utilization of these simulation models in surgical training is likely to become more apparent.

CONCLUSION

Robotic surgery has become a hallmark of urologic surgery and now plays a significant role in many subspecialties including pediatrics, intraabdominal reconstruction, female and pelvic floor reconstruction, and urologic oncology. Robotic surgery has optimized patient postoperative outcomes for many common urologic surgeries, and its utilization is likely to continue to expand. Therefore, it is imperative that urologic surgery residents are well-trained in the utilization of this technology. While many virtual reality technologies and high-fidelity anatomic models have been developed to train urologic surgery residents in robotics, the lack of a formalized curriculum results in variable exposure in each training program. Nonetheless, it is clear that the available robotic simulation technology offers a unique opportunity for skill acquisition while preserving patient outcomes, and its formal incorporation into residency training is essential. These technologies are likely to continue to develop in the coming years, and their validity and applicability must be redemonstrated with each iteration. The utilization of synthetic models provides further standardization of surgical simulation and represents an exciting new field for growth. Therefore, as robotics continues to redefine urologic surgical technique and patient outcomes, the evolution of our field has never been more exciting.

References

- Zahid A, Ayyan M, Farooq M, et al. Robotic surgery in comparison to the open and laparoscopic approaches in the field of urology: a systematic review. *J Robot Surg.* 2023;17:11-29. doi:10.1007/s11701-022-01416-7
- Alemzadeh H, Raman J, Leveson N, Kalbarczyk Z, Iyer RK. Adverse Events in Robotic Surgery: A Retrospective Study of 14 Years of FDA Data. *PLoS One*. 2016;11(4). doi:10.1371/JOUR-NAL.PONE.0151470
- 3. Institute E. Top 10 Health Technology Hazards for 2015. Published online 2014. Accessed April 23, 2023. www.ecri. org/2015hazards,
- 4. Balasundaram I, Aggarwal R, Darzi A. Short-phase training on a virtual reality simulator improves technical performance in tele-robotic surgery. *Int J Med Robotics Comput Assist Surg.* 2008;4:139-145. doi:10.1002/rcs.181
- Lendvay TS, Brand TC, White L, et al. Virtual Reality Robotic Surgery Warm-Up Improves Task Performance in a Dry Lab Environment: A Prospective Randomized Controlled Study. Published online 2013. doi:10.1016/j.jamcollsurg.2013.02.012
- Chen IHA, Ghazi A, Sridhar A, et al. Evolving robotic surgery training and improving patient safety, with the integration of novel technologies. *World J Urol.* 2021;39:2883-2893. doi:10.1007/s00345-020-03467-7
- Nofi C, Roberts B, Demyan L, et al. A Survey of the Impact of the COVID-19 Crisis on Skill Decay Among Surgery and Anesthesia Residents. *J Surg Educ.* 2022;79(2):330. doi:10.1016/J. JSURG.2021.09.005
- Der B, Sanford D, Hakim R, Vanstrum E, Nguyen JH, Hung AJ. Efficiency and Accuracy of Robotic Surgical Performance Decayed Among Urologists During COVID-19 Shutdown. *J Endou*rol. 2021;35(6):888. doi:10.1089/END.2020.0869
- Noël J, Moschovas MC, Patel E, et al. Step-by-step optimisation of robotic-assisted radical prostatectomy using augmented reality. *International Brazilian Journal of Urology:Official Journal* of the Brazilian Society of Urology. 2022;48(3):600. doi:10.1590/ S1677-5538.IBJU.2022.99.10
- Cohen TN, Anger JT, Kanji FF, et al. A Novel Approach for Engagement in Team Training in High-Technology Surgery: The Robotic-Assisted Surgery Olympics. J Patient Saf. 2022;18(6):570-577. doi:10.1097/PTS.000000000001056
- Bric JD, Lumbard DC, Frelich MJ, Gould JC. Current state of virtual reality simulation in robotic surgery training: a review. Surg Endosc. 2016 Jun; 30(6):2169-78. doi:10.1007/s00464-015-4517-y
- Rehman S, Raza SJ, Stegemann AP, et al. Simulation-based robot-assisted surgical training: A health economic evaluation. Published online 2013. doi:10.1016/j.ijsu.2013.08.006
- Kenney PA, Wszolek MF, Gould JJ, Libertino JA, Moinzadeh A. Laparoscopy and Robotics Face, Content, and Construct Validity of dV-Trainer, a Novel Virtual Reality Simulator for Robotic Surgery. Published online 2009. doi:10.1016/j.urology.2008.12.044
- Guru KA, Baheti A, Kesavadas T, Kumar A, Srimathveeravalli G, Butt Z. In-vivo Videos Enhance Cognitive Skills For Da Vinci® Surgical System. J Urol. 2009;181(4S):823-823. doi:10.1016/ S0022-5347(09)62294-1
- 15. Seixas-Mikelus SA, Stegemann AP, Kesavadas T, et al. Content validation of a novel robotic surgical simulator. *BJU Int.* Published online 2010. doi:10.1111/j.1464-410X.2010.09694.x
- Amirian MJ, Lindner SM, Trabulsi EJ, Costas LD. Surgical suturing training with virtual reality simulation versus dry lab practice: an evaluation of performance improvement, content, and face validity. doi:10.1007/s11701-014-0475-y
- Hung AJ, Zehnder P, Patil MB, et al. Face, Content and Construct Validity of a Novel Robotic Surgery Simulator. J Urol. 2011;186(3):1019-1025. doi:10.1016/J.JURO.2011.04.064



- Whittaker G, Aydin A, Raison N, et al. Validation of the RobotiX Mentor Robotic Surgery Simulator. *J Endourol.* 2016;30:338-346. doi:10.1089/end.2015.0620
- Hertz AM, George EI, Vaccaro CM, Brand TC. Head-to-Head Comparison of Three Virtual-Reality Robotic Surgery Simulators. Published online 2018. doi:10.4293/JSLS.2017.00081
- Schmidt MW, Kö Ppinger KF, Fan C, et al. Virtual reality simulation in robot-assisted surgery: meta-analysis of skill transfer and predictability of skill. doi:10.1093/bjsopen/zraa066
- Maccraith E, Forde JC, Davis NF. Robotic simulation training for urological trainees: a comprehensive review on cost, merits and challenges. 2019;13:371-377. doi:10.1007/s11701-019-00934-1
- 22. Goh AC, Goldfarb DW, Sander JC, Miles BJ, Dunkin BJ. Global Evaluative Assessment of Robotic Skills: Validation of a Clinical Assessment Tool to Measure Robotic Surgical Skills. *J Urol.* 2012;187(1):247-252. doi:10.1016/J.JURO.2011.09.032
- Aghazadeh MA, Jayaratna IS, Hung AJ, et al. External validation of Global Evaluative Assessment of Robotic Skills (GEARS). doi:10.1007/s00464-015-4070-8
- 24. Liu M, Purohit S, Mazanetz J, Allen W, Kreaden US, Curet M. Assessment of Robotic Console Skills (ARCS): construct validity of a novel global rating scale for technical skills in robotically assisted surgery. Surg Endosc. 2018;32(1):526-535. doi:10.1007/ s00464-017-5694-7
- Guni A, Raison N, Challacombe B, Khan S, Dasgupta P, Ahmed K. Development of a technical checklist for the assessment of suturing in robotic surgery. *Surg Endosc.* 2018;32(11):4402-4407. doi:10.1007/S00464-018-6407-6/METRICS
- 26. Vanstrum EB, Ma R, Maya-Silva J, et al. Development and Validation of an Objective Scoring Tool to Evaluate Surgical Dissection: Dissection Assessment for Robotic Technique (DART). Published online 2021. doi:10.1097/UPJ.00000000000246
- Siddiqui NY, Galloway ML, Geller EJ, et al. Validity and reliability of the robotic objective structured assessment of technical skills. *Obstetrics and Gynecology*. 2014;123(6):1193-1199. doi:10.1097/AOG.00000000000288
- Chen C, White L, Kowalewski T, et al. Crowd-Sourced Assessment of Technical Skills: a novel method to evaluate surgical performance. *Journal of Surgical Research*. 2014;187:65-71. doi:10.1016/j.jss.2013.09.024
- Culligan P, Gurshumov E, Lewis C, Priestley J, Komar J, Salamon C. Predictive Validity of a Training Protocol Using a Robotic Surgery Simulator. Published online 2013. doi:10.1097/ SPV.000000000000045
- Intuitive (2021) Da Vinci Education. Accessed May 3, 2023. https://www.intuitive.com/en-us/products-and-services/ da-vinci/education
- Volpe A, Ahmed K, Dasgupta P, et al. Pilot Validation Study of the European Association of Urology Robotic Training Curriculum. *Eur Urol.* 2015;68(2):292-299. doi:10.1016/J.EURU-RO.2014.10.025
- 32. Ma R, Vanstrum EB, Nguyen JH, Chen A, Chen J, Hung AJ. A Novel Dissection Gesture Classification to Characterize Robotic Dissection Technique for Renal Hilar Dissection. J Urol. 2021;205(1):271-275. doi:10.1097/JU.000000000001328
- Inouye DA, Ma R, Nguyen JH, et al. Assessing the efficacy of dissection gestures in robotic surgery. J Robot Surg. doi:10.1007/ s11701-022-01458-x
- 34. Ma R, Ramaswamy A, Xu J, et al. Surgical gestures as a method to quantify surgical performance and predict patient outcomes. *npj Digit Med.* 2022;5:187. doi:10.1038/s41746-022-00738-y
- Mathews DAP, Baird A, Lucky M. Innovation in Urology: Three Dimensional Printing and Its Clinical Application. Front Surg. 2020;7. doi:10.3389/fsurg.2020.00029
- 36. Costello DM, Huntington I, Burke · Grace, et al. A review of simulation training and new 3D computer-generated synthetic organs for robotic surgery education. 2022;16:749-763. doi:10.1007/s11701-021-01302-8

- 37. Saba P, Belfast E, Melnyk R, Patel A, Kashyap R, Ghazi A. Development of a High-Fidelity Robot-Assisted Kidney Transplant Simulation Platform Using Three-Dimensional Printing and Hydrogel Casting Technologies. doi:10.1089/end.2020.0441
- 38. Ghazi A, Melnyk R, Hung AJ, et al. Multi-institutional validation of a perfused robot-assisted partial nephrectomy procedural simulation platform utilizing clinically relevant objective metrics of simulators (CROMS). *BJU Int.* 2021;127:645-653. doi:10.1111/bju.15246
- 39. Witthaus MW, Farooq S, Melnyk R, et al. Incorporation and validation of clinically relevant performance metrics of simulation (CRPMS) into a novel full-immersion simulation platform for nerve-sparing robot-assisted radical prostatectomy (NS-RARP) utilizing three-dimensional printing and hydrogel casting technology Professional Innovation Introduction. *BJU Int.* 2020;125:322-332. doi:10.1111/bju.14940

Authors

- Brittany D. Berk, MD, Division of Urologic Surgery, Brigham and Women's Hospital, Harvard Medical School, Boston, Massachusetts.
- Vincent D. D'Andrea, MD, Division of Urologic Surgery, Brigham and Women's Hospital, Harvard Medical School, Boston, Massachusetts.
- Jacob M. Modest, MD, Department of Orthopedic Surgery, Warren Alpert Medical School of Brown University, Providence, Rhode Island.
- Daniel A. Wollin, MD, MS, Division of Urologic Surgery, Brigham and Women's Hospital, Harvard Medical School, Boston, Massachusetts.

Disclosures

None

Correspondence

Brittany D. Berk, MD Brigham and Women's Hospital 75 Francis Street Boston, MA 02115 bberk@bwh.harvard.edu



Arthroscopic Simulation in Orthopaedic Surgery Training

EDWARD J. TESTA, MD; JACOB M. MODEST, MD; RORY A. BYRNE, BA; BRETT D. OWENS, MD; RAYMOND HSU, MD

ABSTRACT

Surgical simulation has become a commonly utilized and well-researched training adjunct in nearly all surgical specialties. Balancing high-quality orthopaedic surgical training in the face of work hour restrictions and efficiency pressures has become a challenge to educators and trainees alike. Surgical simulation is an opportunity to enhance such training and potentially permit trainees to be better equipped for the operating room. In orthopaedics, various low-fidelity, high-fidelity, and virtual reality simulation platforms are readily available to almost all trainees and permit simulation of a wide array of arthroscopic surgeries. In this review, we seek to highlight the potential utility of simulation-based training in orthopaedic surgery, the various types of available simulators, and review the evidence for simulator use.

KEYWORDS: surgical simulation, orthopaedic education, arthroscopic simulation, virtual reality

INTRODUCTION

Surgical simulation has become an important tool for graduate surgical education in recent decades, in response to paradigm shifts in the training landscape. Mastery following the traditional Halstedian approach of "see one-do one-teach one" is no longer feasible in modern surgical education, despite a growing need for competent, efficient surgeons.1 It is increasingly difficult for trainees to strike a balance between prioritization of patient safety and satisfaction, and the volume constraints of resident duty hour restrictions and operating room efficiency.1-3 To improve high-quality, efficient, and patient-centered care, interest in evidence-based, formal curricula to address core competencies of surgical training using models and simulators has grown.^{4,5} Orthopaedic surgical simulation offers a promising adjunct to the apprenticeship model, providing an accessible, controlled environment without the risk of patient harm.5 Simulation to improve surgical skills hinges on the concepts of pedagogic consistency and deliberate practice, the latter defined as focused, effortful skill repetition in progressive exercises that provide informative, immediate feedback.5 Surgical simulation allows residents to advance through appropriately challenging skills at their own pace, with progress tracked based on clearly defined outcome measures.

There is a growing body of evidence demonstrating the considerable benefits of simulation in orthopaedic training, especially arthroscopy, though the incorporation of these methods into orthopaedics has lagged somewhat behind other disciplines.⁶⁻⁸ Frank et al conducted a meta-analysis of 57 studies published between 1999-2016 concerning validated arthroscopic simulation models; the authors reported improvement in simulator task performance (24 of 25 studies that analyzed this metric; 96%) and improvement in operative performance after simulator training (4 of 4 studies; 100%), although they cautioned that the evidence for improved in vivo performance was limited.8 A more recent 2021 systematic review from Lakhani et al added to this base with 44 studies regarding use of physical or augmented/ virtual reality (AR/VR) arthroscopic models for ankle, knee, shoulder, and hip environments.⁶ Similarly, they concluded that simulation is beneficial for orthopaedic trainees, with the majority of included studies demonstrating construct and transfer validity - important measures of the capability of the simulator to differentiate between levels of expertise, and the ability of the simulator to achieve learning and improvement outside of the simulation, respectively.^{6,9} Although small scale studies have demonstrated improvement of technical performance and patient safety measures following a simulator training regimen for procedures such as diagnostic shoulder arthroscopy, there remains a question of how well simulator skills can transfer to operative performance and ultimately improve patient outcomes.¹⁰

Within orthopaedics, several simulator models are available, existing on a spectrum from low-fidelity self-made workstations to augmented and virtual reality environments. Despite evidence regarding the validity and success of these simulators, there is no consensus on a gold standard option for orthopaedic surgical simulation. We aim to provide evidence on the accessibility, validity, and success of various simulators, to inform residency training programs on how to best incorporate simulation into orthopaedic training.

PROFIDENCY-BASED TRAINING

As minimally invasive surgery became more prevalent in the late 20th century, surgical training programs were faced with the challenge of training surgeons in procedures that



required distinctly unique skillsets from those utilized in open surgeries.¹¹ Historically, competency in surgical skills was assessed through either successful completion of a predetermined number of cases (i.e., a case minimum) or observation and evaluation by a more senior surgeon.¹² Unfortunately, these methods are inherently flawed due to subjectivity and variability in trainee skill level (i.e., some residents may need more than minimum case numbers to become proficient in a given procedure), as well as variability in the feedback provided to trainees. Thus, proficiency-based progression (PBP), or proficiency-based training (PBT), was born. This training strategy focuses solely on performance, using goal-directed and deliberate practice in the form of simulation to achieve competency, with the goal of developing a uniform skill set for all trainees to improve safety and efficiency in the operating room.¹³

PBT utilizes simulation-based training to allow learners to acquire specific skills, then uses objective measures to evaluate progress, and correct errors through direct feedback.14 In orthopaedic surgery, PBT has been studied primarily within the realm of shoulder arthroscopy.^{15–17} Arthroscopy is a minimally invasive skill that requires unique technical proficiencies compared to open surgeries, such as instrument triangulation, bimanual dexterity, and the ability to manipulate three dimensional images on a two-dimensional screen. Therefore, to maintain operative efficiency and patient safety, mastering these skills prior to the operating room is certainly ideal. In his pivotal work, Angelo et al broke down the steps of an arthroscopic shoulder labral repair into the core "phases" and "steps."15 Arthroscopic portal placement, mobilization of the capsule and labrum, and glenoid preparation for anchor placement were denoted as "phases" of the repair, while each arthroscopic view or instrument manipulation was a "step." This training technique thus permits a metric-based system to provide a grading system for a trainee's performance, creating the opportunity to denote a trainee as competent at a given procedure if they can achieve certain metrics. Angelo et al demonstrated that PBT led to significant decreases in surgical error rate, as well as greater likelihood of achieving proficiency, when compared to traditional training techniques in arthroscopic Bankart repairs.¹⁶ When coupling the metrics of arthroscopic Bankart repair performance with cadaveric shoulder training, Angelo et al found the ability to accurately measure surgeon skill.¹⁷ These findings, which are in accordance with those of other authors, 10,18 can potentially provide useful metrics for surgeons to possess to ensure they are proficient in the necessary skills to safely perform arthroscopic surgery. Continued research into PBT and other arthroscopic and open orthopaedic surgeries would be a useful next step in advancing orthopaedic surgery simulation-based training.

VALIDATION OF ARTHROSCOPIC SIMULATOR

Necessary to any discussion of surgical simulators is the principle of validity. For a surgical simulator to be truly useful, it must strive to replicate the surgical experience as closely as possible to reality. Therefore, any orthopaedic surgery simulation platform should ideally be validated in several different ways, including construct, content, transfer, and face validity (Table 1).7 Construct validity is defined as the extent to which a simulator can differentiate the performance between users of various skill levels.¹⁹ For example, an arthroscopic surgical simulator would have high construct validity if it can discern an expert arthroscopist with years of experience from a medical student, who is a novice. Content validity instead refers to an estimate of a surgical simulator's skill testing ability based upon a thorough assessment of the contents of the test items. Generally speaking, content validity is determined by opinions of those deemed experienced or expert in the field.¹⁵ Transfer validity instead is an assessment of the ability to translate technical performance on a simulator to the operating room for a specific procedure.8 Finally, face validity measures how real a simulator feels, evaluating how its performance looks and feels relative to reality. While these are relatively subjective measures, they remain important tools to critically assess surgical simulators prior to application within a training program.

Table 1. Types of Validity Related to Orthopaedic Surgery Simulation

Terms	Definition
Construct Validity	The extent to which a simulator can differentiate the performance between users of various skill levels
Content Validity	Measurement of a surgical simulator's skill testing ability based upon a thorough assessment of the contents of the test items
Transfer Validity	The ability to translate technical performance on a simulator to the operating room for a specific procedure
Face Validity	How true a simulator feels to the surgical experience

LOW-FIDELITY SIMULATORS

The term fidelity describes the ability of a certain simulator to adequately mimic the real surgical environment or skill set being tested, similar to the aforementioned concept of face validity.^{20,21} Low-fidelity simulators therefore are physical models that may be associated with simulation modules that replicate aspects of surgical procedures, but with limited functionality and realism. According to a recent systematic review, these simulators are notably less expensive than their high-fidelity counterparts, and simpler to set-up, operate, and transport.²¹ Therefore, low-fidelity simulators are often a good option for novices and basic skills training. Low-fidelity models may be self-made or can be purchased commercially. Ling et al compared the effectiveness



of a self-made arthroscopic training camera versus a commercial camera, devices that cost roughly \$30 and \$50,000 USD, respectively.²⁰ The self-made construct was composed of an endoscopic camera fixed at 30 degrees of inclination to two parallel Kirschner wires, in addition to a small training box constructed using splint material; other "homemade" models are similarly composed of small USB cameras with built-in lights. Significant technical improvement was seen with both models, with no significant difference between the groups for any tests, suggesting equivalent learning effectiveness using the low-cost model.²⁰ As first described by Ferras-Tarrago et al, 3-dimentional (3D) printing of an arthroscopic simulator device offers a low cost, accessible alternative; the simulator model pattern can be downloaded for free and printed easily on any domestic 3D printer, and combined with an inexpensive (\$14 USD) endoscopic camera.²² The physical model is combined with an open-source, validated, practical training program, through which seasoned surgeons can virtually provide instruction and feedback to novices. This construct currently lacks evidence of transfer validity.

The Fundamentals of Arthroscopic Surgery Training, or the FAST workstation (Pacific Research Laboratories, Inc., WA, USA) is a relatively low-cost, low-fidelity commercial option, consisting of a computer-controlled arthroscopic box construct, various surgical instruments, and a computer interface to record movement and provide real-time feedback on performance.²³ This device is designed to develop the cornerstone skills of arthroscopy such as bimanual dexterity, grasping, triangulating, and knot tying; trainees can progress through the 6-module paired program consisting of various exercises, including visualization and probing, ring transfer, maze navigation, tissue biting, suture passing, and knot tying. Several studies have demonstrated the effectiveness of the FAST workstation and associated models in improving novice task performance. Goyal et al reported reliable construct validity, as well as improvement in performance with sequential tasks in a group of 20 orthopaedic surgeons of various skill levels.24 Similarly, Meeks et al demonstrated significantly decreased time to completion of task modules after 6 weeks of FAST training in medical students.²⁵ Notably, the mean time to completion and number of errors did not change following 12- or 24-week intervals of inactivity, suggesting promising psychomotor retention of tested skills. Additionally, this study among others posits the feasibility and success of formal teaching for true novices, which would allow for earlier access to competency training.^{25,26} However, there is some opposing evidence that several of the FAST modules have low construct validity – a multicenter study from Vaghela et al reported no demonstratable correlation between true arthroscopic experience and ambidextrous performance, as well as an inability of the modules to discriminate between participants' experience levels; this suggests the inadequacy of the construct for assessing advanced arthroscopic proficiency.²⁷ A similar study reported that the FAST simulator could discriminate between activities and training year, but not case experience as measured by score, path length, and time.²⁸ The authors still maintain the importance of the FAST workstation in building crucial but novice-level arthroscopic skills, despite conflicting evidence regarding its construct validity.

ArthroBox[™] (Arthrex, Inc., Naples, FL, USA) is another example of a low-fidelity commercial training system for triangulation skills, comprised of a collapsible arthroscopy box with combined LED camera and light source that plugs directly into a personal computer.29 Bouaicha et al demonstrated significant improvement in task performance following novice use of an ArthroBox trainer, and also found it to have construct validity.^{30,31} Not only did they demonstrate improvement between baseline to follow-up on the low-fidelity model, subjects also showed subsequent improvement on high-fidelity, validated virtual knee simulators, suggesting that training on a more accessible device is beneficial for future performance on a higher fidelity construct and potentially in the operating room itself. A recent systematic review found that low-fidelity workstations improve novice trainee performance in arthroscopic tasks, and are likely more cost effective and simple to implement than higher fidelity simulators.³² Ultimately, the cost effectiveness and potential training benefits of low-fidelity workstations make them a viable consideration for a training program's armamentarium.

HIGH-FIDELITY SIMULATORS

In comparison with low-fidelity simulators, high-fidelity simulators are more expensive but have improved realism and feel to the real world and operating room (**Figures 1A, 1B**). A common improvement in these simulators is the use of augmented reality (AR). Proprietary examples of highfidelity simulators include ArthroS[®] (VirtaMed),³³ ARTHRO MentorTM (Sympbionix),³⁴ and InsightARTHRO VR[®] (3D Systems).³⁵ These products have the components of a mannequin, an arthroscopic video monitor, and simulated arthroscopic equipment. The arthroscopic equipment is nearly identical to operating room instruments and the majority of simulators provide tactile and haptic feedback for the instruments to simulate resistance and vibrations associated with their real use.


Several studies have sought to validate high-fidelity simulators for use in orthopaedic surgery resident training given the advantages of ease of use and demands for patient safety and quality control. These studies have examined both the validity of these simulators as well as their impact on surgical training. Various arthroscopic simulators have been validated both with face and construct validity and the general construct of the various proprietary simulators is overall similar amongst systems.³⁶ To examine the impact of these



Figures 1A, 1B.

[A] An intraoperative arthroscopic image of a right knee demonstrating a lateral meniscal tear after debridement.

[B] An image of a right knee with a large radial tear of the lateral meniscus from a high-fidelity arthroscopic simulator. Note the high-quality graphical comparison to a true arthroscopic image.



[Images from ArthroS® (Virta/Med) simulator video. Reproduced with permission of Virta/Med AG Switzerland]

simulators on surgical training, Rebolledo and colleagues compared high-fidelity arthroscopic simulation using the InsightARTHRO VR to didactic lectures, finding that the residents assigned to the surgical simulator group had significant improvement over those in the didactic session group in performing cadaveric diagnostic knee and shoulder arthroscopy.¹⁸ Wang and colleagues designed a randomized controlled trial to assess the impact of simulation training on performance of cadaveric arthroscopy using a high-fidelity workstation. These researchers randomized novice participants to simulation training or no simulation training (control group) prior to assessing arthroscopic skills on a cadaver. After the use of the simulator 1 time per week for 3 weeks, the simulation group had significantly improved task-time completion scores for all tasks. However, when these groups practiced on a cadaveric models, these skills did not have significant transferable benefit as they found no difference between the groups in performing standard diagnostic arthroscopy of a knee and a shoulder.³⁷ Interestingly, they discuss a ceiling affect for task improvement that occurs after 3 trials for most of the tasks analyzed, concluding that there is some measurable improvement in coordination and efficiency for AR training models and that this improvement is rapidly obtained.

The validity of high-fidelity simulators has been assessed through various studies. Lakhani et al performed a thorough systematic review of arthroscopic simulators synthesizing the body of available literature related to arthroscopy simulation.⁶ These authors found many studies which determined that several commercially available high-fidelity arthroscopic simulators demonstrate construct, transfer, and face validity, while only 3 studies assessed these simulators for content validity.⁶ These have been validated for use in several joints, including the knee, shoulder, and hip. It remains essential that all commercially available arthroscopic simulators undergo evaluation of validity to ensure that the simulators can truly provide a realistic benefit to orthopaedic trainees. Furthermore, residency program directors should scrutinize the literature regarding specific simulators when considering the purchase of an expensive high-fidelity simulator to train their residents.

A meta-analysis of arthroscopic simulator training by the same group reviewed 57 studies with 1698 participants.⁸ Twenty-five studies compared pre-simulator training to post-simulator tasks and 24, or 96%, of these studies showed significant improvement after simulator use. Four studies examined results on live-patient arthroscopy of which all 4 showed improvements after

simulator use. High-fidelity simulators likely will continue to have a growing role in resident education. However, they may be cost prohibitive in many situations as they can cost tens to hundreds of thousands of dollars, therefore, training programs should carefully consider their options to determine if high-fidelity simulators are a cost-effective means to improve resident education.

While the aforementioned arthroscopy simulators utilize a form of virtual reality (VR), in which a mannequin and computer are utilized to experience an arthroscopic environment, commercially available VR headsets are emerging as another form of workstation. These headsets offer a wireless, computer-based simulation in which the user wears a VR headset and utilizes two controllers to manipulate a virtual environment, such as the operating room, without the need for a computer. For example, PrecisionOS® has created a complete hip arthroscopy VR experience in which trainees can immerse themselves in the operating room to simulate the steps of this technically demanding procedure.³⁸ While this platform has demonstrated good face and content validity, it has incomplete construct validity; further research on this type of VR arthroscopy simulation is necessary, but it remains an important emerging training tool to consider.

CONCLUSIONS

Surgical simulation platforms, which have been well-studied in techniques such as arthroscopy, remain a viable and proficient tool for improving an orthopaedic surgery trainee's skillset prior to entering the operating room. Low-fidelity simulators are a relatively low-cost, accessible option for training certain basic skills, while high-fidelity simulators afford an experience with higher face validity, but also substantially greater cost. Arthroscopic surgical simulators should be thoroughly evaluated for validity. While various



studies have evaluated construct, face, and transfer validity in specific arthroscopic simulators, content validity is infrequently reported. The future of orthopaedic surgical simulation includes continued work on these aforementioned simulators, and expansion of true VR experiences that encompass all realms of orthopaedics from arthroplasty to trauma surgery. Future work in validating various VR modules and platforms will be useful to help elucidate this expansile technology's role in orthopaedic surgical training.

References

- Reznick RK, MacRae H. Teaching Surgical Skills Changes in the Wind. N Engl J Med. 2006;355(25):2664-2669. doi:10.1056/ NEJMra054785
- 2. Chikwe J, de Souza AC, Pepper JR. No time to train the surgeons. *BMJ*. 2004;328(7437):418-419.
- Kneebone R, Aggarwal R. Surgical training using simulation. BMJ. 2009;338(may14 2):b1001-b1001. doi:10.1136/bmj.b1001
- Martin KD, Akoh CC, Amendola A, Phisitkul P. Comparison of Three Virtual Reality Arthroscopic Simulators as Part of an Orthopedic Residency Educational Curriculum. *The Iowa Orthopaedic Journal*. 2016;36:20.
- Thomas GW, Johns BD, Marsh JL, Anderson DD. A Review of THE ROLE OF SIMULATION IN DEVELOPING AND AS-SESSING ORTHOPAEDIC SURGICAL SKILLS. *Iowa Orthop J.* 2014;34:181-189.
- Lakhani S, Selim OA, Saeed MZ. Arthroscopic Simulation: The Future of Surgical Training: A Systematic Review. *JBJS Reviews*. 2021;9(3):e20.00076. doi:10.2106/JBJS.RVW.20.00076
- Morgan M, Aydin A, Salih A, Robati S, Ahmed K. Current Status of Simulation-based Training Tools in Orthopedic Surgery: A Systematic Review. *Journal of Surgical Education*. 2017;74(4):698-716. doi:10.1016/j.jsurg.2017.01.005
- Frank RM, Wang KC, Davey A, et al. Utility of Modern Arthroscopic Simulator Training Models: A Meta-analysis and Updated Systematic Review. *Arthroscopy*. 2018;34(5):1650-1677. doi:10.1016/j.arthro.2017.10.048
- Madan SS, Pai DR. Role of Simulation in Arthroscopy Training. Simulation in Healthcare. 2014;9(2):127. doi:10.1097/SIH .0b013e3182a86165
- Waterman BR, Martin KD, Cameron KL, Owens BD, Belmont PJ. Simulation Training Improves Surgical Proficiency and Safety During Diagnostic Shoulder Arthroscopy Performed by Residents. Orthopedics. 2016;39(3). doi:10.3928/01477447-20160427-02
- Gallagher AG, De Groote R, Paciotti M, Mottrie A. Proficiency-based Progression Training: A Scientific Approach to Learning Surgical Skills. *Eur Urol.* 2022;81(4):394-395. doi:10.1016/j. eururo.2022.01.004
- Hodgins JL, Veillette C, Biau D, Sonnadara R. The knee arthroscopy learning curve: quantitative assessment of surgical skills. *Arthroscopy*. 2014;30(5):613-621. doi:10.1016/j.arthro. 2014.02.021
- Scott DJ. Proficiency-Based Training for Surgical Skills. Seminars in Colon and Rectal Surgery. 2008;19(2):72-80. doi:10.1053/j. scrs.2008.02.003
- Lipsett PA. Surgical Training to Proficiency: Learning From Errors. JAMA Surgery. 2017;152(6):588. doi:10.1001/jamasurg. 2017.0104
- Angelo RL, Ryu RKN, Pedowitz RA, Gallagher AG. Metric Development for an Arthroscopic Bankart Procedure: Assessment of Face and Content Validity. *Arthroscopy*. 2015;31(8):1430-

1440. doi:10.1016/j.arthro.2015.04.093

- 16. Angelo RL, Ryu RKN, Pedowitz RA, et al. A Proficiency-Based Progression Training Curriculum Coupled With a Model Simulator Results in the Acquisition of a Superior Arthroscopic Bankart Skill Set. Arthroscopy: The Journal of Arthroscopic & Related Surgery. 2015;31(10):1854-1871. doi:10.1016/j.arthro. 2015.07.001
- Angelo RL, Ryu RKN, Pedowitz RA, Gallagher AG. The Bankart Performance Metrics Combined With a Cadaveric Shoulder Create a Precise and Accurate Assessment Tool for Measuring Surgeon Skill. Arthroscopy. 2015;31(9):1655-1670. doi:10.1016/j. arthro.2015.05.006
- Rebolledo BJ, Hammann-Scala J, Leali A, Ranawat AS. Arthroscopy Skills Development With a Surgical Simulator: A Comparative Study in Orthopaedic Surgery Residents. *Am J Sports Med.* 2015;43(6):1526-1529. doi:10.1177/0363546515574064
- Van Nortwick SS, Lendvay TS, Jensen AR, Wright AS, Horvath KD, Kim S. Methodologies for establishing validity in surgical simulation studies. *Surgery*. 2010;147(5):622-630. doi:10.1016/j. surg.2009.10.068
- 20. Ling JL, Teo SH, Mohamed Al-Fayyadh MZ, Mohamed Ali MR, Ng WM. Low-Cost Self-Made Arthroscopic Training Camera Is Equally as Effective as Commercial Camera: A Comparison Study. Arthroscopy: The Journal of Arthroscopic & Related Surgery. 2019;35(2):596-604. doi:10.1016/j.arthro.2018.08.038
- 21. Srivastava A, Gibson M, Patel A. Low-Fidelity Arthroscopic Simulation Training in Trauma and Orthopaedic Surgery: A Systematic Review of Experimental Studies. Arthroscopy: The Journal of Arthroscopic & Related Surgery. 2022;38(1):190-199. e1. doi:10.1016/j.arthro.2021.05.065
- Ferràs-Tarragó J, Jover-Jorge N, Miranda-Gómez I. A novel arthroscopy training program based on a 3D printed simulator. *Journal of Orthopaedics*. 2022;32:43-51. doi:10.1016/j. jor.2022.04.006
- 23. Inc ASI. AANA | Arthroscopy Association of North America. Accessed March 29, 2023. https://www.aana.org
- Goyal S, Radi MA, Ramadan IK allah, Said HG. Arthroscopic skills assessment and use of box model for training in arthroscopic surgery using Sawbones – "FAST" workstation. SI-COT J. 2:37. doi:10.1051/sicotj/2016024
- 25. Meeks BD, Kiskaddon E, Sirois ZJ, Froehle A, Shroyer J, Laughlin RT. Improvement and Retention of Arthroscopic Skills in Novice Subjects Using Fundamentals of Arthroscopic Surgery Training (FAST) Module. J Am Acad Orthop Surg. 2020;28(12):511-516. doi:10.5435/JAAOS-D-19-00336
- 26. Oh GY, Gibson M, Khanom S, Jaiswal P, Patel A. Validating low-fidelity arthroscopic simulation in medical students: a feasibility trial. Ann R Coll Surg Engl. 2023;105(1):28-34. doi:10.1308/rcsann.2022.0008
- Vaghela KR, Trockels A, Lee J, Akhtar K. Is the Virtual Reality Fundamentals of Arthroscopic Surgery Training Program a Valid Platform for Resident Arthroscopy Training? *Clinical Orthopaedics and Related Research*®. 2022;480(4):807. doi:10.1097/ CORR.00000000002064
- Tofte JN, Westerlind BO, Martin KD, et al. Knee, Shoulder, and Fundamentals of Arthroscopic Surgery Training: Validation of a Virtual Arthroscopy Simulator. *Arthroscopy*. 2017;33(3):641-646.e3. doi:10.1016/j.arthro.2016.09.014
- 29. ArthroBox[™] Arthroscopic Triangulation Training System. Arthrex. Accessed March 30, 2023. https://www.arthrex.com/resources/VID1-00422-EN/arthrobox-arthroscopic-triangulation-training-system
- 30. Bouaicha S, Epprecht S, Jentzsch T, Ernstbrunner L, El Nashar R, Rahm S. Three days of training with a low-fidelity arthroscopy triangulation simulator box improves task performance in a virtual reality high-fidelity virtual knee arthroscopy simulator. *Knee Surg Sports Traumatol Arthrosc.* 2020;28(3):862-868.



doi:10.1007/s00167-019-05526-y

- 31. Bouaicha S, Jentzsch T, Scheurer F, Rahm S. Validation of an Arthroscopic Training Device. Arthroscopy: The Journal of Arthroscopic & Related Surgery. 2017;33(3):651-658.e1. doi:10.1016/j.arthro.2016.08.026
- 32. Srivastava A, Gibson M, Patel A. Low-Fidelity Arthroscopic Simulation Training in Trauma and Orthopaedic Surgery: A Systematic Review of Experimental Studies. Arthroscopy: The Journal of Arthroscopic & Related Surgery. 2022;38(1):190-199. el. doi:10.1016/j.arthro.2021.05.065
- 33. VirtaMed | ArthroS[™] simulator for knee, shoulder, hip and ankle arthroscopy training. Accessed March 22, 2023. https://www.virtamed.com/en/medical-training-simulators/arthros/
- ARTHRO Mentor/Simbionix. Accessed March 22, 2023. https:// simbionix.com/simulators/arthro-mentor/
- 35. [INSIGHTARTHRO]. Accessed March 22, 2023. http://insightarthrovr.gmv.com/description.htm
- 36. Sci-HublValidation of the PASSPORT V2 training environment for arthroscopic skills. Knee Surgery, Sports Traumatology, Arthroscopy, 24(6), 2038–2045 | 10.1007/s00167-014-3213-0. Accessed March 22, 2023. https://sci-hub.se/https://pubmed.ncbi. nlm.nih.gov/25103120/
- Wang KC, Bernardoni ED, Cotter EJ, et al. Impact of Simulation Training on Diagnostic Arthroscopy Performance: A Randomized Controlled Trial. *Arthroscopy, Sports Medicine, and Rehabilitation.* 2019;1(1):e47. doi:10.1016/J.ASMR.2019.07.002
- Feeley A, Turley L, Sheehan E, Merghani K. A Portable Hip Arthroscopy Simulator Demonstrates Good Face and Content Validity with Incomplete Construct Validity. Arthroscopy, Sports Medicine, and Rehabilitation. 2021;3(5):e1287-e1293.

doi:10.1016/j.asmr.2021.05.009

Authors

- Edward J. Testa, MD, Department of Orthopaedic Surgery, Alpert Medical School, Brown University, Providence, RI.
- Jacob M. Modest, MD, Department of Orthopaedic Surgery, Alpert Medical School, Brown University, Providence, RI.
- Rory A. Byrne, BA, Department of Orthopaedic Surgery, Alpert Medical School, Brown University, Providence, RI.
- Brett D. Owens, MD, Department of Orthopaedic Surgery, Alpert Medical School, Brown University, Providence, RI.
- Raymond Hsu, MD, Department of Orthopaedic Surgery, Alpert Medical School, Brown University, Providence, RI.

Disclosures

BDO: Consultant to Mitek, Miteck, Miach; financial disclosures: Conmed, Vivorte

Correspondence

Edward J. Testa, MD Rhode Island Hospital 2 Dudley Street, Providence RI 02909 Edward.j.testa@gmail.com



Adventures

Aetna® is proud to support the Rhode Island Medical Journal.

vaetna

Aetna.com

©2022 Aetna Inc. 2020303



HEALTH BY NUMBERS UTPALA BANDY, MD, MPH INTERIM DIRECTOR, RHODE ISLAND DEPARTMENT OF HEALTH EDITED BY SAMARA VINER-BROWN, MS

Evaluation of Racial and Ethnic Disparities of Naloxone Uptake among Harm Reduction Clients in Rhode Island

ERIN BROWN, MPH; SARAH OGUNDARE, MPH; SARAH EDWARDS, CCHW, CPRS; NYA REICHLEY, MPA; STACY LEVIN, CCHW, CPRS; DENNIS BAILER, CCHW, QPTC; RAYNALD JOSEPH; KATHARINE HOWE, MPH

INTRODUCTION

In 2022, 434 Rhode Islanders lost their lives to overdose.¹ Of the overdose deaths in 2022, 91% involved illicit drugs.² This has increased dramatically since 2009, when 38% of overdose deaths involved illicit drugs.² This increase is seen in opioid and nonopioid-involved overdose deaths. Additionally, non-Hispanic Black individuals experience the highest rates of fatal overdoses in RI, and the fatal overdose rate among Hispanic individuals increased by 50% in 2022.²

Harm reduction is defined as "a set of practical strategies and ideas aimed at reducing negative consequences associated with drug use. Harm reduction is also a movement for social justice built on a belief in, and respect for, the rights of people who use drugs."^{3,4} In 2019, the Drug Overdose Prevention Program (DOPP) and the Center for HIV, Hepatitis, Sexually Transmitted Diseases and Tuberculosis Epidemiology (CHHSTE) at the RI Department of Health (RIDOH) partnered with community harm reduction organizations to rapidly respond to overdose spikes. Parent Support Network of RI (PSNRI), AIDS Care Ocean State (ACOS), and Project Weber/RENEW (PWR) began supporting communities at risk for overdose in 1986, 1994, and 2006, respectively.^{5,6,7} PSNRI, ACOS, and PWR staff continue to provide harm reduction tools, basic needs, case management, education, and linkage to health services to populations at risk of overdose.^{5,6,7} In March 2022, Attorney General Peter Neronha announced that RI would receive 50,000 naloxone kits each year for 10 years due to a settlement with drug manufacturers.8

The purpose of this analysis was to understand the difference in naloxone uptake by race and ethnicity among 2022 harm reduction clients who received safer injection kits, safer smoking kits, or both types of kits. This data highlights the lifesaving work that RIDOH-funded harm reduction organizations do and their efforts to reach historically marginalized racial and ethnic groups.

METHODS

This data was collected by outreach workers at PSNRI, ACOS, and PWR during encounters with clients. Generally, clients must register with a harm reduction organization and receive an anonymous client code for use at subsequent encounters. During encounters, outreach team members record clients' demographic data and supplies and services received. Each organization records and submits this data to RIDOH monthly. Until early 2022, RIDOH-funded harm reduction organizations were not funded to distribute safer smoking supplies. Consequently, one year of data between January 1 and December 31, 2022, was analyzed.

Clients who received at least one safer injection kit, safer smoking kit, or naloxone kit during 2022 were defined as having received those kits. Safer injection kits include 10 sterile needles; safer smoking kits include either one bubble pipe for methamphetamine use or two straight pipes for crack cocaine use, and naloxone kits include two doses of intranasal naloxone.

Clients were separated into three mutually exclusive groups: those who received safer injection kits, those who received safer smoking kits, and those who received both kits in 2022. Client race and ethnicity data was occasionally discrepant or missing, as the provision of essential supplies and services was prioritized over demographic data collection when necessary. Demographic data is self-reported and clients could have identified themselves as various races and ethnicities at different encounters. Therefore, demographic data reported at the clients' last encounter in 2022 was used for this analysis. Race and ethnicity were combined to categorize clients into the following groups: non-Hispanic White (henceforth "White"), non-Hispanic Black (henceforth "Black"), Hispanic, and non-Hispanic clients who identified as another race (henceforth "Other race"). The Other race category includes clients who identified as Native American or Alaskan Native, Native Hawaiian or Pacific Islander, Asian, more than one race, or not specified; these groups are aggregated due to small numbers.

RESULTS

In 2022, 4,128 unique clients received safer injection kits and/or safer smoking kits (**Table 1**). Of the clients who received safer injection kits, 51.3% also received naloxone. By comparison, 31.8% of people who received safer smoking kits also received naloxone and 56.7% of the clients who received both safer injection kits and safer smoking kits also received naloxone. Variation in receipt of naloxone by race and ethnicity existed within the three groups. Of the clients who received safer injection kits, 52.0% of White clients, 58.3% of Black clients, 46.1% of Hispanic clients,



		•	ts who Received tion Kits	Unique Clients who Received Smoking Kits		Unique Clients who Received Injection Kits and Smoking Kits	
Race and Ethnicity	Unique Clients N	Received Injection Kits n	Received Injection Kits and Naloxone n (%)	Received Smoking Kits n	Received Smoking Kits and Naloxone n (%)	Received Injection Kits and Smoking Kits n	Received Injection Kits, Smoking Kits, and Naloxone n (%)
Non-Hispanic White	2,616	1,037	539 (52.0%)	696	270 (38.8%)	883	531 (60.1%)
Non-Hispanic Black	495	115	67 (58.3%)	251	59 (23.5%)	129	73 (56.6%)
Non-Hispanic Other Race	282	86	42 (48.8%)	109	28 (25.7%)	87	47 (54.0%)
Hispanic	735	254	117 (46.1%)	260	61 (23.5%)	221	97 (43.9%)
All Unique Clients	4,128	1,492	765 (51.3%)	1,316	418 (31.8%)	1,320	748 (56.7%)

Table 1. Unique Clients Receiving Injection Kits, Smoking Kits, and Naloxone by Race and Ethnicity (RI, 2022)

Table 2. Odds Ratios of Clients Receiving Naloxone by Race and Ethnicity for Clients who Received Injection Kits, Smoking Kits, and both Injection Kits and Smoking Kits (RI, 2022)

Race and Ethnicity	All Clients	Unique Clients who Received Injection Kits: Odds Ratio (OR) of Receiving Naloxone (Lower, Upper 95% CI)	Unique Clients who Received Smoking Kits: OR of Receiving Naloxone (Lower, Upper 95% CI)	Unique Clients who Received Injection Kits and Smoking Kits: OR of Receiving Naloxone (Lower, Upper 95% Cl)
Non-Hispanic White	1.00	1.00	1.00	1.00
Non-Hispanic Black	0.64 (0.53, 0.78)	1.28 (0.87, 1.91)	0.48 (0.35, 0.67)	0.86 (0.59, 1.26)
Non-Hispanic Other Race	0.68 (0.53, 0.87)	0.88 (0.57, 1.37)	0.55 (0.35, 0.86)	1.11 (0.64, 1.92)
Hispanic	0.57 (0.48, 0.67)	0.79 (0.60, 1.04)	0.48 (0.35, 0.67)	0.67 (0.40, 1.10)

and 48.8% of Other race clients received naloxone. Of the clients who received safer smoking kits, 38.8% of White clients, 23.5% of Black clients, 23.5% of Hispanic clients, and 25.7% of Other race clients received naloxone. Finally, of the clients who received both safer injection kits and safer smoking kits, 60.1% of White clients, 56.6% of Black clients, 43.9% of Hispanic clients, and 54.0% of Other race clients received naloxone.

We conducted further analyses to determine if there were racial and ethnic disparities in naloxone uptake among clients who received safer injection kits, safer smoking kits, or both types of kits (Table 2). Regardless of what types of kits clients received, those in non-White racial and ethnic groups had statistically significant lower odds of receiving naloxone. Compared to their White counterparts, Black clients had 0.64 lower odds (95% Confidence Interval (CI): 0.53, 0.78), Other race clients had 0.68 lower odds (95% CI: 0.53, 0.87), and Hispanic clients had 0.57 lower odds (95% CI: 0.48, 0.67) of receiving naloxone. No statistically significant difference was observed by race and ethnicity for clients who received safer injection kits and clients who received both types of kits. The clients in non-White racial and ethnic groups who received safer smoking kits had statistically significant lower odds of receiving naloxone. Compared to their White counterparts, Black clients who received smoking kits had 0.48 lower odds (95% CI: 0.35, 0.67), Other race clients had 0.55 lower odds (95% CI: 0.35, 0.86), and Hispanic clients had 0.48 lower odds (95% CI: 0.35, 0.67) of receiving naloxone.

DISCUSSION

This analysis confirmed two trends outreach workers have observed. People who smoke substances have a lower uptake of naloxone compared to people who inject drugs and there are racial and ethnic disparities in naloxone uptake. Evidence suggests that Black and Indigenous People of Color (BIPOC) are more likely to use stimulants than White individuals.9 Given the increased presence of synthetic opioids in the drug supply, individuals who use stimulants are at risk of opioid overdose.¹⁰ Among all clients, Black, Hispanic, and Other race clients had statistically significant lower odds of receiving naloxone compared to White clients in this analysis. Safer smoking kits were made available through the Lifespan Preventing Overdose and Naloxone Intervention (PONI) harm reduction hub in 2022 to increase engagement with the BIPOC community.¹¹ Despite this increased effort, stigma of opioid use still exists.¹² Many stimulant users may not perceive a benefit to receiving naloxone or fentanyl test strips when they are offered.13 In fact, data collected and analyzed by PONI and RIDOH's Harm Reduction Surveillance System found that 90.1% of respondents reported smoking substances, while 8.2% reported that they always use fentanyl test strips. Also, 22.9% of the survey respondents stated that they do not have naloxone.13

Data used in this analysis has limitations. This analysis provides a snapshot of the harm reduction efforts in RI, and only includes 2022 data from RIDOH-funded harm reduction organizations; clients may have received naloxone and harm



reduction supplies from other sources. Additionally, client codes may include data entry errors and clients may use various unique codes to preserve their anonymity.

Increasing safer smoking kit distribution can address disparities by creating more opportunities to engage stimulant users. Also, disaggregation of race and ethnicity data can inform future outreach efforts by unmasking racial inequities in overdoses and harm reduction supply uptake.¹⁴ Finally, the development of innovative harm reduction interventions that reach racial and ethnic groups disproportionally impacted by overdose is crucial.

References

- RI Department of Health. (2023, June 19). Statewide rate of all drug-involved fatal overdose by Race and ethnicity and Year. Drug Overdose Surveillance Data Hub. https://ridoh-drug overdose-surveillance-fatalities-rihealth.hub.arcgis.com/datasets/ rihealth:statewide-rate-of-all-drug-involved-fatal-overdose-byrace-and-ethnicity-and-year/explore
- 2. Prevent Overdose RI. (2023). Race & Ethnicity. https://prevent overdoseri.org/race-ethnicity-data/
- National Harm Reduction Coalition. Principles of Harm Reduction. https://harmreduction.org/about-us/principles-of-harm-reduction/
- Brown E, et al. Snapshot of Harm Reduction in RI (February 2021-January 2022), *RI Medical Journal*. 2022;105(3):61–63. http://rimed.org/rimedicaljournal/2022/04/2022-04-61-healthbrown.pdf
- 5. Parent Support Network. Who We Are. https://psnri.org/who-we-are/
- AIDS Care Ocean State. About Us. https://aidscareos.org/aboutus/timeline
- 7. Project Weber/RENEW. History. https://weberrenew.org/history/
- 8. RIAttorneyGeneralPeterNeronha.(2023,March21).PressReleases. https://riag.ri.gov/press-releases/attorney-general-announcesadditional-opioid-settlements-valued-more-100-million
- Moses TEH, et al. A Comparison of Substance Use Patterns Among Lifetime Heroin-Injecting Individuals By Racial Groups. Addictionresearch & theory. 2020;28(3):260–268.https://doi.org/ 10.1080/16066359.2019.1630384
- Jones CM, et al. The Evolving Overdose Epidemic: Synthetic Opioids and Rising Stimulant-Related Harms. *Epidemiologic* reviews.2020;42(1):154–166.https://doi.org/10.1093/epirev/mxaa011.
- 11. Brown E, Ogundare S. (2023). Harm Reduction Dataset. [Data set]. RI Department of Health.
- Cheetham A, et al. The Impact of Stigma on People with Opioid Use Disorder, Opioid Treatment, and Policy. Substance abuse and rehabilitation. 2022;(13):1–12. https://doi.org/10.2147/SAR. S304566
- Ledingham E, et al. Preliminary Findings from the RI Harm Reduction Surveillance System: January 2021-December 2022. *RI Medical Journal*. 2022;106(3),70–73. http://rimed.org/rimedicaljournal/2023/04/2023-04.pdf
- Kader F, Chebli P. Disaggregation of Race and Ethnicity Group Data. JAMA. 2022; 328(14):1395-1396. https://jamanetwork. com/journals/jama/fullarticle/2796825

Acknowledgments

We would like to thank ACOS, PWR, and PSN of RI for providing this data, and for their harm reduction work in the community.

Authors

- Erin Brown, MPH, is a Program Evaluator in the Center for HIV, Hepatitis, Sexually Transmitted Diseases, and Tuberculosis Epidemiology at RIDOH.
- Sarah Ogundare, MPH, is a Program Evaluator in the Center for Health Promotion at RIDOH.
- Katharine Howe, MPH, is a Prevention Program Manager in the Center for HIV, Hepatitis, Sexually Transmitted Diseases, and Tuberculosis Epidemiology at RIDOH.
- Sarah Edwards, CCHW, CPRS, is a Community Outreach Coordinator in the Center for Health Promotion at RIDOH.
- Nya Reichley, MPH, is a Community Outreach Coordinator in the Center for Health Promotion at RIDOH.
- Stacey Levin, CPRS, is the manager for Parent Support Network's Hope Recovery Statewide CORE Team.
- Dennis Bailer, CHW, QPTC, is the Overdose Prevention Program Director at Project Weber/RENEW.
- Raynald Joseph is the Prevention Supervisor at AIDS Care Ocean State.

Correspondence

Erin Brown, MPH 3 Capitol Hill, Suite 106 Providence, RI 02908 Erin.Brown@health.ri.gov





Rhode Island Monthly Vital Statistics Report Provisional Occurrence Data from the Division of Vital Records

	REPORTING PERIOD				
VITAL EVENTS	FEBRUARY 2023	12 MONTHS ENDING WITH FEBRUARY 2			
VITAL EVENTS	Number	Number	Rates		
Live Births	730	11,061	10.4*		
Deaths	863	10,781	10.2*		
Infant Deaths	5	45	4.1#		
Neonatal Deaths	4	34	3.1#		
Marriages	248	6,962	6.6*		
Divorces	194	2,702	2.6*		

* Rates per 1,000 estimated population

Rates per 1,000 live births

	REPORTING PERIOD					
Underlying Course of Death Coloremy	AUGUST 2022	12 MO	12 MONTHS ENDING WITH AUGUST 2022			
Underlying Cause of Death Category	Number (a)	Number (a)	Rates (b)	YPLL (c)		
Diseases of the Heart	182	2,416	220.2	3,452.0		
Malignant Neoplasms	184	2,186	199.2	4,264.5		
Cerebrovascular Disease	33	491	44.7	659.5		
Injuries (Accident/Suicide/Homicide)	76	1,085	98.89	15,188.0		
COPD	36	461	42.0	395.0		

(a) Cause of death statistics were derived from the underlying cause of death reported by physicians on death certificates.

(b) Rates per 100,000 estimated population of 1,097,379 for 2020 (www.census.gov)

(c) Years of Potential Life Lost (YPLL).

NOTE: Totals represent vital events, which occurred in Rhode Island for the reporting periods listed above. Monthly provisional totals should be analyzed with caution because the numbers may be small and subject to seasonal variation.



Early Cadaver Lab Exposure Increases Motivation to Pursue Medical Careers in High School Students

DAVID F. PAINTER, BS; KYLA DEWAR, MD

Anatomy is a prototypical subject for hands-on learning. Even with improving virtual tools that display three-dimensional renderings of anatomy, cadaveric dissection remains a foundational hands-on experience and the gold standard for anatomy education for medical students around the world.^{1,2} While the benefits of cadaveric dissection are familiar and well-described within the medical student population, there was much to learn when the author (D.F.P.) supervised eight high school students during an anatomy day experience at Alpert Medical School of Brown University's cadaver lab in December 2022.

For high school students interested in exploring a career in medicine, it is currently standard practice to 'shadow' a physician for a few hours per visit in a purely observational role. While we found a pilot-shadowing program for a small group of Rhode Island high school students to increase interest in a medical career as assessed via a post-experience survey, we believe the hands-on nature of the cadaver lab provides an engaging and memorable experience for students. The pilot initiative was a component of the Pathwavs to Medicine: Pipeline Mentorship program ("Pathways"), an ongoing collaboration between The Alpert Medical School of Brown University, Physician Assistant programs at Bryant University and Johnson & Wales University, and the University of Rhode Island Colleges of Nursing and Pharmacy, which pairs a health professions' student mentor with a high school mentee to promote exposure to healthcare careers.³ Indeed, research into the kinesthetic ("hands-on") learning style – one of four unique learning styles in the VARK (Visual, Auditory, Reading and writing, and Kinesthetic) model and the preferred unimodal learning style for many first-year medical students^{4,5} – has shown it to boost engagement and increase motivation to learn in the education of healthcare professionals.^{6,7} Allowing high school students to experience medicine in a hands-on manner, such as during a cadaver lab, invokes the proven kinesthetic learning style and may exert maximal impact on outcome markers such as motivation and inspiration to pursue a medical career.

EFFECTS

On medical students, bidirectional teacher-student benefit It was immensely gratifying to teach anatomy to high school students in the cadaver lab setting. Interestingly, this type of peer teaching in medical education has been shown to be beneficial to both the teacher (medical student) and the learner (high school student). The medical student benefits from the high-level processing of material required during the preparatory phase of teaching. The high school student benefits from a lesser professional separation between teacher and learner, which fosters additional learning due to cognitive and social congruence.⁸ This effect has been previously demonstrated in medical students teaching anatomy to high school students via cadaveric demonstration.⁹ For medical students, who lack the platform to offer shadowing experiences, cadaveric demonstration to younger students provides an avenue to involve oneself in the education of future providers.

POST-EXPERIENCE SURVEY RESULTS

The cadaver day experience was the culmination of a semester-long course entitled "Human Anatomy and Radiology," a one-time offering taught by author D.F.P. at a high school (grades 9–12) in Providence, Rhode Island. The mean grade level among eight students was 10.6. The students' comments on the pungent odor of formaldehyde and awestruck expressions upon holding a human brain and spinal cord for the first time were expected. Not as obvious an expectation, however, was the considerable learning and increased motivation, confidence, and interest to pursue a medical career reported by the students via a post-experience survey with a 100% response rate (8/8 students). The survey results are summarized in **Table 1**.

Tab	le 1	Resul	ts 1	from	the	post-ex	perience	survey
-----	------	-------	------	------	-----	---------	----------	--------

Question	Students in category, n (%)								
(during cadaver day, I)	Strongly agree	Agree	Neither agree nor disagree	Disagree	Strongly disagree				
Learned a lot	6 (75)	2 (25)	0	0	0				
Became more motivated to pursue a medical career	2 (25)	5 (62.5)	1 (12.5)	0	0				
Became more confident in my ability to pursue a medical career	4 (50)	2 (25)	2 (25)	0	0				
Became more interested in a medical career	2 (25)	4 (50)	2 (25)	0	0				



All students (8/8) agreed they learned a lot during cadaver day; 87.5% (7/8) of students agree that cadaver day motivated them to pursue a medical career. For both confidence and interest in pursuing a medical career, 75% (6/8) of students agreed upon an increase in these measures because of cadaver day. These positive results in learning and interest to pursue a medical career, although on a small scale, suggest that early exposure to cadaver labs may augment the interests of and spur motivation for high school students considering a future medical career.

Limitations

The most obvious downside to a cadaver lab experience for high school students is the potential for emotional trauma. Indeed, learning anatomy via cadavers can be nerve-racking and emotionally confusing, especially during one's first time in the lab. From a focus group of 15 Pathways participants who attended a separate, earlier event in the cadaver lab, we received feedback that students would have benefited from a preparatory video or lecture prior to their experience to inform expectations. When asked about their level of comfort in the lab, one Pathways high school student offered, "[Is it really possible] to be comfortable in a cadaver lab?" and another stated, "I didn't eat meat for a whole week after [my time in the lab]." These comments underscore the point that the cadaver lab is a uniquely impactful experience.

MITIGATION STRATEGIES

In response to feedback from the initial cohort of 15 Pathways students, we implemented changes prior to the second iteration of cadaver day. All students in the second cohort (8/8) affirmed that they were at least 'somewhat comfortable' in the cadaver lab, suggesting that our mitigation strategies were successful. Strategies included:

Set expectations before:

- Provide education on what a cadaver is and how it is prepared. Acknowledge the humanity of the person who donated their body to science.
- Acknowledge that student discomfort may occur. Set aside a safe space outside the lab.
- Obtain guardian permission.
- Focus prior educational efforts on content pertinent to the lab (i.e., teaching about renal anatomy prior to viewing kidney prosections may afford greater comfort in the lab).

Safeguard during:

- Discuss lab safety, including sharps handling, chemical exposure, and personal protective equipment.
- Keep the face and genitals of the cadavers covered.
- Periodically check on students throughout the experience.
- Offer chances to ask questions and step outside the lab if needed.

Debrief after:

• Provide opportunities for students to ask questions or talk about their experiences. Follow up with students who feel uneasy; assess whether further education or discussion is indicated.

CONCLUSION

In summary, with proper safeguards in place, early exposure to the cadaver lab is an excellent way to promote interest and garner enthusiasm for future medical careers in high school students. The data reported herein are based on a small sample of Rhode Island high school students; since cadaver lab exposure for high school students is not necessarily standard practice, more experimentation with this concept is warranted.

References

- Estai M, Bunt S. Best Teaching Practices in Anatomy Education: A Critical Review. Ann Anat. 2016;208: 151-157. PMID: 26996541
- Korf H-W, Wicht H, Snipes RL, Timmermans J-P, Paulsen F, Rune G, et al. The Dissection Course – Necessary and Indispensable for Teaching Anatomy to Medical Students. Ann Anat. 2008;190(1): 16-22. PMID: 18342138
- 3. Pathways to Medicine: Pipeline Mentorship Program, https:// sites.google.com/brown.edu/pathways/home?pli=1 (2023).
- Lujan HL, DiCarlo SE. First-Year Medical Students Prefer Multiple Learning Styles. Adv Physiol Educ. 2006;30(1): 13-16. PMID: 16481603
- Baykan Z, Nacar M. Learning Styles of First-Year Medical Students Attending Erciyes University in Kayseri, Turkey. Adv Physiol Educ. 2007;31(2): 158-160. PMID: 17562904
- 6. Wagner EA. Using a Kinesthetic Learning Strategy to Engage Nursing Student Thinking, Enhance Retention, and Improve Critical Thinking. J Nurs Educ. 2014;53(6): 348-351. PMID: 24814353
- Shell K, Holt E, Kington A, Mohammed K, Black A, Troup C, et al. Motivation to Learn Neuroanatomy by Cadaveric Dissection Is Correlated with Academic Performance. Clin Anat. 2020;33: 128-135. PMID: 31606904
- Cate OT, Durning S. Dimensions and Psychology of Peer Teaching in Medical Education. Med Teach. 2009;29: 546-552. PMID: 17978967
- 9. Wines KS. Wvsom Anatomy Lab Tour Program: An Osteopathic Medicine Pipeline with Student Teaching Opportunities. J Am Osteopath Assoc. 2019;119(7): 456-463. PMID: 31233111

Authors

- David F. Painter, BS, Warren Alpert Medical School of Brown University, Providence, Rhode Island.
- Kyla Dewar, MD, Division of Internal Medicine, Warren Alpert Medical School of Brown University, Providence, Rhode Island.

Disclosures

Funding: None.

Prior presentations: None.

Conflicts of interest: D.F.P. and K.D. declare no conflicts of interest.

Correspondence

David F. Painter Alpert Medical School of Brown University 70 Ship Street, Box #G-0081, Providence, RI 02903 david_painter@brown.edu



We are read everywhere

In 2023 to date, more than **43,000** unique viewers worldwide have read *Rhode Island Medical Journal* articles or researched topics from its archives, rimedj.org.

Top 10 countries:

1. US	6. Australia
2. India	7. China
3. UK	8. Brazil
4. Canada	9. Japan
5. Germany	10. Spain

KEENE, NEW HAMPSHIRE

Sarah Stevens, former office manager at RIMS, now retired, accesses RIMJ archives from the Central Square in Keene. Its Civil War Monument, erected in 1871, features a bronze statue of a Union soldier on a pedestal of granite from Roxbury Quarry in Connecticut. The inscription reads: *Keene will cherish in perpetual honor the memory of her sons who fought for liberty and the integrity of the Republic 1861–1865. The honor of the heroic dead is the inspiration of posterity.*

Founded in 1736, Keene has prospered as an agricultural community, an industrial and transportation center, home of Keene State College, and most recently, a hub for culture and the arts. Keene is located in southwestern New Hampshire approximately 20 miles from the Massachusetts and Vermont borders.



Festive holiday lights on the gazebo in Central Square.

Wherever you may be, or wherever your travels may take you, check the Journal on your mobile device, and send us a photo: mkorr@rimed.org.







Working for You: RIMS advocacy activities

September 5, Tuesday

RIMS Physician Health Committee (PHC): Herb Rakatansky, MD, Chair

September 8, Friday

American Association of Medical Society Executives State CEO Call: Stacy Paterno, staff

September 11, Monday

RIMS Council meeting: Thomas Bledsoe, MD, President

Protect our Health Care Policy Group: Stacy Paterno, staff

September 12, Tuesday

Advocacy Presentation to Psychiatry Residents, Butler Hospital: Steve DeToy, staff

Accessing Mental Health Support in Rhode Island Forum: Stacy Paterno, staff

September 13, Wednesday

Rhode Island Department of Health (RIDOH) Board of Medical Licensure and Discipline (BMLD): Stacy Paterno, staff

Governor's Overdose Intervention and Prevention Task Force: **Sarah Fessler, MD**, Past President

Rhode Island Health Professions Loan Repayment Board Meeting: Stacy Paterno, staff

September 14, Thursday

Rhode Island Medicaid Consumer Advisory Meeting: staff

Behavioral Health Legislative Strategy Stakeholder Discussion: Stacy Paterno, staff

September 18, Monday

Protect our Health Care Policy Group: Stacy Paterno, staff

September 19, Tuesday

HHS Intergovernmental and External Affairs COVID Upate: Stacy Paterno, staff

Advocacy Presentation to Psychiatry Residents, Butler Hospital: Stacy Paterno, staff

September 20, Wednesday

Suicide in Healthcare & Science Forum at the Warren Alpert Medical School: Stacy Paterno, Kathleen Boyd, and Rita Towers, staff

September 21, Thursday

Health Information Technology Steering Committee: Stacy Paterno, staff RIMS Climate Change & Health Committee Meeting: **Alison Hayward**, **MD**, and **Katelyn Morretti, MD**, co-chairs

September 22, Friday

Office of the Health Insurance Commissioner Public Forum on Human Services Rate Recommendations: Stacy Paterno, staff

Tufts Health Plan Introductory Meeting Provider Relations: Stacy Paterno, staff

September 26, Tuesday

CMS & New England Medical Societies Meeting: Thomas Bledsoe, MD, President; Heather Smith, MD, Incoming President; and Kara Stavros, MD, Vice President

September 27, Wednesday

RIMS Physician Health Program Governance Committee Meeting: Jerry Fingerut, MD, Chair

Brown School of Public Health 10th Anniversary Kickoff Event: staff

Presentation to Lifespan Physicians Group: **Thomas Bledsoe**, **MD**, President; **William Corwin**, **MD**; Physician Health Program, Vice Chair; Stacy Paterno, staff

September 28, 2023

Rhode Island Medical Journal Editorial Meeting: **William Binder, MD**, Editor AMA Washington Update: Staff

Convivium: Thomas Bledsoe, MD, President; Heather Smith, MD, MPH, President-elect; and guest speaker Jack Resneck, MD, AMA Immediate Past President





RIMS gratefully acknowledges the practices who participate in our discounted Group Membership Program





BROWN EMERGENCY MEDICINE BROWN PHYSICIANS, INC.





BROWN SURGICAL ASSOCIATES BROWN PHYSICIANS, INC.







east bay community action program THE BRIDGE to SELF-RELIANCE

Orthopaedic Associates, Inc.

















Alpert Medical School to end participation in U.S. News ranking

PROVIDENCE [BROWN UNIVERSITY] – The Warren Alpert Medical School will no longer submit data to U.S. News & World Report for its Best Medical Schools rankings, asserting that the rankings do not align with the Brown University medical school's values or the qualifications or attributes it cultivates in training physicians.

In an August 29 letter to the medical school community, **DR. MUKESH K. JAIN**, Brown's dean of medicine and biological sciences and senior vice president for health affairs, said the decision is based on "the flawed methodology of the rankings and their negative consequences on medical education." With the support of Brown's president and provost, the move comes after years of discussions about whether the rankings comport with the school's holistic approach to evaluating applicants. In recent months, Dr. Jain wrote, the medical school's leadership team deepened these discussions and consulted with current students, alumni and faculty as well as members of the University's governing body, the Corporation of Brown University.

"Central to Brown's decision to end participation is our belief that such quantitative rankings do not adequately capture the quality of education nor the level of support provided to students at any medical school. The rankings also do not reflect the unique foci and missions of all medical schools, instead ranking them on factors that are not equally valued by all schools. At their worst, they perpetuate a culture of rewarding the most elite and historically privileged groups," he wrote.

The change will take effect in 2024, as the 2023 rankings have already been published. This decision comes as more than a dozen leading medical schools across the country have also decided to cease providing data to the U.S. News & World Report medical school rankings. While the reasons for no longer participating vary from school to school, at the core of these decisions, Dr. Jain noted, is a flawed methodology that disregards or devalues attributes that prepare Brown-trained physicians to care for patients.

He cited the *U.S. News* ranking's emphasis on undergraduate GPAs and MCAT scores for each school's enrolled medical students among the specific driving factors in the decision to withdraw.

"While these are two factors among many that can be considered in evaluating applicants, they do not necessarily measure holistically the qualities that will make an outstanding Browntrained physician," he wrote. "We weigh a much broader set of criteria in reviewing applicants to the Warren Alpert Medical School, recognizing that there are many measures of preparation for medical school and many paths toward a life and career in medicine.

"The Warren Alpert Medical School values humanism and compassion, innovation and discovery, and anti-racism, diversity and equity, as well as social responsibility, and community engagement and service, Dr. Jain said – traits that cannot be adequately measured by a quantitative ranking scale. There is also the argument, he noted, that the standardized metrics of the *U.S. News* rankings may create an incentive for schools to direct their financial aid dollars to the higher GPA, higher MCAT-scoring students who will boost their *U.S. News* ranking.

Additional factors that influenced the Warren Alpert Medical School's decision to withdraw from the rankings include an overemphasis on research funding from the National Institutes of Health at the expense of research innovation and impact; a faculty evaluation approach that focuses on full-time faculty, which disadvantages schools like Brown that value the learning students gain from the clinical faculty who are practicing physicians in affiliated hospitals or other health care settings; and the lack of metrics that measure how much student support a school provides, what amenities and systems students can access, or how they fare after graduation.

These factors, Dr. Jain wrote, "demonstrate a clear misunderstanding of what truly impacts medical education. Our mission at the Warren Alpert Medical School is to provide innovative medical education that prepares a diverse physician workforce to radically improve health and wellness for all – not to achieve ever-higher ranking status," Jain wrote. "This step affirms our commitment to that mission and to our efforts to make medicine more accountable to the communities we serve." *****

Help your Patients Keep their Medicaid Coverage

Medicaid members will need to renew their eligibility with the State of Rhode Island to keep their health insurance.

You can help now by reminding your Medicaid patients to update their account information with their current address and phone number. Medicaid members can update their information by:

- Logging into their HealthSource RI account: https://healthyrhode.ri.gov/
- Calling HealthSource RI at 1-855-840-4774 (TTY 711)

Thank you from all of us at Neighborhood for your commitment and partnership in ensuring Rhode Island families keep their health care coverage!

Neighborhood

www.nhpri.org 1-800-459-6019 (TTY 711)

Health Plan

Neighborhood members can scan the QR code to updat their address through our new e-form or visit www.nhori.org



RI delegation announces \$500,000 to prevent youth substance use

PROVIDENCE – U.S. Senators JACK REED and SHELDON WHITEHOUSE and Congressman SETH MAGAZINER announced Aug. 31st that four Rhode Island Drug Free Communities (DFC) coalitions have been awarded a total of \$500,000 from the White House Office of National Drug Policy (ONDCP) to combat the overdose epidemic and prevent youth substance use. Whitehouse, Chairman of the Senate Caucus on International Narcotics Control and a Senate leader on addiction recovery issues, helped secure more than \$109 million for the DFC program in the most recent government funding bill.

"I'm pleased to work with local communities to support these federal grants to help prevent and reduce substance abuse. These federal funds are part of a comprehensive approach to combatting the drug abuse epidemic through prevention, treatment, and interdiction," said Senator Reed, a senior member of the Appropriations Committee. "As we mark International Overdose Awareness Day, these new federal funds will support local, evidence-based strategies to prevent substance use among young people and help save lives."

"The addiction epidemic has taken an enormous toll on families across Rhode Island and requires a community-centered response," said Senator Whitehouse. "Our Drug Free Communities coalitions are leading comprehensive efforts to stop youth drug use before it starts, and I am pleased to help secure federal funding to support this life-saving work."

"So many of us know a family member, friend, or loved one who has been affected by substance use, and no one should be alone in this fight," said Rep. Magaziner.

The DFC Program is the nation's leading effort to mobilize communities to prevent youth substance use. It provides grants to community coalitions to foster collaboration among local partners to create and sustain reductions in youth substance use.

The following Rhode Island organizations each received \$125,000 in grant funding:

Town of Lincoln Comprehensive Community Action Program Town of Warren Common Fence Point

Whitehouse's landmark Comprehensive Addiction and Recovery Act improved the DFC program with the addition of new Local Drug Crises Grants, which provide additional funds to current and past DFC coalitions working to prevent opioid and methamphetamine use and abuse in their communities. \diamondsuit

Governor McKee, EOHHS, partners announce wound care pilot program

CRANSTON – Governor **DAN MCKEE**, the Executive Office of Health and Human Services (EOHHS) and their partners today announced a medical respite wound care pilot program. This pilot, an extension of EOHHS's medical respite care program, will provide direct wound care services in the community and provide referrals to the medical respite program for people who qualify.

"One benefit of this program is that we will reach people who need wound care, especially those exposed to xylazine," said Governor McKee. "Xylazine is a long-acting veterinary tranquilizer not approved for human use, which has been found in combination with fentanyl in the illicit drug supply. This partnership is just the latest in Rhode Island's ongoing effort to address substance use and this overdose crisis and save and improve lives of Rhode Islanders."

Drug testing conducted in Rhode Island has regularly found xylazine in samples that were sold as fentanyl. Other samples that were found to have fentanyl with xylazine include crystal meth, pressed pills such as illicit Percocet, and crack.

"Xylazine use has been associated with skin and soft tissue ulcerations and wounds," said Executive Office of Health and Human Services Secretary **RICHARD CHAREST**, a former pharmacist. "There have been numerous reports that the use of xylazine is associated with skin lesions, abscesses, and cellulitis, which, if left untreated, may result in serious and sometimes deadly infections. Once again, our team has come together to address an emerging issue in Rhode Island's substance use and overdose epidemic."

As part of this new program, certified wound care specialists will partner with EOHHS, the Rhode Island Department of Health (RIDOH), the Department of Behavioral Healthcare, Developmental Disabilities, and Hospitals (BHDDH) and other State agencies to engage and develop relationships with community-based organizations. Organizations will include drop-in centers, harm reduction peer organizations, and homelessness service providers in locations across the state. The teams will conduct outreach directly on the street, and in both congregate and non-congregate shelters, meal sites, soup kitchens, and other relevant locations.

"Westbay Community Action is partnering with the State of Rhode Island, EOHHS, RIDOH and many community partners to bring a mobile medical respite wound care program directly to individuals in the community throughout the State," said **PAUL SAL-ERA**, President/CEO of Westbay Community Action. "This program will be 'boots on the ground,' meeting people where they are at in the community to ensure that each individual will have the treatment and care necessary to maintain their health."

The first phase of the program includes trauma-informed and anti-stigma training provided by a person with lived experience to the providers and medical respite program staff. The budget for this sixmonth pilot program is \$331,305 using opioid abatement funding from recent settlements. This pilot program supports the Governor's Overdose Task Force Strategic Plan and Rhode Island 2030 goals focused on enhancing public health and wellness as well as prioritizing housing. *****



Deadline nears for RI Foundation medical research grants

Grant deadline: October 20, 2023

PROVIDENCE – The Medical Research Grants program of the Rhode Island Foundation awards grants of up to \$25,000 each. There are two funding opportunities:

- To provide support to new investigators as seed money or for pilot projects;
- To provide support to improve already highly rated NIH research proposals for re-submission

The Foundation encourages biomedical researchers throughout Rhode Island to apply for grant support for laboratory, clinical and population-based research. In addition to limited funding for general medical research, areas of interest with designated funding include infectious diseases, cardiac research, coronary artery disease, cerebral accidents, cancer, heart disease, multiple sclerosis, arthritis, diabetes, allergies, and performance enhancing substances.

Seed Grants

Seed Grants are provided to Assistant and Associate Professors at Rhode Island academic or hospital institutions. Grants are generally targeted to faculty who have received faculty level appointments within the past five years and are one-time awards. Only under unusual circumstances will a proposal for second-year funding be considered.

Funding may be used for supplies, research animals, support personnel, and other operating costs. The Foundation generally does not provide funds for permanent equipment, equipment maintenance, travel, or printing unless it is part of the research itself. In most cases, this program does not provide funds for salary support of the principal investigator. Due to the limited funds available, the Foundation does not cover charges for overhead by the applicant hospitals and universities.

The proposed grant period for a Seed Grant is 18 months from the time funds are disbursed.

Resubmission Grants

Resubmission Grants are to help bridge research and help improve already highly

rated NIH research proposals for re-submission. The applicant must have already applied for an NIH grant within the last 24 months that was discussed by the relevant study section, scored in the top 50th percentile, but was not funded. Applicants cannot have an active RO1 grant that extends beyond 12 months from the time of application

Strong preference for Resubmission Grants will be given to more junior faculty at Rhode Island academic or hospital institutions. Grants are limited to individuals with faculty level appointments and are not awarded to individuals holding training positions, such as clinical specialty fellows or postdoctoral fellows, at the time of initiation of the proposed research.

Funding may support activities including data gathering, travel, equipment time, purchase of supplies or other activities that are expected to improve the competitiveness of a planned resubmitted research proposal. In most cases, this program does not provide funds for salary support of the principal investigator. Due to the limited funds available, the Foundation does not cover charges for overhead by the applicant hospitals and universities.

The proposed grant period for a Resubmission Grant is 12 months from the time funds are disbursed.

Proposal review criteria

A review panel made up of scientists and physicians assists the Foundation in its review of Medical Research proposals. Criteria used to evaluate proposals include:

- Significance of the research
- Soundness of the methodology
- Feasibility of the research project
- Demonstration of independent research program
- If an applicant identifies as a member of an Underrepresented Population using the NIH categorization
- *For Seed Grants only:* Likelihood of applicant successfully pursuing future awards

- For Seed Grants only: Likelihood of the project transitioning to external funding (e.g., NIH RO1 funds)
- For Resubmission Grants only: Likelihood that the project will receive funding after resubmission for NIH funding
- Awards are contingent on IRB/IACUC written approval. If IRB/IACUC approval is not required, an institutional letter of exception is required.

Important dates

Applications must be received by October 20, 2023.

Awards will be available between April 1 and July 1, subject to receipt of all documents (i.e., IRB/IACUC approval, if required).

To apply

A complete application package (all submitted through our online system) includes:

- Completed application form;
- Project description;
- Completed budget form;
- A curriculum vitae "biosketch" of the Principal Investigator;
- Letter of support from the investigator's division director or department chair*;
- Letter of support from significant collaborators*;
- Letter from the office of research administration of the sponsoring agency*;
- IRB or IACUC Approval Letter. If you do not have your approval letter, please upload a letter of exception or a statement detailing the status of your approval letter in its place.*

For Resubmission Grants only: the relevant NIH summary statement;

For Resubmission Grants only: Rough estimate of the total budget for resubmission: direct and indirect costs for each budget year of the project and the total for full project period. \diamond

*Letters must be in Word, Excel, PDF, or JPG formats and must be submitted through our online system.



Rhode Island remains a vaccination leader nationwide for adolescents

PROVIDENCE – Rhode Island continues to be a national leader in adolescent immunizations, with Rhode Island teens at or above the national averages for every vaccine type, according to recently released data from the Centers for Disease Control and Prevention (CDC).

"Rhode Island's immunization success is directly attributable to the dedication of our community partners and healthcare workforce, including primary care providers, school nurses, and pharmacists," said **UTPALA BANDY, MD, MPH**, Interim Director of the Rhode Island Department of Health (RIDOH).

Rhode Island highlights

- Rhode Island saw minor decreases in adolescent vaccination coverage rates during the COVID-19 pandemic, but overall coverage increased from 2021 to 2022, returning to rates similar to those in the 2020 survey (which represents pre-pandemic levels).
- Rhode Island has the nation's highest rate for 13- to 17-year-olds who are up to date on their human papillomavirus (HPV) vaccines.
 94.6% of Rhode Islanders in this age group have had at least one dose, compared to 76.0% nationally.
- Rhode Island continues to exceed national vaccination averages for adolescent Tdap vaccination (preventing tetanus, diphtheria, and pertussis). 95.1% of Rhode Islanders 13–17 years old have had at least one dose, compared to 89.9% of adolescents in this age group nationally. Rhode Island is also a national leader in MenACWY vaccination (meningococcal conjugate vaccine). 96.2% of Rhode Islanders 13–17 years old have had at least one dose, compared to 88.6% of adolescents in this age group nationally.

The Rhode Island Child and Adult Immunization Registry

The Rhode Island Child and Adult Immunization Registry (RICAIR) contributes to Rhode Island's high vaccination rates. RICAIR is a statewide health information system that houses child and adult immunization records in one unified system, which healthcare providers can access statewide to coordinate care for patients. An additional factor in Rhode Island's immunization success is its Universal Vaccine Policy. This Universal Vaccine Policy allows healthcare providers to order all vaccines from the state for children from birth through 18 years of age, and most recommended vaccines for adults, at no cost. (As a condition of enrollment in the system, providers have to vaccinate patients at no cost.)

The data were collected using the CDC's National Immunization Survey-Teen. Vaccination estimates are generated by calling randomly selected phone lines nationally among households that include adolescents from 13 to 17 years of age. Parents and guardians are interviewed to obtain adolescent, maternal, and household information and are asked to provide consent for their adolescent's vaccine providers to be contacted. Data is not collected on every individual, so the true vaccination rates (and there-fore rankings) could be slightly higher or lower.

Complete Rhode Island immunization data are available online at https://ricair-data-rihealth.hub.arcgis.com �

Lifespan hosts its 30th Annual Research Day Oct. 5th

PROVIDENCE – The Lifespan Office of Research will host its 30th Annual Research Day on Thursday,

October 5th at Rhode Island Hospital's George Auditorium. The event will celebrate the groundbreaking research being conducted at Lifespan, which currently has over 460 clinical trials underway and has received more than \$120 million in awards from the National Institutes of Health (NIH) and other sources.



The keynote speaker for the event will be **ROHAN PALMER, PhD**, who will present on "Understanding and Translating Genetic Markers of Addiction." Dr. Palmer is the director of the behavioral genetics of addiction laboratory and associate professor of psychology at Emory University, as well as a staff scientist (WOC) at the Providence Veteran's Affairs Medical Center.

The Lifespan Office of Research is committed to advancing medical knowledge and improving patient care through innovative research. Research Day is an opportunity to highlight the important work being done by Lifespan researchers and their collaborators.

"We know our researchers are making groundbreaking discoveries that are improving the health and well-being of our patients and communities," said **BHARAT RAMRATNAM**, **MD**, vice president of research at Lifespan. "We are thrilled to celebrate our 30th Annual Research Day and showcase the incredible work being done at Lifespan."

Additional presentations will include the Bruce Selya Award Winner in Research Excellence and research posters from Lifespan and other Rhode Island research institutions.

For those unable to attend in person, the talks at the George Auditorium will also be broadcast via Zoom. For more information on Lifespan Research Day 2023, visit the Lifespan website for more event information. \blacklozenge



RI suicide and crisis line calls increase by more than 50 percent since 988 launch

PROVIDENCE – The 988 Suicide and Crisis Lifeline answered more than 6,000 calls during its first year of operation in Rhode Island, significantly increasing the number of people being connected to mental health resources, even as the state continued to have one of the highest local answer rates in the nation.

Rhode Island fielded 6,285 988 calls from July 2022 through June 2023, a 58 percent increase over the 3,986 calls fielded during the previous year through the National Suicide Prevention Lifeline before the launch of 988.

At the same time, Rhode Island was at or near the top nationwide each month for the percentage of 988 calls answered in-state and average speed to answer, meaning a greater likelihood of connecting callers with the help they need.

The 988 Suicide and Crisis Lifeline went live in July 2022, providing access to help previously available through a 10-digit national Lifeline number and a local Rhode Island number.

"The ease of pressing those three digits is leading more people to seek help, and that means the 988 Lifeline is making a difference," said **DR**. **LOUIS CERBO**, Interim Director of the Rhode Island Department of Behavioral Healthcare, Developmental Disabilities and Hospitals. "It's also important that the vast majority of Rhode Island calls are being handled locally, because the Rhode Island call center has services and can make connections that will help people in a timely manner."

Legislation to create the 988 Lifeline was spearheaded by U.S. Senator **JACK REED**, who advocated for the importance of having a three-digit number that would make it easier for people to seek help.

Nationwide, the 988 Lifeline fielded nearly 5 million calls, texts, and chats during its first year, helping people through a network of more than 200 local and state crisis centers.

Here in Rhode Island, 988 calls, texts, and chats go to a trained 988 staff that is backed up by BH Link, the state's one-stop 24/7 behavioral health triage/crisis center, which in addition to the 988 call center has clinicians, nurses, psychiatrists, peer specialists, and case managers who can help people and connect them to the most appropriate care.

"BH Link and the 988 Call Center is here and ready to serve all Rhode Islanders," said **DR. CLIFF CABRAL**, CEO of Horizon Healthcare Partners, which oversees BH Link and 988. "We are asking residents across our state's 39 cities and towns to help us spread the word to their co-workers, neighbors, friends, and family so that everyone knows where they go can for help if they are experiencing a mental health or substance use issue."

The Rhode Island call center has consistently been the best or among the best in the nation for answering local calls, with at least 95 percent answered each month during the first year of 988.

Approximately 42 percent of those calls resulted in specific behavioral health and/or community resources provided, and less than 2 percent resulted in first responder dispatch.

Call responses over the past year have included everything from basic emotional support, sharing of information and resources, referrals to care or recovery services, and collaboration with other agencies' crisis responders, including mobile crisis, to reach people where they are. \diamond

CardioPulmonary Vascular Biology COBRE administrative supplement funded \$1M

PROVIDENCE – The VA Providence Healthcare System announced today that The National Institute of General Medical Sciences (NIGMS) has awarded the VA Providence CardioPulmonary Vascular Biology (CPVB) COBRE just over \$1 million dollars to fund a team of scientists investigating right sided heart failure. The outcomes of these studies are expected to help find new treatment approaches.



Bum-Rak Choi, PhD

This team of multidisciplinary scientists from four Rhode Island institutions are: Drs. PENG ZHANG (Medicine, VA Providence), BUM-RAK CHOI (Medicine, Rhode Island Hospital), **GEORGE KAR-**NIADAKIS (Applied Mathematics and Engineering, Brown) and **RICHARD CLEMENTS** (Biomedical and Pharmaceutical Science, URI). The team will work together using state-of-the art methods and new data science approaches, including artificial intelligence, to understand what causes the right side of the heart to fail.

The CPVB COBRE led by Drs. Gaurav Choudhary and ELIZA-**BETH HARRINGTON** and has been based at the Providence. VA since 2013. The vision of the COBRE is effective therapies for blood vessel diseases, based on mechanistic understanding which is accomplished through research by a group of outstanding investigators who are using cutting edge tools to understand diseases of the blood vessels. Since the beginning of their funding the CPVB COBRE has funded 41 investigators from various Rhode Island academic institutions. 💠



Richard Clements, PhD



George Karniadakis, PhD



Peng Zhang, MD, MS



Construction begins on Butler Hospital's renovated Short Stay Unit

PROVIDENCE – Care New England Health System has begun construction of a 25-bed short stay unit at Butler Hospital. Renovations for the new unit are funded through the State Fiscal Recover Fund (SFRF) to recover from the pandemic as approved in the Governor's budget and by the General Assembly as well as federal funds provided by the Congressional Delegation.

The 25-bed short stay unit will allow for patients with mental health needs to seek treatment initiation at the new facility instead of overcrowded emergency departments at local hospitals. The unit will be designed to accommodate multiple distinct patient populations achieved through flexible pod systems to ensure that access to care is not impacted by physical space limitations. Examples include the ability to flex up or down adolescent beds, provide isolation rooms, and help various adult populations to ensure system remains flexible and nimble.

"The short stay unit will address the growing mental health crisis and make the delivery of service more immediately available by creating a space for the initiation of treatment outside of emergency rooms for those seeking help for behavioral health issues," said Health and Human Services (EOHHS) Assistant Secretary **ANA NOVAIS**. "This unit will help us address our strategic priority focused on addressing addiction, improving behavioral health, and combatting stigma."

"The \$8 million in SFRF funds provided by Governor McKee and the General Assembly, combined with an additional \$4 million in other federal funds, allows our hospital to have a substantial impact in eliminating the issue of Emergency Department boarding or closed beds due to infections such as COVID," said MARY E. MARRAN, MS, OT, MBA, President and Chief Operations Officer, Butler Hospital; President, The Providence Center; Senior Vice President, Care New England Service Line.

The construction manager is DPR Construction and the Architect for the project is CannonDesign. The engineers are from BR+A Consulting Engineers. The renovated site is set to open in 2024.

This project was supported, in whole or in part, by federal award number SLFRP0136 awarded to the State of Rhode Island by the U.S. Department of Treasury. *

Rhode Island joins national PSYPACT program

PROVIDENCE – Governor **DAN MCKEE** and the Rhode Island Department of Health (RIDOH) announced on Sept. 19th that Rhode Island has joined the Psychology Interjurisdictional Compact (PSYPACT), which will expand treatment options for people in need of care from a psychologist.

Properly credentialed psychologists licensed and located in any of the other 39 PsyPact states can now apply to provide telepsychology services and/or conduct temporary in-person, face-to-face sessions with patients in Rhode Island. In addition, properly credentialed psychologists licensed in Rhode Island can now apply to practice telepsychology and/or conduct temporary in-person, face-to-face practice in any of the other PSYPACT states. In both scenarios, the psychologist from another state must practice under Rhode Island's rules and regulations.

"By joining PSYPACT, Rhode Island is increasing access to much-needed, high-quality mental health services for people across the state," said Interim Director of Health **UTPALA BANDY, MD, MPH**. "From a logistics perspective, this will also make it feasible for Rhode Island patients who leave the state for school, vacation, or relocation to continue treatment with their Rhode Island provider, so long as their psychologist is authorized under PSYPACT."

Rhode Island-licensed psychologists who want to enroll in PsyPact can do so online at PSYPACT.org. To provide telepsychology services in other PSYPACT states, the initial fee is \$440 and must be renewed annually, subject to a renewal fee of \$100 and three hours of continuing education relevant to the use of technology in psychology. To conduct temporary, in-person, face-to-face practice in PSYPACT states the initial fee is \$240 and must be renewed annually, subject to a renewal fee of \$50. *****



Appointments



Mouhanad M. El Othmani, MD, joins Joint Replacement Center at University Orthopedics

EAST PROVIDENCE – University Orthopedics recently announced the addition of **MOUHANAD M. EL OTHMANI, MD**, to The Joint Replacement Center.

Fellowship-trained in adult reconstruction, Dr. El Othmani specializes in robotic joint replacement, both inpatient

and outpatient; hip and knee arthritis; total and partial hip replacement; direct anterior hip replacement for complex primaries and revisions; total and partial knee replacement; total joint revisions following infection, fracture, dislocation, loosening, and other failure modalities; and lower extremity trauma.

Dr. El Othmani, who will see patients in Newport and at the practice's location in Westerly, completed the Frank E. Stinchfield Adult Reconstruction fellowship at Columbia University. Prior to that, he earned his medical degree at American University of Beirut in Lebanon and completed his residency at Wayne State University and Detroit Medical Center. He is particularly interested in a holistic approach to joint replacement, with a focus on nutritional and functional peri-operative optimization, and enhanced recovery post-joint replacement.

"I don't just treat specific joints. I treat the whole person. When a patient is in my care, it is a true partnership that continues long after they're wheeled out of the operating room," Dr. El Othmani said. "As they embark on a journey toward restored mobility, it's my job to guide them on a path toward a pain-free and active life while providing them with exceptional, compassionate care that is also cutting-edge."

Beyond his clinical practice, Dr. El Othmani has published more than 80 peer-reviewed articles, a book, and numerous book chapters, showcasing his commitment to advancing medical knowledge and improving patient outcomes. He actively participates in national and international conferences, where he shares his expertise and presents his pioneering research.

Recognition

BCBSRI earns 4.5 out of 5 rating from National Committee for Quality Assurance

PROVIDENCE – Blue Cross & Blue Shield of Rhode Island (BCBSRI) has attained a rating of 4.5 out of 5 from the National Committee for Quality Assurance (NCQA), placing it among the top 4% of Preferred Provider Organization (PPO) plans in the country.

No health plans achieved the top rating of 5.0 in this category and only 14 out of 339 PPO plans joined BCBSRI with a 4.5 score in NCQA's commercial Health Plan Ratings for 2023.

NCQA evaluates health plans on the quality of care that patients receive, how happy patients are with their care and health plans' efforts to keep improving.

"We take great pride in receiving such an exemplary rating and being among a relatively small number of high performing plans across the country to do so. We're able to score so highly because of our collaborative relationship with providers, who help ensure that our members are getting the right care, at the right time and in the right place," said **DR. FARAH SHAFI**, chief medical officer for BCBSRI.

NCQA sent additional good news recently when it granted BCBSRI Health Plan accreditation for another three years, for the period 2023 through 2026. Accreditation is required to offer health plans to the Federal Employees Program and to healthcare insurance exchanges.

NCQA is a private, nonprofit organization dedicated to improving health care quality. NCQA accredits and certifies a wide range of health care organizations and recognizes clinicians in key clinical areas. NCQA's HEDIS® (Health Care Effectiveness Data and Information Set) is the most widely used performance measurement tool in health care. NCQA's website (www.ncqa.org) contains information to help consumers, employers and others make informed health care choices. �



Recognition

RIMS Honorees recognized at 2023 member Convivium

AMA Immediate Past President Dr. Jack Resneck, Jr., featured speaker

EAST PROVIDENCE – The Rhode Island Medical Society hosted its 211th Member Convivium – an annual meeting and awards dinner – on September 28th at the Squantum Association in East Providence.

The annual event is an opportunity for physicians, physician assistants and medical students to celebrate their profession; learn about health care issues critical to meeting the evolving challenges of medical practice and quality patient care; and recognize Rhode Island physicians who have made outstanding contributions to the health and well-being of patients in Rhode Island and beyond.

The keynote speaker was American Medical Association Immediate Past President JACK RESNECK, Jr., MD, who received his BA in public policy from Brown University.

"I'm excited to return to Providence and honored to join my Rhode Island physician colleagues, medical students and physician assistants at this year's Convivium," said Dr. Resneck. "Being a part of organized medicine is more important now than ever. We each know first- hand how physicians have put everything into our nation's response to COVID-19. Now it's time the nation renews its commitment to physicians and to shoring up our health system. That's why the AMA launched the AMA Recovery Plan for America's Physicians – aimed at reforming Medicare payments to physicians, improving telehealth, and reducing stigma around mental health care and burnout. We will continue to make this our top priority and advocate for changes that will improve the health of everyone in the U.S."

Honorees

The Society's 2023 honorees include:

Jonathan Cahill, MD | Humanism in Medicine Award

Associate Professor of Neurology at The Warren Alpert Medical School of Brown University and staff neurologist at the Multiple Sclerosis Center of Rhode Island

Sybil Cineas, MD | Recognition of Outstanding Medical Volunteerism – Halifax Award

Associate Professor of Medicine, Pediatrics, and Medical Science for the Brown Med-Peds Residency Program, and longtime volunteer attending physician and Medical Advisory Committee member for the Rhode Island Free Clinic

Andrew Saal, MD | Recognition of Leadership and Service – Dr. Charles L. Hill Award

Former Chief Medical Officer, Providence Community Health Centers

Jane Sharp, MD | Recognition for Exemplary Professionalism and/or Humanitarian Service – Dr. Herbert Rakatansky Award Partner at Center for Obstetrics & Gynecology – a division of SNE Women's Health, Clinical Assistant Professor of Obstetrics & Gynecology at the Warren Alpert Medical School of Brown University, and attending physician at Women & Infants Hospital

Recognition of Commitment to the Profession – 5 Under 40 Award:

Fahad Ali, MD

Emergency Medicine Resident (PGY4) and first-ever Chief Resident of Diversity, Equity and Inclusion at Brown Emergency Medicine

Allison Heinly, MD

Associate Professor of Pediatrics at the Warren Alpert Medical School of Brown University, Associate Program Director of Brown Pediatric Residency Program, and general pediatrician at Hasbro Children's Hospital Primary Care

Anita Knopov, MD

Medical Education Fellow at Brown Emergency Medicine, Research Fellow at *Annals of Emergency Medicine*, practicing physician at The Miriam Hospital, and advocate of firearm injury prevention and education

Vincent LaBarbera, MD

Assistant Professor of Neurology at the Warren Alpert Medical School of Brown University and Medical Director of the Louise Wilcox ALS Clinic at Rhode Island Hospital

Katelyn Moretti, MD

Assistant Professor of Emergency Medicine at the Warren Alpert Medical School of Brown University, co-founder of the Rhode Island Medical Society Climate Change and Health Committee, and co-investigator on the 3CRS project – Community-driven Coastal Climate Research and Solutions

Additionally, the inauguration of 2023–2024 officers, included the 'passing of the torch' of the presidency of the Board of Directors from **THOMAS BLEDSOE**, **MD**, to **HEATHER A. SMITH**, **MD**.

"Dr. Smith brings a wealth of experience form her work on the national stage with the American Medical Association and the American College of Obstetricians and Gynecologists," said Dr. Bledsoe. "The Medical Society is very fortunate to have her step into the leadership role at this time. I look forward to seeing her in action but also to being on hand to support her and the other incoming officers over the coming year. \diamond



Recognition

South County Hospital receives 5-Star rating from CMS

WAKEFIELD – South County Hospital was recently awarded a prestigious 5-Star rating from the Centers for Medicare and Medicaid Services (CMS) for 2023. This is the highest possible achievement of CMS's Overall Hospital Quality Star Ratings, and places South County in the top 10% of all hospitals nationwide. South County Hospital is one of only two hospitals in Rhode Island with a 5-Star rating.

The overall star rating for hospitals nationwide is based on how well a hospital performs across quality-of-care measures compared to other hospitals in the U.S, and provides a single-star rating for each hospital. The overall rating, between one and five stars, summarizes a variety of measures across five areas of quality: mortality, safety of care, readmission, patient experience, and timely and effective care.

"The 5-Star rating is a testament to the exceptional level of quality and care provided by our incredible providers and clinical staff who always put the care, safety, and experience of our patients first," said **AARON ROBINSON**, President and CEO of South County Health. *****

Blue Cross & Blue Shield of Rhode Island certifies 37 new LGBTQ Safe Zones

PROVIDENCE – Blue Cross & Blue Shield of Rhode Island (BCBSRI) has designated an additional 37 healthcare sites as LGBTQ Safe Zones, certifying that they have demonstrated care designed to meet the specific needs of LGBTQ patients. With these additions, the number of BCBSRI Safe Zones spread out across Rhode Island has topped 100.

This large class of certified providers was bolstered by the commitment of Rhode Island Medical Imaging (RIMI), with all 17 of its sites now deemed Safe Zones. All six locations of Tides Family Services were also certified as Safe Zones. Also achieving the designation was East Bay Community Action Program, the first community action agency to become a BCBSRI Safe Zone. The 37 new sites represent a broad range of adult and pediatric services, including mental health, medical imaging, physical therapy, and obstetrics and gynecology.

"We applaud all of these providers for taking the initiative to join our Safe Zone program and are so pleased to welcome multi-site practices in their entirety, including all locations of RIMI and Tides Family Services," said **FARAH SHAFI**, **MD**, **MBA**, executive vice president and chief medical officer for BCBSRI. "Being responsive to the unique needs of this community isn't just respectful, it's essential to quality and equitable healthcare. It encourages LGBTQ patients to seek the care they need when they might otherwise put off getting help due to feelings of alienation, fear and stress."

Since BCBSRI launched the program in 2016, 117 healthcare sites have achieved BCBSRI Safe Zone designation.

SCOTT GOWRIE, Safe Zone program lead for BCBSRI, said, "We're so grateful that providers all across Rhode Island and representing so many different types of programs and services, have joined us in this campaign to better serve our long and historically underserved LGBTQ community. The fact that in such a short period of time so many providers have come to us and demonstrated they are truly welcoming of this population speaks to its success and growing popularity."

The following facilities have sites newly designated as Safe Zones:

- Wood River Health
- Cultivating Minds Counseling Services
- Rhode Island Medical Imaging
- Thrive Behavioral Health
- Hasbro Children's Hospital rehabilitation services
- Pappas OPT Middletown (occupational and physical therapy)
- The Miriam Hospital Outpatient Rehab Clinic
- The Holistic Heart (therapy services)
- East Bay Community Action Program (four locations)
- Tides Family Services (cognitive behavioral therapy, structured recreation, afterschool programming and more)
- Woman & Infants Hospital OGCC (obstetrics and gynecology)

Certification requirements for BCBSRI LGBTQ Safe Zones include staff training specific to the care of LGBTQ patients, protection for patients and staff from discrimination based on gender identity or expression, gender neutral bathrooms, inclusive forms and procedures, and a public commitment to connecting with and serving the LGBTQ community.

BCBSRI solicits applications and designates new LGBTQ Safe Zones twice a year. To learn more about the program, or if you are a provider or practice looking to become certified, visit https://www.bcbsri.com/safezones. �



Recognition

VNA of Care New England-Hospice earns superior performer award

WARWICK – VNA of Care New England–Hospice has earned the Strategic Healthcare Programs (SHP) Best Hospice Superior Performer Caregiver Satisfaction Award for the calendar year 2022.

The annual SHP Best[™] program was created to acknowledge hospice providers that consistently provide high-quality service to families and caregivers of patients receiving hospice care. With one of the largest CAHPS Hospice benchmarks in the nation, SHP is in a unique position to identify and recognize organizations that have made family and caregiver satisfaction a priority and have been rewarded for their efforts with high marks on the CAHPS Hospice survey. SHP Best award recipients are determined by ranking the overall score for all SHP CAHPS Hospice clients. Providers that rank in the top 20% receive the Superior Performer award. ◆

Brown Surgical, Miriam gain national accreditation from American College of Surgeons for rectal cancer care

PROVIDENCE – Brown Surgical Associates and The Miriam Hospital have received accreditation under the American College of Surgeons (ACS) National Accreditation Program for Rectal Cancer (NAPRC).

During the last 20 years, rectal cancer outcomes highly contingent upon specialization, training, and volume – have repeatedly been shown to vary greatly. To standardize best practices, the ACS developed the NAPRC to facilitate a multidisciplinary, holistic approach to improving rectal cancer care and outcomes.

"At a time when younger Americans are developing rectal cancer at an alarming rate, the designation of The Miriam Hospital as a Center of Excellence for the treatment of this disease is not only an impressive and welcome achievement for our team but, more importantly, it means we are positioned to provide world-class care to the growing number of people who need our services," said **DR. STEVEN SCHECHTER**, Chief of Colorectal Surgery at both Brown Surgical Associates and Lifespan.

This NAPRC is based on international models that lead to better outcomes for patients, including a reduction in recurrence rates, better quality of life, improved function, and increased survival, as well as other nationally recognized ACS quality improvement programs. ACS Quality Programs have measurably improved surgical quality and have prevented complications, reduced costs, and saved lives.

"This prestigious designation means Rhode Island residents who need treatment for rectal cancer are receiving the very best care right here, close to home, without having to travel to Boston or other cities," said **DR. HOWARD SAFRAN**, director of hematology/oncology at the Lifespan Cancer Institute. "Not only is the colorectal team at The Miriam Hospital the best in Rhode Island, it's now recognized as one of the best in the world." *****

Northeast Orthotics & Prosthetics Donates Prosthetics to TSA Cares Training Program at TF Green *Appliances will be used to train TSA agents to better support amputees during screening*

PROVIDENCE– The U.S. Transportation Security Administration recently recognized Northeast Orthotics and Prosthetics for its donation of two prosthetics to the agency's TSA Cares Passenger Support Program.

Through the TSA Cares program, travelers with a disability or medical condition can request the support of a TSA Passenger Support Specialist, or PSS. This summer, NEOP donated an above-the-knee prosthesis and a below-the-knee prosthesis that will be used to train PSS agents at T.F. Green Airport.

"We understand the importance of providing exceptional security measures while ensuring the utmost care and respect for all individuals, including those with prosthetic devices," Federal Security Director **DANIEL**

BURCHE wrote in a letter to NEOP. "Your contribution will significantly aid to our ongoing commitment to professionalism, proficiency, and customer service. By providing our officers with the opportunity to train using authentic prosthetic devices, we can simulate real-world situations, ultimately enhancing

our ability to deliver a safe and efficient screening process for all travelers."

"No one likes to go through airport security. But, for an amputee, the process can be even more stressful and uncomfortable," said NEOP Founder and CEO MARK MA-RICH, who himself is an amputee. "So, when we heard the TSA was training its agents to better support those traveling with a prosthesis, we jumped at the chance to help."

In addition to sending a letter of recognition, the TSA provided NEOP with information cards to give to patients who are planning to travel, so they will know how to request support if needed. Passengers who need screening assistance should make a request online 72 hours

before traveling and the TSA will arrange for a specialist at the airport to contact you. To speak with someone, travelers can call TSA Cares at 855-787-2227 from 8am to 11pm, Monday through Friday, and from 9am to 8pm on weekends and holidays. \diamondsuit



Places

Meals on Wheels of RI teams with Point32Health to provide no cost, healthy meals for expectant mothers at W&I

PROVIDENCE – Point32Health, the parent company of Tufts Health Plan and Harvard Pilgrim Health Care, and Meals on Wheels of Rhode Island, are collaborating to broaden access to healthy and nutritious meals for pregnant women who are patients at Women & Infants Hospital.

"Health care providers understand the importance of nutrition for women during pregnancy and it is critical to find a way to meet families where they are – not only by addressing cost barriers, but also hurdles of transportation or even cultural dietary needs," said **MICHELE WOLFSBERG**, director of clinical strategy for commercial products at Point32Health. "Our program with Meals on Wheel of RI and Women & Infants Hospital has helped to provide thousands of healthy meals to households in Rhode Island to support maternal wellness and healthy baby development."

Launched in 2022 and funded by Point32Health, the program utilizes clinical social workers at Women & Infants Hospital to identify patients who could benefit from no-cost, weekly home-delivered meals. The initiative supports expecting mothers with high-risk prenatal medical conditions, such as gestational diabetes, and those whose income may be a barrier to consistent, nutritional meals.

"Providing healthy, nourishing food is essential to help close the gap in health disparities and improve outcomes for pregnant and postpartum mothers. The simple act of delivering a meal can change the lives of vulnerable members of our community," said **METHODIUS G. TUULI, MD, MPH, MBA**, chief of obstetrics and gynecology, Women & Infants Hospital; executive chief of obstetrics and gynecology, Care New England Health System.

The program provides a weekly delivery of meals to each participant and their household for the duration of their pregnancy, and a weekly meal for two weeks during the postpartum period. In addition to an array of healthy meal selections, designated Latin, Asian, and Kosher menus are also available.

"Meals on Wheels of RI is proud to collaborate on this expansion of our 'More Than A Meal' model, which aligns with our 2025 strategic plan," said Meals on Wheels of RI executive director **MEGHAN GRADY**. "We are very pleased with the results to date and grateful for the important opportunity to serve this in-need population."

In a survey, 100 percent of the respondents reported enjoying the food and reported that the meals made them feel healthier. More than half of respondents reported using WIC program information included with meal deliveries. \diamondsuit

The Substance Use and Mental Health Leadership Council of RI host ribbon-cutting ceremony to celebrate new office location

WARWICK – The Substance Use and Mental Health Leadership Council (SUMHLC) recently announced that the office is relocating to 15 Messenger Drive in Warwick. To celebrate this occasion, a ribbon-cutting ceremony was held on September 27th.

At a time of a deepening crisis surrounding both addiction and behavioral health, the new location will help better serve the most vulnerable in our communities. Opioid overdose deaths along with suicides have continued to steadily rise over the last several years. Amid the COVID-19 pandemic, opioid-related deaths are estimated to have increased to nearly 90,000, almost double the previous year, according to a Washington Post report. In Rhode Island, accidental drug overdose deaths went up by 25 percent, according to official state estimates.

In addition to the new office location, SUMHLC will also unveil a new logo. Both illustrate the new direction of the organization, to better support the nonprofits helping treat opioid addiction, as well as mental health and other addiction illnesses.

In addition to the new office space, the new organizational model will also allow for remote training, which provides for access to both local and national industry experts as well as medical professionals. About the Substance Use and Mental Health Leadership Council of R.I.

The Council was formed in 2015 through a merger of The Drug and Alcohol Treatment Association (DATA) and the Rhode Island Council of Community Mental Health Organizations (RICCMHO), two agencies which had been the voices for mental health and substance abuse treatment and prevention services in RI for over 30 years. The Leadership Council advocates and supports its member agencies at the R.I. state legislature and works closely with all state and federal agencies on their behalf.

To learn more about SUMHLC, please visit www.sumhlc.org. *



Obituaries

RICHARD F. JUDKINS, MD, passed away at the age of 86 in Palmetto, FL, on Sept. 18th after an unexpected illness. His devotion to his family and firm faith in God supported him in this struggle and ultimately gave him peace.



After high school graduation in Worces-

ter, he entered Brown University in PreMed, playing varsity football and baseball. Upon graduation, he attended Boston University Medical School and completed a five-year residency at Rhode Island Hospital. He then served two years in the Navy as an ENT, head and neck surgeon during the Vietnam War.

In 1970, he began his medical career at South County Hospital in Wakefield, followed by The City of Faith in Tulsa, OK, then The Medical College of Ohio in Toledo, OH. The highlight of his medical career was serving on medical mission trips, especially to the Dominican Republic, where he was known as "El Caballo," the workhorse.

In 1972, he married Linda (Hillman), his beloved wife of 51 years. He was the proud father of five children: Dr. Jennifer Judkins Godin (Luke), Kristen Judkins, Richard Bijorn Judkins, Gwen Dodson (David), and Bret Judkins (Tiffany). His 11 grand-children brought joy and laughter into his life. His love and leadership will be greatly missed by both family and friends.

Donations in his memory may be made to: Solid Rock International, P.O. Box 4563, Carmel, IN 46082, supporting the continued clinic and hospital work in the Dominican Republic. Donations may also be made to Tidewell Hospice, 4151 37TH St E, Palmetto, FL 34221. ◆ ALBERT F. MARZ, Jr., DO, 87,

passed away on September 25th at home surrounded by his family. He was the beloved husband of Jean Marz for over six decades and the devoted father of Jonathan Marz and his wife Suzanne, Melinda Ragosta and her husband Peter Sr., and the late Julie Eva and her husband Brenton.



He was a cherished grandfather to his grandchildren Maxton, Mason, McKinley, Peter Jr., Andrew, Katherine, Nathaniel, and Ren who brought immense joy to his life.

After graduating from Bowdoin College he served three years in the US Army. He received his medical degree from Des Moines University. Dr. Marz began his distinguished medical career at Cranston General. His passion for healing led him to establish his own practice in Greenville, Rhode Island, where he worked tirelessly for over 50 years and positively impacted countless lives. In addition to his private practice, Dr. Marz also served as the school sports doctor at Smithfield High School, nurturing the health and well-being of young athletes.

Ever dedicated to his profession, Dr. Marz continued to practice medicine at Apple Valley treatment center until his retirement in 2016. His commitment to the well-being of others was unwavering, and he touched the lives of thousands through his compassionate care.

In his leisure time, he enjoyed being a member of the Shriner's Club, the art of golfing and finding solace on the greens and delight in the company of friends. But his true sanctuary was found on Waterman's Lake, where he lived and enjoyed boating and embracing the serenity of nature's beauty.

His faith played an integral role in his life, and he was an active member of St. Thomas Church, finding spiritual comfort and guidance in his religious community. Donations in his memory may be made to St. Thomas Episcopal Church, 1 Smith Avenue, Greenville, RI 02828.

